

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県        |               |         |                     | 共済事業              |  | 園芸施設共済  |  |
|-----------------|--------------------|------------|---------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名            |                    | 千葉県農業共済組合  |               |         |                     |                   |  |         |  |
| 料率地域区分          |                    | 000        |               | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分            |                    |            | 共済掛金区分        |         |                     | 共済掛金標準率           |  |         |  |
| 10 ガラス室 I 類(木造) |                    |            | ガラス I 特定附帯被覆A |         |                     | 0.315             |  |         |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |            | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|                 |                    |            | 圧縮前           | 圧縮後     |                     |                   |  |         |  |
| 20              | 197.5              | ≦* <       | 160.00000     | 3.01266 | 0.474               | 0.474             |  |         |  |
| 19              | 192.5              | ≦* < 197.5 | 156.00000     | 2.96203 | 0.467               | 0.467             |  |         |  |
| 18              | 187.5              | ≦* < 192.5 | 152.00000     | 2.91139 | 0.459               | 0.459             |  |         |  |
| 17              | 182.5              | ≦* < 187.5 | 148.00000     | 2.86076 | 0.451               | 0.451             |  |         |  |
| 16              | 177.5              | ≦* < 182.5 | 144.00000     | 2.81013 | 0.443               | 0.443             |  |         |  |
| 15              | 172.5              | ≦* < 177.5 | 140.00000     | 2.75950 | 0.435               | 0.435             |  |         |  |
| 14              | 167.5              | ≦* < 172.5 | 136.00000     | 2.70886 | 0.427               | 0.427             |  |         |  |
| 13              | 162.5              | ≦* < 167.5 | 132.00000     | 2.65823 | 0.419               | 0.419             |  |         |  |
| 12              | 157.5              | ≦* < 162.5 | 128.00000     | 2.60760 | 0.411               | 0.411             |  |         |  |
| 11              | 152.5              | ≦* < 157.5 | 124.00000     | 2.55696 | 0.403               | 0.403             |  |         |  |
| 10              | 147.5              | ≦* < 152.5 | 120.00000     | 2.50633 | 0.395               | 0.395             |  |         |  |
| 09              | 142.5              | ≦* < 147.5 | 116.00000     | 2.45570 | 0.387               | 0.387             |  |         |  |
| 08              | 137.5              | ≦* < 142.5 | 112.00000     | 2.40506 | 0.379               | 0.379             |  |         |  |
| 07              | 132.5              | ≦* < 137.5 | 108.00000     | 2.35443 | 0.371               | 0.371             |  |         |  |
| 06              | 127.5              | ≦* < 132.5 | 104.00000     | 2.30380 | 0.363               | 0.363             |  |         |  |
| 05              | 122.5              | ≦* < 127.5 | 100.00000     | 2.25317 | 0.355               | 0.355             |  |         |  |
| 04              | 117.5              | ≦* < 122.5 | 96.00000      | 2.20253 | 0.347               | 0.347             |  |         |  |
| 03              | 112.5              | ≦* < 117.5 | 92.00000      | 2.15190 | 0.339               | 0.339             |  |         |  |
| 02              | 107.5              | ≦* < 112.5 | 88.00000      | 2.10127 | 0.331               | 0.331             |  |         |  |
| 01              | 102.5              | ≦* < 107.5 | 84.00000      | 2.05063 | 0.323               | 0.323             |  |         |  |
| 00              | 97.5               | ≦* < 102.5 | 80.00000      | 2.00000 | 0.315               | 0.315             |  |         |  |
| -01             | 92.5               | ≦* < 97.5  | 76.00000      | 1.94937 | 0.307               | 0.307             |  |         |  |
| -02             | 87.5               | ≦* < 92.5  | 72.00000      | 1.89873 | 0.299               | 0.299             |  |         |  |
| -03             | 82.5               | ≦* < 87.5  | 68.00000      | 1.84810 | 0.291               | 0.291             |  |         |  |
| -04             | 77.5               | ≦* < 82.5  | 64.00000      | 1.79747 | 0.283               | 0.283             |  |         |  |
| -05             | 72.5               | ≦* < 77.5  | 60.00000      | 1.74684 | 0.275               | 0.275             |  |         |  |
| -06             | 67.5               | ≦* < 72.5  | 56.00000      | 1.69620 | 0.267               | 0.267             |  |         |  |
| -07             | 62.5               | ≦* < 67.5  | 52.00000      | 1.64557 | 0.259               | 0.259             |  |         |  |
| -08             | 57.5               | ≦* < 62.5  | 48.00000      | 1.59494 | 0.251               | 0.251             |  |         |  |
| -09             | 52.5               | ≦* < 57.5  | 44.00000      | 1.54430 | 0.243               | 0.243             |  |         |  |
| -10             | 47.5               | ≦* < 52.5  | 40.00000      | 1.49367 | 0.235               | 0.235             |  |         |  |
| -11             | 42.5               | ≦* < 47.5  | 36.00000      | 1.44304 | 0.227               | 0.227             |  |         |  |
| -12             | 37.5               | ≦* < 42.5  | 32.00000      | 1.39241 | 0.219               | 0.219             |  |         |  |
| -13             | 32.5               | ≦* < 37.5  | 28.00000      | 1.34177 | 0.211               | 0.211             |  |         |  |
| -14             | 27.5               | ≦* < 32.5  | 24.00000      | 1.29114 | 0.203               | 0.203             |  |         |  |
| -15             | 22.5               | ≦* < 27.5  | 20.00000      | 1.24051 | 0.195               | 0.195             |  |         |  |
| -16             | 17.5               | ≦* < 22.5  | 16.00000      | 1.18987 | 0.187               | 0.187             |  |         |  |
| -17             | 12.5               | ≦* < 17.5  | 12.00000      | 1.13924 | 0.179               | 0.179             |  |         |  |
| -18             | 7.5                | ≦* < 12.5  | 8.00000       | 1.08861 | 0.171               | 0.171             |  |         |  |
| -19             | 2.5                | ≦* < 7.5   | 4.00000       | 1.03797 | 0.163               | 0.163             |  |         |  |
| -20             | 0.0                | ≦* < 2.5   | 1.00000       | 1.00000 | 0.157               | 0.157             |  |         |  |
|                 |                    |            | 平均値           |         |                     |                   |  |         |  |
|                 |                    |            | 80.00000      | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県             |           | 共済事業    |                     | 園芸施設共済            |  |
|-----------------|--------------------|-----------------|-----------|---------|---------------------|-------------------|--|
| 組合等名            |                    | 千葉県農業共済組合       |           |         |                     |                   |  |
| 料率地域区分          |                    | 000             |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分            |                    | 共済掛金区分          |           |         | 共済掛金標準率             |                   |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 特定附帯被覆A集団 |           |         | 0.299               |                   |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |                 | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|                 |                    |                 | 圧縮前       | 圧縮後     |                     |                   |  |
| 20              | 197.5              | ≦* <            | 160.00000 | 3.01266 | 0.450               | 0.450             |  |
| 19              | 192.5              | ≦* < 197.5      | 156.00000 | 2.96203 | 0.443               | 0.443             |  |
| 18              | 187.5              | ≦* < 192.5      | 152.00000 | 2.91139 | 0.435               | 0.435             |  |
| 17              | 182.5              | ≦* < 187.5      | 148.00000 | 2.86076 | 0.428               | 0.428             |  |
| 16              | 177.5              | ≦* < 182.5      | 144.00000 | 2.81013 | 0.420               | 0.420             |  |
| 15              | 172.5              | ≦* < 177.5      | 140.00000 | 2.75950 | 0.413               | 0.413             |  |
| 14              | 167.5              | ≦* < 172.5      | 136.00000 | 2.70886 | 0.405               | 0.405             |  |
| 13              | 162.5              | ≦* < 167.5      | 132.00000 | 2.65823 | 0.397               | 0.397             |  |
| 12              | 157.5              | ≦* < 162.5      | 128.00000 | 2.60760 | 0.390               | 0.390             |  |
| 11              | 152.5              | ≦* < 157.5      | 124.00000 | 2.55696 | 0.382               | 0.382             |  |
| 10              | 147.5              | ≦* < 152.5      | 120.00000 | 2.50633 | 0.375               | 0.375             |  |
| 09              | 142.5              | ≦* < 147.5      | 116.00000 | 2.45570 | 0.367               | 0.367             |  |
| 08              | 137.5              | ≦* < 142.5      | 112.00000 | 2.40506 | 0.360               | 0.360             |  |
| 07              | 132.5              | ≦* < 137.5      | 108.00000 | 2.35443 | 0.352               | 0.352             |  |
| 06              | 127.5              | ≦* < 132.5      | 104.00000 | 2.30380 | 0.344               | 0.344             |  |
| 05              | 122.5              | ≦* < 127.5      | 100.00000 | 2.25317 | 0.337               | 0.337             |  |
| 04              | 117.5              | ≦* < 122.5      | 96.00000  | 2.20253 | 0.329               | 0.329             |  |
| 03              | 112.5              | ≦* < 117.5      | 92.00000  | 2.15190 | 0.322               | 0.322             |  |
| 02              | 107.5              | ≦* < 112.5      | 88.00000  | 2.10127 | 0.314               | 0.314             |  |
| 01              | 102.5              | ≦* < 107.5      | 84.00000  | 2.05063 | 0.307               | 0.307             |  |
| 00              | 97.5               | ≦* < 102.5      | 80.00000  | 2.00000 | 0.299               | 0.299             |  |
| -01             | 92.5               | ≦* < 97.5       | 76.00000  | 1.94937 | 0.291               | 0.291             |  |
| -02             | 87.5               | ≦* < 92.5       | 72.00000  | 1.89873 | 0.284               | 0.284             |  |
| -03             | 82.5               | ≦* < 87.5       | 68.00000  | 1.84810 | 0.276               | 0.276             |  |
| -04             | 77.5               | ≦* < 82.5       | 64.00000  | 1.79747 | 0.269               | 0.269             |  |
| -05             | 72.5               | ≦* < 77.5       | 60.00000  | 1.74684 | 0.261               | 0.261             |  |
| -06             | 67.5               | ≦* < 72.5       | 56.00000  | 1.69620 | 0.254               | 0.254             |  |
| -07             | 62.5               | ≦* < 67.5       | 52.00000  | 1.64557 | 0.246               | 0.246             |  |
| -08             | 57.5               | ≦* < 62.5       | 48.00000  | 1.59494 | 0.238               | 0.238             |  |
| -09             | 52.5               | ≦* < 57.5       | 44.00000  | 1.54430 | 0.231               | 0.231             |  |
| -10             | 47.5               | ≦* < 52.5       | 40.00000  | 1.49367 | 0.223               | 0.223             |  |
| -11             | 42.5               | ≦* < 47.5       | 36.00000  | 1.44304 | 0.216               | 0.216             |  |
| -12             | 37.5               | ≦* < 42.5       | 32.00000  | 1.39241 | 0.208               | 0.208             |  |
| -13             | 32.5               | ≦* < 37.5       | 28.00000  | 1.34177 | 0.201               | 0.201             |  |
| -14             | 27.5               | ≦* < 32.5       | 24.00000  | 1.29114 | 0.193               | 0.193             |  |
| -15             | 22.5               | ≦* < 27.5       | 20.00000  | 1.24051 | 0.185               | 0.185             |  |
| -16             | 17.5               | ≦* < 22.5       | 16.00000  | 1.18987 | 0.178               | 0.178             |  |
| -17             | 12.5               | ≦* < 17.5       | 12.00000  | 1.13924 | 0.170               | 0.170             |  |
| -18             | 7.5                | ≦* < 12.5       | 8.00000   | 1.08861 | 0.163               | 0.163             |  |
| -19             | 2.5                | ≦* < 7.5        | 4.00000   | 1.03797 | 0.155               | 0.155             |  |
| -20             | 0.0                | ≦* < 2.5        | 1.00000   | 1.00000 | 0.149               | 0.149             |  |
|                 |                    |                 | 平均値       |         |                     |                   |  |
|                 |                    |                 | 80.00000  | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|---------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合     |         |                     |                   |               |  |
| 料率地域区分          |                    | 000           |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分        |         |                     | 共済掛金標準率           |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 特定附帯被覆B |         |                     | 0.202             |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前           | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000     | 3.01266 | 0.304               | 0.304             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000     | 2.96203 | 0.299               | 0.299             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000     | 2.91139 | 0.294               | 0.294             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000     | 2.86076 | 0.289               | 0.289             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000     | 2.81013 | 0.284               | 0.284             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000     | 2.75950 | 0.279               | 0.279             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000     | 2.70886 | 0.274               | 0.274             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000     | 2.65823 | 0.268               | 0.268             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000     | 2.60760 | 0.263               | 0.263             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000     | 2.55696 | 0.258               | 0.258             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000     | 2.50633 | 0.253               | 0.253             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000     | 2.45570 | 0.248               | 0.248             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000     | 2.40506 | 0.243               | 0.243             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000     | 2.35443 | 0.238               | 0.238             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000     | 2.30380 | 0.233               | 0.233             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000     | 2.25317 | 0.228               | 0.228             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000      | 2.20253 | 0.222               | 0.222             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000      | 2.15190 | 0.217               | 0.217             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000      | 2.10127 | 0.212               | 0.212             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000      | 2.05063 | 0.207               | 0.207             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000      | 2.00000 | 0.202               | 0.202             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000      | 1.94937 | 0.197               | 0.197             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000      | 1.89873 | 0.192               | 0.192             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000      | 1.84810 | 0.187               | 0.187             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000      | 1.79747 | 0.182               | 0.182             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000      | 1.74684 | 0.176               | 0.176             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000      | 1.69620 | 0.171               | 0.171             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000      | 1.64557 | 0.166               | 0.166             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000      | 1.59494 | 0.161               | 0.161             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000      | 1.54430 | 0.156               | 0.156             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000      | 1.49367 | 0.151               | 0.151             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000      | 1.44304 | 0.146               | 0.146             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000      | 1.39241 | 0.141               | 0.141             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000      | 1.34177 | 0.136               | 0.136             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000      | 1.29114 | 0.130               | 0.130             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000      | 1.24051 | 0.125               | 0.125             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000      | 1.18987 | 0.120               | 0.120             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000      | 1.13924 | 0.115               | 0.115             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000       | 1.08861 | 0.110               | 0.110             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000       | 1.03797 | 0.105               | 0.105             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000       | 1.00000 | 0.101               | 0.101             |               |  |
|                 |                    | 平均値           |         |                     |                   |               |  |
|                 |                    | 80.00000      | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県        |                 |         |                     | 共済事業              |  | 園芸施設共済  |  |
|-----------------|--------------------|------------|-----------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名            |                    | 千葉県農業共済組合  |                 |         |                     |                   |  |         |  |
| 料率地域区分          |                    | 000        |                 | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分            |                    |            | 共済掛金区分          |         |                     | 共済掛金標準率           |  |         |  |
| 10 ガラス室 I 類(木造) |                    |            | ガラス I 特定附帯被覆B集団 |         |                     | 0.192             |  |         |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |            | 危険指数            |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|                 |                    |            | 圧縮前             | 圧縮後     |                     |                   |  |         |  |
| 20              | 197.5              | ≦* <       | 160.00000       | 3.01266 | 0.289               | 0.289             |  |         |  |
| 19              | 192.5              | ≦* < 197.5 | 156.00000       | 2.96203 | 0.284               | 0.284             |  |         |  |
| 18              | 187.5              | ≦* < 192.5 | 152.00000       | 2.91139 | 0.279               | 0.279             |  |         |  |
| 17              | 182.5              | ≦* < 187.5 | 148.00000       | 2.86076 | 0.275               | 0.275             |  |         |  |
| 16              | 177.5              | ≦* < 182.5 | 144.00000       | 2.81013 | 0.270               | 0.270             |  |         |  |
| 15              | 172.5              | ≦* < 177.5 | 140.00000       | 2.75950 | 0.265               | 0.265             |  |         |  |
| 14              | 167.5              | ≦* < 172.5 | 136.00000       | 2.70886 | 0.260               | 0.260             |  |         |  |
| 13              | 162.5              | ≦* < 167.5 | 132.00000       | 2.65823 | 0.255               | 0.255             |  |         |  |
| 12              | 157.5              | ≦* < 162.5 | 128.00000       | 2.60760 | 0.250               | 0.250             |  |         |  |
| 11              | 152.5              | ≦* < 157.5 | 124.00000       | 2.55696 | 0.245               | 0.245             |  |         |  |
| 10              | 147.5              | ≦* < 152.5 | 120.00000       | 2.50633 | 0.241               | 0.241             |  |         |  |
| 09              | 142.5              | ≦* < 147.5 | 116.00000       | 2.45570 | 0.236               | 0.236             |  |         |  |
| 08              | 137.5              | ≦* < 142.5 | 112.00000       | 2.40506 | 0.231               | 0.231             |  |         |  |
| 07              | 132.5              | ≦* < 137.5 | 108.00000       | 2.35443 | 0.226               | 0.226             |  |         |  |
| 06              | 127.5              | ≦* < 132.5 | 104.00000       | 2.30380 | 0.221               | 0.221             |  |         |  |
| 05              | 122.5              | ≦* < 127.5 | 100.00000       | 2.25317 | 0.216               | 0.216             |  |         |  |
| 04              | 117.5              | ≦* < 122.5 | 96.00000        | 2.20253 | 0.211               | 0.211             |  |         |  |
| 03              | 112.5              | ≦* < 117.5 | 92.00000        | 2.15190 | 0.207               | 0.207             |  |         |  |
| 02              | 107.5              | ≦* < 112.5 | 88.00000        | 2.10127 | 0.202               | 0.202             |  |         |  |
| 01              | 102.5              | ≦* < 107.5 | 84.00000        | 2.05063 | 0.197               | 0.197             |  |         |  |
| 00              | 97.5               | ≦* < 102.5 | 80.00000        | 2.00000 | 0.192               | 0.192             |  |         |  |
| -01             | 92.5               | ≦* < 97.5  | 76.00000        | 1.94937 | 0.187               | 0.187             |  |         |  |
| -02             | 87.5               | ≦* < 92.5  | 72.00000        | 1.89873 | 0.182               | 0.182             |  |         |  |
| -03             | 82.5               | ≦* < 87.5  | 68.00000        | 1.84810 | 0.177               | 0.177             |  |         |  |
| -04             | 77.5               | ≦* < 82.5  | 64.00000        | 1.79747 | 0.173               | 0.173             |  |         |  |
| -05             | 72.5               | ≦* < 77.5  | 60.00000        | 1.74684 | 0.168               | 0.168             |  |         |  |
| -06             | 67.5               | ≦* < 72.5  | 56.00000        | 1.69620 | 0.163               | 0.163             |  |         |  |
| -07             | 62.5               | ≦* < 67.5  | 52.00000        | 1.64557 | 0.158               | 0.158             |  |         |  |
| -08             | 57.5               | ≦* < 62.5  | 48.00000        | 1.59494 | 0.153               | 0.153             |  |         |  |
| -09             | 52.5               | ≦* < 57.5  | 44.00000        | 1.54430 | 0.148               | 0.148             |  |         |  |
| -10             | 47.5               | ≦* < 52.5  | 40.00000        | 1.49367 | 0.143               | 0.143             |  |         |  |
| -11             | 42.5               | ≦* < 47.5  | 36.00000        | 1.44304 | 0.139               | 0.139             |  |         |  |
| -12             | 37.5               | ≦* < 42.5  | 32.00000        | 1.39241 | 0.134               | 0.134             |  |         |  |
| -13             | 32.5               | ≦* < 37.5  | 28.00000        | 1.34177 | 0.129               | 0.129             |  |         |  |
| -14             | 27.5               | ≦* < 32.5  | 24.00000        | 1.29114 | 0.124               | 0.124             |  |         |  |
| -15             | 22.5               | ≦* < 27.5  | 20.00000        | 1.24051 | 0.119               | 0.119             |  |         |  |
| -16             | 17.5               | ≦* < 22.5  | 16.00000        | 1.18987 | 0.114               | 0.114             |  |         |  |
| -17             | 12.5               | ≦* < 17.5  | 12.00000        | 1.13924 | 0.109               | 0.109             |  |         |  |
| -18             | 7.5                | ≦* < 12.5  | 8.00000         | 1.08861 | 0.105               | 0.105             |  |         |  |
| -19             | 2.5                | ≦* < 7.5   | 4.00000         | 1.03797 | 0.100               | 0.100             |  |         |  |
| -20             | 0.0                | ≦* < 2.5   | 1.00000         | 1.00000 | 0.096               | 0.096             |  |         |  |
|                 |                    |            | 平均値             |         |                     |                   |  |         |  |
|                 |                    |            | 80.00000        | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県        |               |         |                     | 共済事業              |  | 園芸施設共済  |  |
|-----------------|--------------------|------------|---------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名            |                    | 千葉県農業共済組合  |               |         |                     |                   |  |         |  |
| 料率地域区分          |                    | 000        |               | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分            |                    |            | 共済掛金区分        |         |                     | 共済掛金標準率           |  |         |  |
| 10 ガラス室 I 類(木造) |                    |            | ガラス I 特定附帯被覆C |         |                     | 0.157             |  |         |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |            | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|                 |                    |            | 圧縮前           | 圧縮後     |                     |                   |  |         |  |
| 20              | 197.5              | ≦* <       | 160.00000     | 3.01266 | 0.236               | 0.236             |  |         |  |
| 19              | 192.5              | ≦* < 197.5 | 156.00000     | 2.96203 | 0.233               | 0.233             |  |         |  |
| 18              | 187.5              | ≦* < 192.5 | 152.00000     | 2.91139 | 0.229               | 0.229             |  |         |  |
| 17              | 182.5              | ≦* < 187.5 | 148.00000     | 2.86076 | 0.225               | 0.225             |  |         |  |
| 16              | 177.5              | ≦* < 182.5 | 144.00000     | 2.81013 | 0.221               | 0.221             |  |         |  |
| 15              | 172.5              | ≦* < 177.5 | 140.00000     | 2.75950 | 0.217               | 0.217             |  |         |  |
| 14              | 167.5              | ≦* < 172.5 | 136.00000     | 2.70886 | 0.213               | 0.213             |  |         |  |
| 13              | 162.5              | ≦* < 167.5 | 132.00000     | 2.65823 | 0.209               | 0.209             |  |         |  |
| 12              | 157.5              | ≦* < 162.5 | 128.00000     | 2.60760 | 0.205               | 0.205             |  |         |  |
| 11              | 152.5              | ≦* < 157.5 | 124.00000     | 2.55696 | 0.201               | 0.201             |  |         |  |
| 10              | 147.5              | ≦* < 152.5 | 120.00000     | 2.50633 | 0.197               | 0.197             |  |         |  |
| 09              | 142.5              | ≦* < 147.5 | 116.00000     | 2.45570 | 0.193               | 0.193             |  |         |  |
| 08              | 137.5              | ≦* < 142.5 | 112.00000     | 2.40506 | 0.189               | 0.189             |  |         |  |
| 07              | 132.5              | ≦* < 137.5 | 108.00000     | 2.35443 | 0.185               | 0.185             |  |         |  |
| 06              | 127.5              | ≦* < 132.5 | 104.00000     | 2.30380 | 0.181               | 0.181             |  |         |  |
| 05              | 122.5              | ≦* < 127.5 | 100.00000     | 2.25317 | 0.177               | 0.177             |  |         |  |
| 04              | 117.5              | ≦* < 122.5 | 96.00000      | 2.20253 | 0.173               | 0.173             |  |         |  |
| 03              | 112.5              | ≦* < 117.5 | 92.00000      | 2.15190 | 0.169               | 0.169             |  |         |  |
| 02              | 107.5              | ≦* < 112.5 | 88.00000      | 2.10127 | 0.165               | 0.165             |  |         |  |
| 01              | 102.5              | ≦* < 107.5 | 84.00000      | 2.05063 | 0.161               | 0.161             |  |         |  |
| 00              | 97.5               | ≦* < 102.5 | 80.00000      | 2.00000 | 0.157               | 0.157             |  |         |  |
| -01             | 92.5               | ≦* < 97.5  | 76.00000      | 1.94937 | 0.153               | 0.153             |  |         |  |
| -02             | 87.5               | ≦* < 92.5  | 72.00000      | 1.89873 | 0.149               | 0.149             |  |         |  |
| -03             | 82.5               | ≦* < 87.5  | 68.00000      | 1.84810 | 0.145               | 0.145             |  |         |  |
| -04             | 77.5               | ≦* < 82.5  | 64.00000      | 1.79747 | 0.141               | 0.141             |  |         |  |
| -05             | 72.5               | ≦* < 77.5  | 60.00000      | 1.74684 | 0.137               | 0.137             |  |         |  |
| -06             | 67.5               | ≦* < 72.5  | 56.00000      | 1.69620 | 0.133               | 0.133             |  |         |  |
| -07             | 62.5               | ≦* < 67.5  | 52.00000      | 1.64557 | 0.129               | 0.129             |  |         |  |
| -08             | 57.5               | ≦* < 62.5  | 48.00000      | 1.59494 | 0.125               | 0.125             |  |         |  |
| -09             | 52.5               | ≦* < 57.5  | 44.00000      | 1.54430 | 0.121               | 0.121             |  |         |  |
| -10             | 47.5               | ≦* < 52.5  | 40.00000      | 1.49367 | 0.117               | 0.117             |  |         |  |
| -11             | 42.5               | ≦* < 47.5  | 36.00000      | 1.44304 | 0.113               | 0.113             |  |         |  |
| -12             | 37.5               | ≦* < 42.5  | 32.00000      | 1.39241 | 0.109               | 0.109             |  |         |  |
| -13             | 32.5               | ≦* < 37.5  | 28.00000      | 1.34177 | 0.105               | 0.105             |  |         |  |
| -14             | 27.5               | ≦* < 32.5  | 24.00000      | 1.29114 | 0.101               | 0.101             |  |         |  |
| -15             | 22.5               | ≦* < 27.5  | 20.00000      | 1.24051 | 0.097               | 0.097             |  |         |  |
| -16             | 17.5               | ≦* < 22.5  | 16.00000      | 1.18987 | 0.093               | 0.093             |  |         |  |
| -17             | 12.5               | ≦* < 17.5  | 12.00000      | 1.13924 | 0.089               | 0.089             |  |         |  |
| -18             | 7.5                | ≦* < 12.5  | 8.00000       | 1.08861 | 0.085               | 0.085             |  |         |  |
| -19             | 2.5                | ≦* < 7.5   | 4.00000       | 1.03797 | 0.081               | 0.081             |  |         |  |
| -20             | 0.0                | ≦* < 2.5   | 1.00000       | 1.00000 | 0.078               | 0.078             |  |         |  |
|                 |                    |            | 平均値           |         |                     |                   |  |         |  |
|                 |                    |            | 80.00000      | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県             |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|-----------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合       |         |                     |                   |               |  |
| 料率地域区分          |                    | 000             |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分          |         |                     | 共済掛金標準率           |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 特定附帯被覆C集団 |         |                     | 0.149             |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数            |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前             | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000       | 3.01266 | 0.224               | 0.224             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000       | 2.96203 | 0.221               | 0.221             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000       | 2.91139 | 0.217               | 0.217             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000       | 2.86076 | 0.213               | 0.213             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000       | 2.81013 | 0.209               | 0.209             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000       | 2.75950 | 0.206               | 0.206             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000       | 2.70886 | 0.202               | 0.202             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000       | 2.65823 | 0.198               | 0.198             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000       | 2.60760 | 0.194               | 0.194             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000       | 2.55696 | 0.190               | 0.190             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000       | 2.50633 | 0.187               | 0.187             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000       | 2.45570 | 0.183               | 0.183             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000       | 2.40506 | 0.179               | 0.179             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000       | 2.35443 | 0.175               | 0.175             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000       | 2.30380 | 0.172               | 0.172             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000       | 2.25317 | 0.168               | 0.168             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000        | 2.20253 | 0.164               | 0.164             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000        | 2.15190 | 0.160               | 0.160             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000        | 2.10127 | 0.157               | 0.157             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000        | 2.05063 | 0.153               | 0.153             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000        | 2.00000 | 0.149               | 0.149             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000        | 1.94937 | 0.145               | 0.145             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000        | 1.89873 | 0.141               | 0.141             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000        | 1.84810 | 0.138               | 0.138             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000        | 1.79747 | 0.134               | 0.134             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000        | 1.74684 | 0.130               | 0.130             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000        | 1.69620 | 0.126               | 0.126             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000        | 1.64557 | 0.123               | 0.123             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000        | 1.59494 | 0.119               | 0.119             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000        | 1.54430 | 0.115               | 0.115             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000        | 1.49367 | 0.111               | 0.111             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000        | 1.44304 | 0.108               | 0.108             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000        | 1.39241 | 0.104               | 0.104             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000        | 1.34177 | 0.100               | 0.100             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000        | 1.29114 | 0.096               | 0.096             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000        | 1.24051 | 0.092               | 0.092             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000        | 1.18987 | 0.089               | 0.089             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000        | 1.13924 | 0.085               | 0.085             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000         | 1.08861 | 0.081               | 0.081             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000         | 1.03797 | 0.077               | 0.077             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000         | 1.00000 | 0.074               | 0.074             |               |  |
|                 |                    | 平均値             |         |                     |                   |               |  |
|                 |                    | 80.00000        | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|---------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合     |         |                     |                   |               |  |
| 料率地域区分          |                    | 000           |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分        |         |                     | 共済掛金標準率           |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 特定附帯被覆D |         |                     | 0.084             |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前           | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000     | 3.01266 | 0.127               | 0.127             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000     | 2.96203 | 0.124               | 0.124             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000     | 2.91139 | 0.122               | 0.122             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000     | 2.86076 | 0.120               | 0.120             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000     | 2.81013 | 0.118               | 0.118             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000     | 2.75950 | 0.116               | 0.116             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000     | 2.70886 | 0.114               | 0.114             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000     | 2.65823 | 0.112               | 0.112             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000     | 2.60760 | 0.110               | 0.110             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000     | 2.55696 | 0.107               | 0.107             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000     | 2.50633 | 0.105               | 0.105             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000     | 2.45570 | 0.103               | 0.103             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000     | 2.40506 | 0.101               | 0.101             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000     | 2.35443 | 0.099               | 0.099             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000     | 2.30380 | 0.097               | 0.097             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000     | 2.25317 | 0.095               | 0.095             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000      | 2.20253 | 0.093               | 0.093             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000      | 2.15190 | 0.090               | 0.090             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000      | 2.10127 | 0.088               | 0.088             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000      | 2.05063 | 0.086               | 0.086             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000      | 2.00000 | 0.084               | 0.084             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000      | 1.94937 | 0.082               | 0.082             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000      | 1.89873 | 0.080               | 0.080             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000      | 1.84810 | 0.078               | 0.078             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000      | 1.79747 | 0.075               | 0.075             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000      | 1.74684 | 0.073               | 0.073             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000      | 1.69620 | 0.071               | 0.071             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000      | 1.64557 | 0.069               | 0.069             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000      | 1.59494 | 0.067               | 0.067             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000      | 1.54430 | 0.065               | 0.065             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000      | 1.49367 | 0.063               | 0.063             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000      | 1.44304 | 0.061               | 0.061             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000      | 1.39241 | 0.058               | 0.058             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000      | 1.34177 | 0.056               | 0.056             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000      | 1.29114 | 0.054               | 0.054             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000      | 1.24051 | 0.052               | 0.052             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000      | 1.18987 | 0.050               | 0.050             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000      | 1.13924 | 0.048               | 0.048             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000       | 1.08861 | 0.046               | 0.046             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000       | 1.03797 | 0.044               | 0.044             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000       | 1.00000 | 0.042               | 0.042             |               |  |
|                 |                    | 平均値           |         |                     |                   |               |  |
|                 |                    | 80.00000      | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県             |           | 共済事業    |                     | 園芸施設共済            |  |  |
|-----------------|--------------------|-----------------|-----------|---------|---------------------|-------------------|--|--|
| 組合等名            |                    | 千葉県農業共済組合       |           |         |                     |                   |  |  |
| 料率地域区分          |                    | 000             |           | 地域名     |                     | 00000 都道府県の区域     |  |  |
| 施設区分            |                    | 共済掛金区分          |           | 共済掛金標準率 |                     |                   |  |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 特定附帯被覆D集団 |           |         |                     | 0.080             |  |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |                 | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |  |
|                 |                    |                 | 圧縮前       | 圧縮後     |                     |                   |  |  |
| 20              | 197.5              | ≦* <            | 160.00000 | 3.01266 | 0.121               | 0.121             |  |  |
| 19              | 192.5              | ≦* < 197.5      | 156.00000 | 2.96203 | 0.118               | 0.118             |  |  |
| 18              | 187.5              | ≦* < 192.5      | 152.00000 | 2.91139 | 0.116               | 0.116             |  |  |
| 17              | 182.5              | ≦* < 187.5      | 148.00000 | 2.86076 | 0.114               | 0.114             |  |  |
| 16              | 177.5              | ≦* < 182.5      | 144.00000 | 2.81013 | 0.112               | 0.112             |  |  |
| 15              | 172.5              | ≦* < 177.5      | 140.00000 | 2.75950 | 0.110               | 0.110             |  |  |
| 14              | 167.5              | ≦* < 172.5      | 136.00000 | 2.70886 | 0.108               | 0.108             |  |  |
| 13              | 162.5              | ≦* < 167.5      | 132.00000 | 2.65823 | 0.106               | 0.106             |  |  |
| 12              | 157.5              | ≦* < 162.5      | 128.00000 | 2.60760 | 0.104               | 0.104             |  |  |
| 11              | 152.5              | ≦* < 157.5      | 124.00000 | 2.55696 | 0.102               | 0.102             |  |  |
| 10              | 147.5              | ≦* < 152.5      | 120.00000 | 2.50633 | 0.100               | 0.100             |  |  |
| 09              | 142.5              | ≦* < 147.5      | 116.00000 | 2.45570 | 0.098               | 0.098             |  |  |
| 08              | 137.5              | ≦* < 142.5      | 112.00000 | 2.40506 | 0.096               | 0.096             |  |  |
| 07              | 132.5              | ≦* < 137.5      | 108.00000 | 2.35443 | 0.094               | 0.094             |  |  |
| 06              | 127.5              | ≦* < 132.5      | 104.00000 | 2.30380 | 0.092               | 0.092             |  |  |
| 05              | 122.5              | ≦* < 127.5      | 100.00000 | 2.25317 | 0.090               | 0.090             |  |  |
| 04              | 117.5              | ≦* < 122.5      | 96.00000  | 2.20253 | 0.088               | 0.088             |  |  |
| 03              | 112.5              | ≦* < 117.5      | 92.00000  | 2.15190 | 0.086               | 0.086             |  |  |
| 02              | 107.5              | ≦* < 112.5      | 88.00000  | 2.10127 | 0.084               | 0.084             |  |  |
| 01              | 102.5              | ≦* < 107.5      | 84.00000  | 2.05063 | 0.082               | 0.082             |  |  |
| 00              | 97.5               | ≦* < 102.5      | 80.00000  | 2.00000 | 0.080               | 0.080             |  |  |
| -01             | 92.5               | ≦* < 97.5       | 76.00000  | 1.94937 | 0.078               | 0.078             |  |  |
| -02             | 87.5               | ≦* < 92.5       | 72.00000  | 1.89873 | 0.076               | 0.076             |  |  |
| -03             | 82.5               | ≦* < 87.5       | 68.00000  | 1.84810 | 0.074               | 0.074             |  |  |
| -04             | 77.5               | ≦* < 82.5       | 64.00000  | 1.79747 | 0.072               | 0.072             |  |  |
| -05             | 72.5               | ≦* < 77.5       | 60.00000  | 1.74684 | 0.070               | 0.070             |  |  |
| -06             | 67.5               | ≦* < 72.5       | 56.00000  | 1.69620 | 0.068               | 0.068             |  |  |
| -07             | 62.5               | ≦* < 67.5       | 52.00000  | 1.64557 | 0.066               | 0.066             |  |  |
| -08             | 57.5               | ≦* < 62.5       | 48.00000  | 1.59494 | 0.064               | 0.064             |  |  |
| -09             | 52.5               | ≦* < 57.5       | 44.00000  | 1.54430 | 0.062               | 0.062             |  |  |
| -10             | 47.5               | ≦* < 52.5       | 40.00000  | 1.49367 | 0.060               | 0.060             |  |  |
| -11             | 42.5               | ≦* < 47.5       | 36.00000  | 1.44304 | 0.058               | 0.058             |  |  |
| -12             | 37.5               | ≦* < 42.5       | 32.00000  | 1.39241 | 0.056               | 0.056             |  |  |
| -13             | 32.5               | ≦* < 37.5       | 28.00000  | 1.34177 | 0.054               | 0.054             |  |  |
| -14             | 27.5               | ≦* < 32.5       | 24.00000  | 1.29114 | 0.052               | 0.052             |  |  |
| -15             | 22.5               | ≦* < 27.5       | 20.00000  | 1.24051 | 0.050               | 0.050             |  |  |
| -16             | 17.5               | ≦* < 22.5       | 16.00000  | 1.18987 | 0.048               | 0.048             |  |  |
| -17             | 12.5               | ≦* < 17.5       | 12.00000  | 1.13924 | 0.046               | 0.046             |  |  |
| -18             | 7.5                | ≦* < 12.5       | 8.00000   | 1.08861 | 0.044               | 0.044             |  |  |
| -19             | 2.5                | ≦* < 7.5        | 4.00000   | 1.03797 | 0.042               | 0.042             |  |  |
| -20             | 0.0                | ≦* < 2.5        | 1.00000   | 1.00000 | 0.040               | 0.040             |  |  |
|                 |                    |                 | 平均値       |         |                     |                   |  |  |
|                 |                    |                 | 80.00000  | 2.00000 |                     |                   |  |  |



(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |           | 共済事業    |                     | 園芸施設共済            |  |
|-----------------|--------------------|---------------|-----------|---------|---------------------|-------------------|--|
| 組合等名            |                    | 千葉県農業共済組合     |           |         |                     |                   |  |
| 料率地域区分          |                    | 000           |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分            |                    | 共済掛金区分        |           |         | 共済掛金標準率             |                   |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 特定附帯被覆E |           |         | 0.013               |                   |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |               | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|                 |                    |               | 圧縮前       | 圧縮後     |                     |                   |  |
| 20              | 197.5              | ≦* <          | 160.00000 | 3.01266 | 0.020               | 0.020             |  |
| 19              | 192.5              | ≦* < 197.5    | 156.00000 | 2.96203 | 0.019               | 0.019             |  |
| 18              | 187.5              | ≦* < 192.5    | 152.00000 | 2.91139 | 0.019               | 0.019             |  |
| 17              | 182.5              | ≦* < 187.5    | 148.00000 | 2.86076 | 0.019               | 0.019             |  |
| 16              | 177.5              | ≦* < 182.5    | 144.00000 | 2.81013 | 0.018               | 0.018             |  |
| 15              | 172.5              | ≦* < 177.5    | 140.00000 | 2.75950 | 0.018               | 0.018             |  |
| 14              | 167.5              | ≦* < 172.5    | 136.00000 | 2.70886 | 0.018               | 0.018             |  |
| 13              | 162.5              | ≦* < 167.5    | 132.00000 | 2.65823 | 0.017               | 0.017             |  |
| 12              | 157.5              | ≦* < 162.5    | 128.00000 | 2.60760 | 0.017               | 0.017             |  |
| 11              | 152.5              | ≦* < 157.5    | 124.00000 | 2.55696 | 0.017               | 0.017             |  |
| 10              | 147.5              | ≦* < 152.5    | 120.00000 | 2.50633 | 0.016               | 0.016             |  |
| 09              | 142.5              | ≦* < 147.5    | 116.00000 | 2.45570 | 0.016               | 0.016             |  |
| 08              | 137.5              | ≦* < 142.5    | 112.00000 | 2.40506 | 0.016               | 0.016             |  |
| 07              | 132.5              | ≦* < 137.5    | 108.00000 | 2.35443 | 0.015               | 0.015             |  |
| 06              | 127.5              | ≦* < 132.5    | 104.00000 | 2.30380 | 0.015               | 0.015             |  |
| 05              | 122.5              | ≦* < 127.5    | 100.00000 | 2.25317 | 0.015               | 0.015             |  |
| 04              | 117.5              | ≦* < 122.5    | 96.00000  | 2.20253 | 0.014               | 0.014             |  |
| 03              | 112.5              | ≦* < 117.5    | 92.00000  | 2.15190 | 0.014               | 0.014             |  |
| 02              | 107.5              | ≦* < 112.5    | 88.00000  | 2.10127 | 0.014               | 0.014             |  |
| 01              | 102.5              | ≦* < 107.5    | 84.00000  | 2.05063 | 0.013               | 0.013             |  |
| 00              | 97.5               | ≦* < 102.5    | 80.00000  | 2.00000 | 0.013               | 0.013             |  |
| -01             | 92.5               | ≦* < 97.5     | 76.00000  | 1.94937 | 0.013               | 0.013             |  |
| -02             | 87.5               | ≦* < 92.5     | 72.00000  | 1.89873 | 0.012               | 0.012             |  |
| -03             | 82.5               | ≦* < 87.5     | 68.00000  | 1.84810 | 0.012               | 0.012             |  |
| -04             | 77.5               | ≦* < 82.5     | 64.00000  | 1.79747 | 0.012               | 0.012             |  |
| -05             | 72.5               | ≦* < 77.5     | 60.00000  | 1.74684 | 0.011               | 0.011             |  |
| -06             | 67.5               | ≦* < 72.5     | 56.00000  | 1.69620 | 0.011               | 0.011             |  |
| -07             | 62.5               | ≦* < 67.5     | 52.00000  | 1.64557 | 0.011               | 0.011             |  |
| -08             | 57.5               | ≦* < 62.5     | 48.00000  | 1.59494 | 0.010               | 0.010             |  |
| -09             | 52.5               | ≦* < 57.5     | 44.00000  | 1.54430 | 0.010               | 0.010             |  |
| -10             | 47.5               | ≦* < 52.5     | 40.00000  | 1.49367 | 0.010               | 0.010             |  |
| -11             | 42.5               | ≦* < 47.5     | 36.00000  | 1.44304 | 0.009               | 0.009             |  |
| -12             | 37.5               | ≦* < 42.5     | 32.00000  | 1.39241 | 0.009               | 0.009             |  |
| -13             | 32.5               | ≦* < 37.5     | 28.00000  | 1.34177 | 0.009               | 0.009             |  |
| -14             | 27.5               | ≦* < 32.5     | 24.00000  | 1.29114 | 0.008               | 0.008             |  |
| -15             | 22.5               | ≦* < 27.5     | 20.00000  | 1.24051 | 0.008               | 0.008             |  |
| -16             | 17.5               | ≦* < 22.5     | 16.00000  | 1.18987 | 0.008               | 0.008             |  |
| -17             | 12.5               | ≦* < 17.5     | 12.00000  | 1.13924 | 0.007               | 0.007             |  |
| -18             | 7.5                | ≦* < 12.5     | 8.00000   | 1.08861 | 0.007               | 0.007             |  |
| -19             | 2.5                | ≦* < 7.5      | 4.00000   | 1.03797 | 0.007               | 0.007             |  |
| -20             | 0.0                | ≦* < 2.5      | 1.00000   | 1.00000 | 0.006               | 0.006             |  |
|                 |                    |               | 平均値       |         |                     |                   |  |
|                 |                    |               | 80.00000  | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           | 千葉県                |           | 共済事業            |                     | 園芸施設共済            |         |
|-----------------|--------------------|-----------|-----------------|---------------------|-------------------|---------|
| 組合等名            | 千葉県農業共済組合          |           |                 |                     |                   |         |
| 料率地域区分          | 000                |           | 地域名             | 00000 都道府県の区域       |                   |         |
| 施設区分            |                    |           | 共済掛金区分          |                     |                   | 共済掛金標準率 |
| 10 ガラス室 I 類(木造) |                    |           | ガラス I 特定附帯被覆E集団 |                     | 0.012             |         |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数      |                 | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |
|                 |                    | 圧縮前       | 圧縮後             |                     |                   |         |
| 20              | 197.5 ≤* <         | 160.00000 | 3.01266         | 0.018               | 0.018             |         |
| 19              | 192.5 ≤* < 197.5   | 156.00000 | 2.96203         | 0.018               | 0.018             |         |
| 18              | 187.5 ≤* < 192.5   | 152.00000 | 2.91139         | 0.017               | 0.017             |         |
| 17              | 182.5 ≤* < 187.5   | 148.00000 | 2.86076         | 0.017               | 0.017             |         |
| 16              | 177.5 ≤* < 182.5   | 144.00000 | 2.81013         | 0.017               | 0.017             |         |
| 15              | 172.5 ≤* < 177.5   | 140.00000 | 2.75950         | 0.017               | 0.017             |         |
| 14              | 167.5 ≤* < 172.5   | 136.00000 | 2.70886         | 0.016               | 0.016             |         |
| 13              | 162.5 ≤* < 167.5   | 132.00000 | 2.65823         | 0.016               | 0.016             |         |
| 12              | 157.5 ≤* < 162.5   | 128.00000 | 2.60760         | 0.016               | 0.016             |         |
| 11              | 152.5 ≤* < 157.5   | 124.00000 | 2.55696         | 0.015               | 0.015             |         |
| 10              | 147.5 ≤* < 152.5   | 120.00000 | 2.50633         | 0.015               | 0.015             |         |
| 09              | 142.5 ≤* < 147.5   | 116.00000 | 2.45570         | 0.015               | 0.015             |         |
| 08              | 137.5 ≤* < 142.5   | 112.00000 | 2.40506         | 0.014               | 0.014             |         |
| 07              | 132.5 ≤* < 137.5   | 108.00000 | 2.35443         | 0.014               | 0.014             |         |
| 06              | 127.5 ≤* < 132.5   | 104.00000 | 2.30380         | 0.014               | 0.014             |         |
| 05              | 122.5 ≤* < 127.5   | 100.00000 | 2.25317         | 0.014               | 0.014             |         |
| 04              | 117.5 ≤* < 122.5   | 96.00000  | 2.20253         | 0.013               | 0.013             |         |
| 03              | 112.5 ≤* < 117.5   | 92.00000  | 2.15190         | 0.013               | 0.013             |         |
| 02              | 107.5 ≤* < 112.5   | 88.00000  | 2.10127         | 0.013               | 0.013             |         |
| 01              | 102.5 ≤* < 107.5   | 84.00000  | 2.05063         | 0.012               | 0.012             |         |
| 00              | 97.5 ≤* < 102.5    | 80.00000  | 2.00000         | 0.012               | 0.012             |         |
| -01             | 92.5 ≤* < 97.5     | 76.00000  | 1.94937         | 0.012               | 0.012             |         |
| -02             | 87.5 ≤* < 92.5     | 72.00000  | 1.89873         | 0.011               | 0.011             |         |
| -03             | 82.5 ≤* < 87.5     | 68.00000  | 1.84810         | 0.011               | 0.011             |         |
| -04             | 77.5 ≤* < 82.5     | 64.00000  | 1.79747         | 0.011               | 0.011             |         |
| -05             | 72.5 ≤* < 77.5     | 60.00000  | 1.74684         | 0.010               | 0.010             |         |
| -06             | 67.5 ≤* < 72.5     | 56.00000  | 1.69620         | 0.010               | 0.010             |         |
| -07             | 62.5 ≤* < 67.5     | 52.00000  | 1.64557         | 0.010               | 0.010             |         |
| -08             | 57.5 ≤* < 62.5     | 48.00000  | 1.59494         | 0.010               | 0.010             |         |
| -09             | 52.5 ≤* < 57.5     | 44.00000  | 1.54430         | 0.009               | 0.009             |         |
| -10             | 47.5 ≤* < 52.5     | 40.00000  | 1.49367         | 0.009               | 0.009             |         |
| -11             | 42.5 ≤* < 47.5     | 36.00000  | 1.44304         | 0.009               | 0.009             |         |
| -12             | 37.5 ≤* < 42.5     | 32.00000  | 1.39241         | 0.008               | 0.008             |         |
| -13             | 32.5 ≤* < 37.5     | 28.00000  | 1.34177         | 0.008               | 0.008             |         |
| -14             | 27.5 ≤* < 32.5     | 24.00000  | 1.29114         | 0.008               | 0.008             |         |
| -15             | 22.5 ≤* < 27.5     | 20.00000  | 1.24051         | 0.007               | 0.007             |         |
| -16             | 17.5 ≤* < 22.5     | 16.00000  | 1.18987         | 0.007               | 0.007             |         |
| -17             | 12.5 ≤* < 17.5     | 12.00000  | 1.13924         | 0.007               | 0.007             |         |
| -18             | 7.5 ≤* < 12.5      | 8.00000   | 1.08861         | 0.007               | 0.007             |         |
| -19             | 2.5 ≤* < 7.5       | 4.00000   | 1.03797         | 0.006               | 0.006             |         |
| -20             | 0.0 ≤* < 2.5       | 1.00000   | 1.00000         | 0.006               | 0.006             |         |
|                 |                    | 平均値       |                 |                     |                   |         |
|                 |                    | 80.00000  | 2.00000         |                     |                   |         |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|---------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合     |         |                     |                   |               |  |
| 料率地域区分          |                    | 000           |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分        |         | 共済掛金標準率             |                   |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 特定附帯被覆F |         | 0.328               |                   |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前           | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000     | 3.01266 | 0.494               | 0.494             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000     | 2.96203 | 0.486               | 0.486             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000     | 2.91139 | 0.477               | 0.477             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000     | 2.86076 | 0.469               | 0.469             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000     | 2.81013 | 0.461               | 0.461             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000     | 2.75950 | 0.453               | 0.453             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000     | 2.70886 | 0.444               | 0.444             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000     | 2.65823 | 0.436               | 0.436             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000     | 2.60760 | 0.428               | 0.428             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000     | 2.55696 | 0.419               | 0.419             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000     | 2.50633 | 0.411               | 0.411             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000     | 2.45570 | 0.403               | 0.403             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000     | 2.40506 | 0.394               | 0.394             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000     | 2.35443 | 0.386               | 0.386             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000     | 2.30380 | 0.378               | 0.378             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000     | 2.25317 | 0.370               | 0.370             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000      | 2.20253 | 0.361               | 0.361             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000      | 2.15190 | 0.353               | 0.353             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000      | 2.10127 | 0.345               | 0.345             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000      | 2.05063 | 0.336               | 0.336             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000      | 2.00000 | 0.328               | 0.328             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000      | 1.94937 | 0.320               | 0.320             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000      | 1.89873 | 0.311               | 0.311             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000      | 1.84810 | 0.303               | 0.303             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000      | 1.79747 | 0.295               | 0.295             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000      | 1.74684 | 0.286               | 0.286             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000      | 1.69620 | 0.278               | 0.278             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000      | 1.64557 | 0.270               | 0.270             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000      | 1.59494 | 0.262               | 0.262             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000      | 1.54430 | 0.253               | 0.253             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000      | 1.49367 | 0.245               | 0.245             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000      | 1.44304 | 0.237               | 0.237             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000      | 1.39241 | 0.228               | 0.228             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000      | 1.34177 | 0.220               | 0.220             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000      | 1.29114 | 0.212               | 0.212             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000      | 1.24051 | 0.203               | 0.203             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000      | 1.18987 | 0.195               | 0.195             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000      | 1.13924 | 0.187               | 0.187             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000       | 1.08861 | 0.179               | 0.179             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000       | 1.03797 | 0.170               | 0.170             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000       | 1.00000 | 0.164               | 0.164             |               |  |
|                 |                    | 平均値           |         |                     |                   |               |  |
|                 |                    | 80.00000      | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県             |           | 共済事業    |                     | 園芸施設共済            |  |
|-----------------|--------------------|-----------------|-----------|---------|---------------------|-------------------|--|
| 組合等名            |                    | 千葉県農業共済組合       |           |         |                     |                   |  |
| 料率地域区分          |                    | 000             |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分            |                    | 共済掛金区分          |           |         | 共済掛金標準率             |                   |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 特定附帯被覆F集団 |           |         | 0.312               |                   |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |                 | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|                 |                    |                 | 圧縮前       | 圧縮後     |                     |                   |  |
| 20              | 197.5              | ≦* <            | 160.00000 | 3.01266 | 0.470               | 0.470             |  |
| 19              | 192.5              | ≦* < 197.5      | 156.00000 | 2.96203 | 0.462               | 0.462             |  |
| 18              | 187.5              | ≦* < 192.5      | 152.00000 | 2.91139 | 0.454               | 0.454             |  |
| 17              | 182.5              | ≦* < 187.5      | 148.00000 | 2.86076 | 0.446               | 0.446             |  |
| 16              | 177.5              | ≦* < 182.5      | 144.00000 | 2.81013 | 0.438               | 0.438             |  |
| 15              | 172.5              | ≦* < 177.5      | 140.00000 | 2.75950 | 0.430               | 0.430             |  |
| 14              | 167.5              | ≦* < 172.5      | 136.00000 | 2.70886 | 0.423               | 0.423             |  |
| 13              | 162.5              | ≦* < 167.5      | 132.00000 | 2.65823 | 0.415               | 0.415             |  |
| 12              | 157.5              | ≦* < 162.5      | 128.00000 | 2.60760 | 0.407               | 0.407             |  |
| 11              | 152.5              | ≦* < 157.5      | 124.00000 | 2.55696 | 0.399               | 0.399             |  |
| 10              | 147.5              | ≦* < 152.5      | 120.00000 | 2.50633 | 0.391               | 0.391             |  |
| 09              | 142.5              | ≦* < 147.5      | 116.00000 | 2.45570 | 0.383               | 0.383             |  |
| 08              | 137.5              | ≦* < 142.5      | 112.00000 | 2.40506 | 0.375               | 0.375             |  |
| 07              | 132.5              | ≦* < 137.5      | 108.00000 | 2.35443 | 0.367               | 0.367             |  |
| 06              | 127.5              | ≦* < 132.5      | 104.00000 | 2.30380 | 0.359               | 0.359             |  |
| 05              | 122.5              | ≦* < 127.5      | 100.00000 | 2.25317 | 0.351               | 0.351             |  |
| 04              | 117.5              | ≦* < 122.5      | 96.00000  | 2.20253 | 0.344               | 0.344             |  |
| 03              | 112.5              | ≦* < 117.5      | 92.00000  | 2.15190 | 0.336               | 0.336             |  |
| 02              | 107.5              | ≦* < 112.5      | 88.00000  | 2.10127 | 0.328               | 0.328             |  |
| 01              | 102.5              | ≦* < 107.5      | 84.00000  | 2.05063 | 0.320               | 0.320             |  |
| 00              | 97.5               | ≦* < 102.5      | 80.00000  | 2.00000 | 0.312               | 0.312             |  |
| -01             | 92.5               | ≦* < 97.5       | 76.00000  | 1.94937 | 0.304               | 0.304             |  |
| -02             | 87.5               | ≦* < 92.5       | 72.00000  | 1.89873 | 0.296               | 0.296             |  |
| -03             | 82.5               | ≦* < 87.5       | 68.00000  | 1.84810 | 0.288               | 0.288             |  |
| -04             | 77.5               | ≦* < 82.5       | 64.00000  | 1.79747 | 0.280               | 0.280             |  |
| -05             | 72.5               | ≦* < 77.5       | 60.00000  | 1.74684 | 0.273               | 0.273             |  |
| -06             | 67.5               | ≦* < 72.5       | 56.00000  | 1.69620 | 0.265               | 0.265             |  |
| -07             | 62.5               | ≦* < 67.5       | 52.00000  | 1.64557 | 0.257               | 0.257             |  |
| -08             | 57.5               | ≦* < 62.5       | 48.00000  | 1.59494 | 0.249               | 0.249             |  |
| -09             | 52.5               | ≦* < 57.5       | 44.00000  | 1.54430 | 0.241               | 0.241             |  |
| -10             | 47.5               | ≦* < 52.5       | 40.00000  | 1.49367 | 0.233               | 0.233             |  |
| -11             | 42.5               | ≦* < 47.5       | 36.00000  | 1.44304 | 0.225               | 0.225             |  |
| -12             | 37.5               | ≦* < 42.5       | 32.00000  | 1.39241 | 0.217               | 0.217             |  |
| -13             | 32.5               | ≦* < 37.5       | 28.00000  | 1.34177 | 0.209               | 0.209             |  |
| -14             | 27.5               | ≦* < 32.5       | 24.00000  | 1.29114 | 0.201               | 0.201             |  |
| -15             | 22.5               | ≦* < 27.5       | 20.00000  | 1.24051 | 0.194               | 0.194             |  |
| -16             | 17.5               | ≦* < 22.5       | 16.00000  | 1.18987 | 0.186               | 0.186             |  |
| -17             | 12.5               | ≦* < 17.5       | 12.00000  | 1.13924 | 0.178               | 0.178             |  |
| -18             | 7.5                | ≦* < 12.5       | 8.00000   | 1.08861 | 0.170               | 0.170             |  |
| -19             | 2.5                | ≦* < 7.5        | 4.00000   | 1.03797 | 0.162               | 0.162             |  |
| -20             | 0.0                | ≦* < 2.5        | 1.00000   | 1.00000 | 0.156               | 0.156             |  |
|                 |                    |                 | 平均値       |         |                     |                   |  |
|                 |                    |                 | 80.00000  | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県         |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|-------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合   |         |                     |                   |               |  |
| 料率地域区分          |                    | 000         |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分      |         | 共済掛金標準率             |                   |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 内作一般A |         | 0.846               |                   |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前         | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000   | 3.01266 | 1.274               | 1.274             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000   | 2.96203 | 1.253               | 1.253             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000   | 2.91139 | 1.232               | 1.232             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000   | 2.86076 | 1.210               | 1.210             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000   | 2.81013 | 1.189               | 1.189             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000   | 2.75950 | 1.167               | 1.167             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000   | 2.70886 | 1.146               | 1.146             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000   | 2.65823 | 1.124               | 1.124             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000   | 2.60760 | 1.103               | 1.103             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000   | 2.55696 | 1.082               | 1.082             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000   | 2.50633 | 1.060               | 1.060             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000   | 2.45570 | 1.039               | 1.039             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000   | 2.40506 | 1.017               | 1.017             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000   | 2.35443 | 0.996               | 0.996             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000   | 2.30380 | 0.975               | 0.975             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000   | 2.25317 | 0.953               | 0.953             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000    | 2.20253 | 0.932               | 0.932             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000    | 2.15190 | 0.910               | 0.910             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000    | 2.10127 | 0.889               | 0.889             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000    | 2.05063 | 0.867               | 0.867             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000    | 2.00000 | 0.846               | 0.846             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000    | 1.94937 | 0.825               | 0.825             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000    | 1.89873 | 0.803               | 0.803             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000    | 1.84810 | 0.782               | 0.782             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000    | 1.79747 | 0.760               | 0.760             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000    | 1.74684 | 0.739               | 0.739             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000    | 1.69620 | 0.717               | 0.717             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000    | 1.64557 | 0.696               | 0.696             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000    | 1.59494 | 0.675               | 0.675             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000    | 1.54430 | 0.653               | 0.653             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000    | 1.49367 | 0.632               | 0.632             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000    | 1.44304 | 0.610               | 0.610             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000    | 1.39241 | 0.589               | 0.589             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000    | 1.34177 | 0.568               | 0.568             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000    | 1.29114 | 0.546               | 0.546             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000    | 1.24051 | 0.525               | 0.525             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000    | 1.18987 | 0.503               | 0.503             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000    | 1.13924 | 0.482               | 0.482             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000     | 1.08861 | 0.460               | 0.460             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000     | 1.03797 | 0.439               | 0.439             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000     | 1.00000 | 0.423               | 0.423             |               |  |
|                 |                    | 平均値         |         |                     |                   |               |  |
|                 |                    | 80.00000    | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|---------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合     |         |                     |                   |               |  |
| 料率地域区分          |                    | 000           |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分        |         |                     | 共済掛金標準率           |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 内作一般A集団 |         |                     | 0.804             |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前           | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000     | 3.01266 | 1.211               | 1.211             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000     | 2.96203 | 1.191               | 1.191             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000     | 2.91139 | 1.170               | 1.170             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000     | 2.86076 | 1.150               | 1.150             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000     | 2.81013 | 1.130               | 1.130             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000     | 2.75950 | 1.109               | 1.109             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000     | 2.70886 | 1.089               | 1.089             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000     | 2.65823 | 1.069               | 1.069             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000     | 2.60760 | 1.048               | 1.048             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000     | 2.55696 | 1.028               | 1.028             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000     | 2.50633 | 1.008               | 1.008             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000     | 2.45570 | 0.987               | 0.987             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000     | 2.40506 | 0.967               | 0.967             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000     | 2.35443 | 0.946               | 0.946             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000     | 2.30380 | 0.926               | 0.926             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000     | 2.25317 | 0.906               | 0.906             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000      | 2.20253 | 0.885               | 0.885             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000      | 2.15190 | 0.865               | 0.865             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000      | 2.10127 | 0.845               | 0.845             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000      | 2.05063 | 0.824               | 0.824             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000      | 2.00000 | 0.804               | 0.804             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000      | 1.94937 | 0.784               | 0.784             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000      | 1.89873 | 0.763               | 0.763             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000      | 1.84810 | 0.743               | 0.743             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000      | 1.79747 | 0.723               | 0.723             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000      | 1.74684 | 0.702               | 0.702             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000      | 1.69620 | 0.682               | 0.682             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000      | 1.64557 | 0.662               | 0.662             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000      | 1.59494 | 0.641               | 0.641             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000      | 1.54430 | 0.621               | 0.621             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000      | 1.49367 | 0.600               | 0.600             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000      | 1.44304 | 0.580               | 0.580             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000      | 1.39241 | 0.560               | 0.560             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000      | 1.34177 | 0.539               | 0.539             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000      | 1.29114 | 0.519               | 0.519             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000      | 1.24051 | 0.499               | 0.499             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000      | 1.18987 | 0.478               | 0.478             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000      | 1.13924 | 0.458               | 0.458             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000       | 1.08861 | 0.438               | 0.438             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000       | 1.03797 | 0.417               | 0.417             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000       | 1.00000 | 0.402               | 0.402             |               |  |
|                 |                    | 平均値           |         |                     |                   |               |  |
|                 |                    | 80.00000      | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県         |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|-------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合   |         |                     |                   |               |  |
| 料率地域区分          |                    | 000         |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分      |         |                     | 共済掛金標準率           |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 内作一般B |         |                     | 0.586             |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前         | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000   | 3.01266 | 0.883               | 0.883             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000   | 2.96203 | 0.868               | 0.868             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000   | 2.91139 | 0.853               | 0.853             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000   | 2.86076 | 0.838               | 0.838             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000   | 2.81013 | 0.823               | 0.823             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000   | 2.75950 | 0.809               | 0.809             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000   | 2.70886 | 0.794               | 0.794             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000   | 2.65823 | 0.779               | 0.779             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000   | 2.60760 | 0.764               | 0.764             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000   | 2.55696 | 0.749               | 0.749             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000   | 2.50633 | 0.734               | 0.734             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000   | 2.45570 | 0.720               | 0.720             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000   | 2.40506 | 0.705               | 0.705             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000   | 2.35443 | 0.690               | 0.690             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000   | 2.30380 | 0.675               | 0.675             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000   | 2.25317 | 0.660               | 0.660             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000    | 2.20253 | 0.645               | 0.645             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000    | 2.15190 | 0.631               | 0.631             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000    | 2.10127 | 0.616               | 0.616             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000    | 2.05063 | 0.601               | 0.601             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000    | 2.00000 | 0.586               | 0.586             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000    | 1.94937 | 0.571               | 0.571             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000    | 1.89873 | 0.556               | 0.556             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000    | 1.84810 | 0.541               | 0.541             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000    | 1.79747 | 0.527               | 0.527             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000    | 1.74684 | 0.512               | 0.512             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000    | 1.69620 | 0.497               | 0.497             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000    | 1.64557 | 0.482               | 0.482             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000    | 1.59494 | 0.467               | 0.467             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000    | 1.54430 | 0.452               | 0.452             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000    | 1.49367 | 0.438               | 0.438             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000    | 1.44304 | 0.423               | 0.423             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000    | 1.39241 | 0.408               | 0.408             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000    | 1.34177 | 0.393               | 0.393             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000    | 1.29114 | 0.378               | 0.378             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000    | 1.24051 | 0.363               | 0.363             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000    | 1.18987 | 0.349               | 0.349             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000    | 1.13924 | 0.334               | 0.334             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000     | 1.08861 | 0.319               | 0.319             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000     | 1.03797 | 0.304               | 0.304             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000     | 1.00000 | 0.293               | 0.293             |               |  |
|                 |                    | 平均値         |         |                     |                   |               |  |
|                 |                    | 80.00000    | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県        |               |         |                     | 共済事業              |  | 園芸施設共済  |  |
|-----------------|--------------------|------------|---------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名            |                    | 千葉県農業共済組合  |               |         |                     |                   |  |         |  |
| 料率地域区分          |                    | 000        |               | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分            |                    |            | 共済掛金区分        |         |                     | 共済掛金標準率           |  |         |  |
| 10 ガラス室 I 類(木造) |                    |            | ガラス I 内作一般B集団 |         |                     | 0.557             |  |         |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |            | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|                 |                    |            | 圧縮前           | 圧縮後     |                     |                   |  |         |  |
| 20              | 197.5              | ≦* <       | 160.00000     | 3.01266 | 0.839               | 0.839             |  |         |  |
| 19              | 192.5              | ≦* < 197.5 | 156.00000     | 2.96203 | 0.825               | 0.825             |  |         |  |
| 18              | 187.5              | ≦* < 192.5 | 152.00000     | 2.91139 | 0.811               | 0.811             |  |         |  |
| 17              | 182.5              | ≦* < 187.5 | 148.00000     | 2.86076 | 0.797               | 0.797             |  |         |  |
| 16              | 177.5              | ≦* < 182.5 | 144.00000     | 2.81013 | 0.783               | 0.783             |  |         |  |
| 15              | 172.5              | ≦* < 177.5 | 140.00000     | 2.75950 | 0.769               | 0.769             |  |         |  |
| 14              | 167.5              | ≦* < 172.5 | 136.00000     | 2.70886 | 0.754               | 0.754             |  |         |  |
| 13              | 162.5              | ≦* < 167.5 | 132.00000     | 2.65823 | 0.740               | 0.740             |  |         |  |
| 12              | 157.5              | ≦* < 162.5 | 128.00000     | 2.60760 | 0.726               | 0.726             |  |         |  |
| 11              | 152.5              | ≦* < 157.5 | 124.00000     | 2.55696 | 0.712               | 0.712             |  |         |  |
| 10              | 147.5              | ≦* < 152.5 | 120.00000     | 2.50633 | 0.698               | 0.698             |  |         |  |
| 09              | 142.5              | ≦* < 147.5 | 116.00000     | 2.45570 | 0.684               | 0.684             |  |         |  |
| 08              | 137.5              | ≦* < 142.5 | 112.00000     | 2.40506 | 0.670               | 0.670             |  |         |  |
| 07              | 132.5              | ≦* < 137.5 | 108.00000     | 2.35443 | 0.656               | 0.656             |  |         |  |
| 06              | 127.5              | ≦* < 132.5 | 104.00000     | 2.30380 | 0.642               | 0.642             |  |         |  |
| 05              | 122.5              | ≦* < 127.5 | 100.00000     | 2.25317 | 0.628               | 0.628             |  |         |  |
| 04              | 117.5              | ≦* < 122.5 | 96.00000      | 2.20253 | 0.613               | 0.613             |  |         |  |
| 03              | 112.5              | ≦* < 117.5 | 92.00000      | 2.15190 | 0.599               | 0.599             |  |         |  |
| 02              | 107.5              | ≦* < 112.5 | 88.00000      | 2.10127 | 0.585               | 0.585             |  |         |  |
| 01              | 102.5              | ≦* < 107.5 | 84.00000      | 2.05063 | 0.571               | 0.571             |  |         |  |
| 00              | 97.5               | ≦* < 102.5 | 80.00000      | 2.00000 | 0.557               | 0.557             |  |         |  |
| -01             | 92.5               | ≦* < 97.5  | 76.00000      | 1.94937 | 0.543               | 0.543             |  |         |  |
| -02             | 87.5               | ≦* < 92.5  | 72.00000      | 1.89873 | 0.529               | 0.529             |  |         |  |
| -03             | 82.5               | ≦* < 87.5  | 68.00000      | 1.84810 | 0.515               | 0.515             |  |         |  |
| -04             | 77.5               | ≦* < 82.5  | 64.00000      | 1.79747 | 0.501               | 0.501             |  |         |  |
| -05             | 72.5               | ≦* < 77.5  | 60.00000      | 1.74684 | 0.486               | 0.486             |  |         |  |
| -06             | 67.5               | ≦* < 72.5  | 56.00000      | 1.69620 | 0.472               | 0.472             |  |         |  |
| -07             | 62.5               | ≦* < 67.5  | 52.00000      | 1.64557 | 0.458               | 0.458             |  |         |  |
| -08             | 57.5               | ≦* < 62.5  | 48.00000      | 1.59494 | 0.444               | 0.444             |  |         |  |
| -09             | 52.5               | ≦* < 57.5  | 44.00000      | 1.54430 | 0.430               | 0.430             |  |         |  |
| -10             | 47.5               | ≦* < 52.5  | 40.00000      | 1.49367 | 0.416               | 0.416             |  |         |  |
| -11             | 42.5               | ≦* < 47.5  | 36.00000      | 1.44304 | 0.402               | 0.402             |  |         |  |
| -12             | 37.5               | ≦* < 42.5  | 32.00000      | 1.39241 | 0.388               | 0.388             |  |         |  |
| -13             | 32.5               | ≦* < 37.5  | 28.00000      | 1.34177 | 0.374               | 0.374             |  |         |  |
| -14             | 27.5               | ≦* < 32.5  | 24.00000      | 1.29114 | 0.360               | 0.360             |  |         |  |
| -15             | 22.5               | ≦* < 27.5  | 20.00000      | 1.24051 | 0.345               | 0.345             |  |         |  |
| -16             | 17.5               | ≦* < 22.5  | 16.00000      | 1.18987 | 0.331               | 0.331             |  |         |  |
| -17             | 12.5               | ≦* < 17.5  | 12.00000      | 1.13924 | 0.317               | 0.317             |  |         |  |
| -18             | 7.5                | ≦* < 12.5  | 8.00000       | 1.08861 | 0.303               | 0.303             |  |         |  |
| -19             | 2.5                | ≦* < 7.5   | 4.00000       | 1.03797 | 0.289               | 0.289             |  |         |  |
| -20             | 0.0                | ≦* < 2.5   | 1.00000       | 1.00000 | 0.278               | 0.278             |  |         |  |
|                 |                    |            | 平均値           |         |                     |                   |  |         |  |
|                 |                    |            | 80.00000      | 2.00000 |                     |                   |  |         |  |



(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           | 千葉県                |           |             |                     | 共済事業              | 園芸施設共済  |
|-----------------|--------------------|-----------|-------------|---------------------|-------------------|---------|
| 組合等名            | 千葉県農業共済組合          |           |             |                     |                   |         |
| 料率地域区分          | 000                |           | 地域名         | 00000 都道府県の区域       |                   |         |
| 施設区分            |                    |           | 共済掛金区分      |                     |                   | 共済掛金標準率 |
| 10 ガラス室 I 類(木造) |                    |           | ガラス I 内作一般C |                     | 0.388             |         |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数      |             | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |
|                 |                    | 圧縮前       | 圧縮後         |                     |                   |         |
| 20              | 197.5 ≤* <         | 160.00000 | 3.01266     | 0.584               | 0.584             |         |
| 19              | 192.5 ≤* < 197.5   | 156.00000 | 2.96203     | 0.575               | 0.575             |         |
| 18              | 187.5 ≤* < 192.5   | 152.00000 | 2.91139     | 0.565               | 0.565             |         |
| 17              | 182.5 ≤* < 187.5   | 148.00000 | 2.86076     | 0.555               | 0.555             |         |
| 16              | 177.5 ≤* < 182.5   | 144.00000 | 2.81013     | 0.545               | 0.545             |         |
| 15              | 172.5 ≤* < 177.5   | 140.00000 | 2.75950     | 0.535               | 0.535             |         |
| 14              | 167.5 ≤* < 172.5   | 136.00000 | 2.70886     | 0.526               | 0.526             |         |
| 13              | 162.5 ≤* < 167.5   | 132.00000 | 2.65823     | 0.516               | 0.516             |         |
| 12              | 157.5 ≤* < 162.5   | 128.00000 | 2.60760     | 0.506               | 0.506             |         |
| 11              | 152.5 ≤* < 157.5   | 124.00000 | 2.55696     | 0.496               | 0.496             |         |
| 10              | 147.5 ≤* < 152.5   | 120.00000 | 2.50633     | 0.486               | 0.486             |         |
| 09              | 142.5 ≤* < 147.5   | 116.00000 | 2.45570     | 0.476               | 0.476             |         |
| 08              | 137.5 ≤* < 142.5   | 112.00000 | 2.40506     | 0.467               | 0.467             |         |
| 07              | 132.5 ≤* < 137.5   | 108.00000 | 2.35443     | 0.457               | 0.457             |         |
| 06              | 127.5 ≤* < 132.5   | 104.00000 | 2.30380     | 0.447               | 0.447             |         |
| 05              | 122.5 ≤* < 127.5   | 100.00000 | 2.25317     | 0.437               | 0.437             |         |
| 04              | 117.5 ≤* < 122.5   | 96.00000  | 2.20253     | 0.427               | 0.427             |         |
| 03              | 112.5 ≤* < 117.5   | 92.00000  | 2.15190     | 0.417               | 0.417             |         |
| 02              | 107.5 ≤* < 112.5   | 88.00000  | 2.10127     | 0.408               | 0.408             |         |
| 01              | 102.5 ≤* < 107.5   | 84.00000  | 2.05063     | 0.398               | 0.398             |         |
| 00              | 97.5 ≤* < 102.5    | 80.00000  | 2.00000     | 0.388               | 0.388             |         |
| -01             | 92.5 ≤* < 97.5     | 76.00000  | 1.94937     | 0.378               | 0.378             |         |
| -02             | 87.5 ≤* < 92.5     | 72.00000  | 1.89873     | 0.368               | 0.368             |         |
| -03             | 82.5 ≤* < 87.5     | 68.00000  | 1.84810     | 0.359               | 0.359             |         |
| -04             | 77.5 ≤* < 82.5     | 64.00000  | 1.79747     | 0.349               | 0.349             |         |
| -05             | 72.5 ≤* < 77.5     | 60.00000  | 1.74684     | 0.339               | 0.339             |         |
| -06             | 67.5 ≤* < 72.5     | 56.00000  | 1.69620     | 0.329               | 0.329             |         |
| -07             | 62.5 ≤* < 67.5     | 52.00000  | 1.64557     | 0.319               | 0.319             |         |
| -08             | 57.5 ≤* < 62.5     | 48.00000  | 1.59494     | 0.309               | 0.309             |         |
| -09             | 52.5 ≤* < 57.5     | 44.00000  | 1.54430     | 0.300               | 0.300             |         |
| -10             | 47.5 ≤* < 52.5     | 40.00000  | 1.49367     | 0.290               | 0.290             |         |
| -11             | 42.5 ≤* < 47.5     | 36.00000  | 1.44304     | 0.280               | 0.280             |         |
| -12             | 37.5 ≤* < 42.5     | 32.00000  | 1.39241     | 0.270               | 0.270             |         |
| -13             | 32.5 ≤* < 37.5     | 28.00000  | 1.34177     | 0.260               | 0.260             |         |
| -14             | 27.5 ≤* < 32.5     | 24.00000  | 1.29114     | 0.250               | 0.250             |         |
| -15             | 22.5 ≤* < 27.5     | 20.00000  | 1.24051     | 0.241               | 0.241             |         |
| -16             | 17.5 ≤* < 22.5     | 16.00000  | 1.18987     | 0.231               | 0.231             |         |
| -17             | 12.5 ≤* < 17.5     | 12.00000  | 1.13924     | 0.221               | 0.221             |         |
| -18             | 7.5 ≤* < 12.5      | 8.00000   | 1.08861     | 0.211               | 0.211             |         |
| -19             | 2.5 ≤* < 7.5       | 4.00000   | 1.03797     | 0.201               | 0.201             |         |
| -20             | 0.0 ≤* < 2.5       | 1.00000   | 1.00000     | 0.194               | 0.194             |         |
|                 |                    | 平均値       |             |                     |                   |         |
|                 |                    | 80.00000  | 2.00000     |                     |                   |         |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|---------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合     |         |                     |                   |               |  |
| 料率地域区分          |                    | 000           |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分        |         |                     | 共済掛金標準率           |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 内作一般C集団 |         |                     | 0.369             |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前           | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000     | 3.01266 | 0.556               | 0.556             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000     | 2.96203 | 0.546               | 0.546             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000     | 2.91139 | 0.537               | 0.537             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000     | 2.86076 | 0.528               | 0.528             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000     | 2.81013 | 0.518               | 0.518             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000     | 2.75950 | 0.509               | 0.509             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000     | 2.70886 | 0.500               | 0.500             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000     | 2.65823 | 0.490               | 0.490             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000     | 2.60760 | 0.481               | 0.481             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000     | 2.55696 | 0.472               | 0.472             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000     | 2.50633 | 0.462               | 0.462             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000     | 2.45570 | 0.453               | 0.453             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000     | 2.40506 | 0.444               | 0.444             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000     | 2.35443 | 0.434               | 0.434             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000     | 2.30380 | 0.425               | 0.425             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000     | 2.25317 | 0.416               | 0.416             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000      | 2.20253 | 0.406               | 0.406             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000      | 2.15190 | 0.397               | 0.397             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000      | 2.10127 | 0.388               | 0.388             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000      | 2.05063 | 0.378               | 0.378             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000      | 2.00000 | 0.369               | 0.369             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000      | 1.94937 | 0.360               | 0.360             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000      | 1.89873 | 0.350               | 0.350             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000      | 1.84810 | 0.341               | 0.341             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000      | 1.79747 | 0.332               | 0.332             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000      | 1.74684 | 0.322               | 0.322             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000      | 1.69620 | 0.313               | 0.313             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000      | 1.64557 | 0.304               | 0.304             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000      | 1.59494 | 0.294               | 0.294             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000      | 1.54430 | 0.285               | 0.285             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000      | 1.49367 | 0.276               | 0.276             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000      | 1.44304 | 0.266               | 0.266             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000      | 1.39241 | 0.257               | 0.257             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000      | 1.34177 | 0.248               | 0.248             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000      | 1.29114 | 0.238               | 0.238             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000      | 1.24051 | 0.229               | 0.229             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000      | 1.18987 | 0.220               | 0.220             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000      | 1.13924 | 0.210               | 0.210             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000       | 1.08861 | 0.201               | 0.201             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000       | 1.03797 | 0.192               | 0.192             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000       | 1.00000 | 0.184               | 0.184             |               |  |
|                 |                    | 平均値           |         |                     |                   |               |  |
|                 |                    | 80.00000      | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県        |             |         |                     | 共済事業              |  | 園芸施設共済  |  |
|-----------------|--------------------|------------|-------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名            |                    | 千葉県農業共済組合  |             |         |                     |                   |  |         |  |
| 料率地域区分          |                    | 000        |             | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分            |                    |            | 共済掛金区分      |         |                     | 共済掛金標準率           |  |         |  |
| 10 ガラス室 I 類(木造) |                    |            | ガラス I 内作一般D |         |                     | 0.023             |  |         |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |            | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|                 |                    |            | 圧縮前         | 圧縮後     |                     |                   |  |         |  |
| 20              | 197.5              | ≦* <       | 160.00000   | 3.01266 | 0.035               | 0.035             |  |         |  |
| 19              | 192.5              | ≦* < 197.5 | 156.00000   | 2.96203 | 0.034               | 0.034             |  |         |  |
| 18              | 187.5              | ≦* < 192.5 | 152.00000   | 2.91139 | 0.033               | 0.033             |  |         |  |
| 17              | 182.5              | ≦* < 187.5 | 148.00000   | 2.86076 | 0.033               | 0.033             |  |         |  |
| 16              | 177.5              | ≦* < 182.5 | 144.00000   | 2.81013 | 0.032               | 0.032             |  |         |  |
| 15              | 172.5              | ≦* < 177.5 | 140.00000   | 2.75950 | 0.032               | 0.032             |  |         |  |
| 14              | 167.5              | ≦* < 172.5 | 136.00000   | 2.70886 | 0.031               | 0.031             |  |         |  |
| 13              | 162.5              | ≦* < 167.5 | 132.00000   | 2.65823 | 0.031               | 0.031             |  |         |  |
| 12              | 157.5              | ≦* < 162.5 | 128.00000   | 2.60760 | 0.030               | 0.030             |  |         |  |
| 11              | 152.5              | ≦* < 157.5 | 124.00000   | 2.55696 | 0.029               | 0.029             |  |         |  |
| 10              | 147.5              | ≦* < 152.5 | 120.00000   | 2.50633 | 0.029               | 0.029             |  |         |  |
| 09              | 142.5              | ≦* < 147.5 | 116.00000   | 2.45570 | 0.028               | 0.028             |  |         |  |
| 08              | 137.5              | ≦* < 142.5 | 112.00000   | 2.40506 | 0.028               | 0.028             |  |         |  |
| 07              | 132.5              | ≦* < 137.5 | 108.00000   | 2.35443 | 0.027               | 0.027             |  |         |  |
| 06              | 127.5              | ≦* < 132.5 | 104.00000   | 2.30380 | 0.026               | 0.026             |  |         |  |
| 05              | 122.5              | ≦* < 127.5 | 100.00000   | 2.25317 | 0.026               | 0.026             |  |         |  |
| 04              | 117.5              | ≦* < 122.5 | 96.00000    | 2.20253 | 0.025               | 0.025             |  |         |  |
| 03              | 112.5              | ≦* < 117.5 | 92.00000    | 2.15190 | 0.025               | 0.025             |  |         |  |
| 02              | 107.5              | ≦* < 112.5 | 88.00000    | 2.10127 | 0.024               | 0.024             |  |         |  |
| 01              | 102.5              | ≦* < 107.5 | 84.00000    | 2.05063 | 0.024               | 0.024             |  |         |  |
| 00              | 97.5               | ≦* < 102.5 | 80.00000    | 2.00000 | 0.023               | 0.023             |  |         |  |
| -01             | 92.5               | ≦* < 97.5  | 76.00000    | 1.94937 | 0.022               | 0.022             |  |         |  |
| -02             | 87.5               | ≦* < 92.5  | 72.00000    | 1.89873 | 0.022               | 0.022             |  |         |  |
| -03             | 82.5               | ≦* < 87.5  | 68.00000    | 1.84810 | 0.021               | 0.021             |  |         |  |
| -04             | 77.5               | ≦* < 82.5  | 64.00000    | 1.79747 | 0.021               | 0.021             |  |         |  |
| -05             | 72.5               | ≦* < 77.5  | 60.00000    | 1.74684 | 0.020               | 0.020             |  |         |  |
| -06             | 67.5               | ≦* < 72.5  | 56.00000    | 1.69620 | 0.020               | 0.020             |  |         |  |
| -07             | 62.5               | ≦* < 67.5  | 52.00000    | 1.64557 | 0.019               | 0.019             |  |         |  |
| -08             | 57.5               | ≦* < 62.5  | 48.00000    | 1.59494 | 0.018               | 0.018             |  |         |  |
| -09             | 52.5               | ≦* < 57.5  | 44.00000    | 1.54430 | 0.018               | 0.018             |  |         |  |
| -10             | 47.5               | ≦* < 52.5  | 40.00000    | 1.49367 | 0.017               | 0.017             |  |         |  |
| -11             | 42.5               | ≦* < 47.5  | 36.00000    | 1.44304 | 0.017               | 0.017             |  |         |  |
| -12             | 37.5               | ≦* < 42.5  | 32.00000    | 1.39241 | 0.016               | 0.016             |  |         |  |
| -13             | 32.5               | ≦* < 37.5  | 28.00000    | 1.34177 | 0.015               | 0.015             |  |         |  |
| -14             | 27.5               | ≦* < 32.5  | 24.00000    | 1.29114 | 0.015               | 0.015             |  |         |  |
| -15             | 22.5               | ≦* < 27.5  | 20.00000    | 1.24051 | 0.014               | 0.014             |  |         |  |
| -16             | 17.5               | ≦* < 22.5  | 16.00000    | 1.18987 | 0.014               | 0.014             |  |         |  |
| -17             | 12.5               | ≦* < 17.5  | 12.00000    | 1.13924 | 0.013               | 0.013             |  |         |  |
| -18             | 7.5                | ≦* < 12.5  | 8.00000     | 1.08861 | 0.013               | 0.013             |  |         |  |
| -19             | 2.5                | ≦* < 7.5   | 4.00000     | 1.03797 | 0.012               | 0.012             |  |         |  |
| -20             | 0.0                | ≦* < 2.5   | 1.00000     | 1.00000 | 0.011               | 0.011             |  |         |  |
|                 |                    |            | 平均値         |         |                     |                   |  |         |  |
|                 |                    |            | 80.00000    | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|---------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合     |         |                     |                   |               |  |
| 料率地域区分          |                    | 000           |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分        |         |                     | 共済掛金標準率           |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 内作一般D集団 |         |                     | 0.022             |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前           | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000     | 3.01266 | 0.033               | 0.033             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000     | 2.96203 | 0.033               | 0.033             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000     | 2.91139 | 0.032               | 0.032             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000     | 2.86076 | 0.031               | 0.031             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000     | 2.81013 | 0.031               | 0.031             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000     | 2.75950 | 0.030               | 0.030             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000     | 2.70886 | 0.030               | 0.030             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000     | 2.65823 | 0.029               | 0.029             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000     | 2.60760 | 0.029               | 0.029             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000     | 2.55696 | 0.028               | 0.028             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000     | 2.50633 | 0.028               | 0.028             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000     | 2.45570 | 0.027               | 0.027             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000     | 2.40506 | 0.026               | 0.026             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000     | 2.35443 | 0.026               | 0.026             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000     | 2.30380 | 0.025               | 0.025             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000     | 2.25317 | 0.025               | 0.025             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000      | 2.20253 | 0.024               | 0.024             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000      | 2.15190 | 0.024               | 0.024             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000      | 2.10127 | 0.023               | 0.023             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000      | 2.05063 | 0.023               | 0.023             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000      | 2.00000 | 0.022               | 0.022             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000      | 1.94937 | 0.021               | 0.021             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000      | 1.89873 | 0.021               | 0.021             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000      | 1.84810 | 0.020               | 0.020             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000      | 1.79747 | 0.020               | 0.020             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000      | 1.74684 | 0.019               | 0.019             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000      | 1.69620 | 0.019               | 0.019             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000      | 1.64557 | 0.018               | 0.018             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000      | 1.59494 | 0.018               | 0.018             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000      | 1.54430 | 0.017               | 0.017             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000      | 1.49367 | 0.016               | 0.016             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000      | 1.44304 | 0.016               | 0.016             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000      | 1.39241 | 0.015               | 0.015             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000      | 1.34177 | 0.015               | 0.015             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000      | 1.29114 | 0.014               | 0.014             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000      | 1.24051 | 0.014               | 0.014             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000      | 1.18987 | 0.013               | 0.013             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000      | 1.13924 | 0.013               | 0.013             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000       | 1.08861 | 0.012               | 0.012             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000       | 1.03797 | 0.011               | 0.011             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000       | 1.00000 | 0.011               | 0.011             |               |  |
|                 |                    | 平均値           |         |                     |                   |               |  |
|                 |                    | 80.00000      | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県         |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|-------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合   |         |                     |                   |               |  |
| 料率地域区分          |                    | 000         |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分      |         |                     | 共済掛金標準率           |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 内作一般E |         |                     | 0.022             |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前         | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000   | 3.01266 | 0.033               | 0.033             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000   | 2.96203 | 0.033               | 0.033             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000   | 2.91139 | 0.032               | 0.032             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000   | 2.86076 | 0.031               | 0.031             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000   | 2.81013 | 0.031               | 0.031             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000   | 2.75950 | 0.030               | 0.030             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000   | 2.70886 | 0.030               | 0.030             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000   | 2.65823 | 0.029               | 0.029             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000   | 2.60760 | 0.029               | 0.029             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000   | 2.55696 | 0.028               | 0.028             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000   | 2.50633 | 0.028               | 0.028             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000   | 2.45570 | 0.027               | 0.027             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000   | 2.40506 | 0.026               | 0.026             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000   | 2.35443 | 0.026               | 0.026             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000   | 2.30380 | 0.025               | 0.025             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000   | 2.25317 | 0.025               | 0.025             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000    | 2.20253 | 0.024               | 0.024             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000    | 2.15190 | 0.024               | 0.024             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000    | 2.10127 | 0.023               | 0.023             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000    | 2.05063 | 0.023               | 0.023             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000    | 2.00000 | 0.022               | 0.022             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000    | 1.94937 | 0.021               | 0.021             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000    | 1.89873 | 0.021               | 0.021             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000    | 1.84810 | 0.020               | 0.020             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000    | 1.79747 | 0.020               | 0.020             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000    | 1.74684 | 0.019               | 0.019             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000    | 1.69620 | 0.019               | 0.019             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000    | 1.64557 | 0.018               | 0.018             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000    | 1.59494 | 0.018               | 0.018             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000    | 1.54430 | 0.017               | 0.017             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000    | 1.49367 | 0.016               | 0.016             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000    | 1.44304 | 0.016               | 0.016             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000    | 1.39241 | 0.015               | 0.015             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000    | 1.34177 | 0.015               | 0.015             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000    | 1.29114 | 0.014               | 0.014             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000    | 1.24051 | 0.014               | 0.014             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000    | 1.18987 | 0.013               | 0.013             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000    | 1.13924 | 0.013               | 0.013             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000     | 1.08861 | 0.012               | 0.012             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000     | 1.03797 | 0.011               | 0.011             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000     | 1.00000 | 0.011               | 0.011             |               |  |
|                 |                    | 平均値         |         |                     |                   |               |  |
|                 |                    | 80.00000    | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           | 千葉県                |           |               |                     | 共済事業              | 園芸施設共済  |
|-----------------|--------------------|-----------|---------------|---------------------|-------------------|---------|
| 組合等名            | 千葉県農業共済組合          |           |               |                     |                   |         |
| 料率地域区分          | 000                |           | 地域名           | 00000 都道府県の区域       |                   |         |
| 施設区分            |                    |           | 共済掛金区分        |                     |                   | 共済掛金標準率 |
| 10 ガラス室 I 類(木造) |                    |           | ガラス I 内作一般E集団 |                     | 0.021             |         |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |
|                 |                    | 圧縮前       | 圧縮後           |                     |                   |         |
| 20              | 197.5 ≤* <         | 160.00000 | 3.01266       | 0.032               | 0.032             |         |
| 19              | 192.5 ≤* < 197.5   | 156.00000 | 2.96203       | 0.031               | 0.031             |         |
| 18              | 187.5 ≤* < 192.5   | 152.00000 | 2.91139       | 0.031               | 0.031             |         |
| 17              | 182.5 ≤* < 187.5   | 148.00000 | 2.86076       | 0.030               | 0.030             |         |
| 16              | 177.5 ≤* < 182.5   | 144.00000 | 2.81013       | 0.030               | 0.030             |         |
| 15              | 172.5 ≤* < 177.5   | 140.00000 | 2.75950       | 0.029               | 0.029             |         |
| 14              | 167.5 ≤* < 172.5   | 136.00000 | 2.70886       | 0.028               | 0.028             |         |
| 13              | 162.5 ≤* < 167.5   | 132.00000 | 2.65823       | 0.028               | 0.028             |         |
| 12              | 157.5 ≤* < 162.5   | 128.00000 | 2.60760       | 0.027               | 0.027             |         |
| 11              | 152.5 ≤* < 157.5   | 124.00000 | 2.55696       | 0.027               | 0.027             |         |
| 10              | 147.5 ≤* < 152.5   | 120.00000 | 2.50633       | 0.026               | 0.026             |         |
| 09              | 142.5 ≤* < 147.5   | 116.00000 | 2.45570       | 0.026               | 0.026             |         |
| 08              | 137.5 ≤* < 142.5   | 112.00000 | 2.40506       | 0.025               | 0.025             |         |
| 07              | 132.5 ≤* < 137.5   | 108.00000 | 2.35443       | 0.025               | 0.025             |         |
| 06              | 127.5 ≤* < 132.5   | 104.00000 | 2.30380       | 0.024               | 0.024             |         |
| 05              | 122.5 ≤* < 127.5   | 100.00000 | 2.25317       | 0.024               | 0.024             |         |
| 04              | 117.5 ≤* < 122.5   | 96.00000  | 2.20253       | 0.023               | 0.023             |         |
| 03              | 112.5 ≤* < 117.5   | 92.00000  | 2.15190       | 0.023               | 0.023             |         |
| 02              | 107.5 ≤* < 112.5   | 88.00000  | 2.10127       | 0.022               | 0.022             |         |
| 01              | 102.5 ≤* < 107.5   | 84.00000  | 2.05063       | 0.022               | 0.022             |         |
| 00              | 97.5 ≤* < 102.5    | 80.00000  | 2.00000       | 0.021               | 0.021             |         |
| -01             | 92.5 ≤* < 97.5     | 76.00000  | 1.94937       | 0.020               | 0.020             |         |
| -02             | 87.5 ≤* < 92.5     | 72.00000  | 1.89873       | 0.020               | 0.020             |         |
| -03             | 82.5 ≤* < 87.5     | 68.00000  | 1.84810       | 0.019               | 0.019             |         |
| -04             | 77.5 ≤* < 82.5     | 64.00000  | 1.79747       | 0.019               | 0.019             |         |
| -05             | 72.5 ≤* < 77.5     | 60.00000  | 1.74684       | 0.018               | 0.018             |         |
| -06             | 67.5 ≤* < 72.5     | 56.00000  | 1.69620       | 0.018               | 0.018             |         |
| -07             | 62.5 ≤* < 67.5     | 52.00000  | 1.64557       | 0.017               | 0.017             |         |
| -08             | 57.5 ≤* < 62.5     | 48.00000  | 1.59494       | 0.017               | 0.017             |         |
| -09             | 52.5 ≤* < 57.5     | 44.00000  | 1.54430       | 0.016               | 0.016             |         |
| -10             | 47.5 ≤* < 52.5     | 40.00000  | 1.49367       | 0.016               | 0.016             |         |
| -11             | 42.5 ≤* < 47.5     | 36.00000  | 1.44304       | 0.015               | 0.015             |         |
| -12             | 37.5 ≤* < 42.5     | 32.00000  | 1.39241       | 0.015               | 0.015             |         |
| -13             | 32.5 ≤* < 37.5     | 28.00000  | 1.34177       | 0.014               | 0.014             |         |
| -14             | 27.5 ≤* < 32.5     | 24.00000  | 1.29114       | 0.014               | 0.014             |         |
| -15             | 22.5 ≤* < 27.5     | 20.00000  | 1.24051       | 0.013               | 0.013             |         |
| -16             | 17.5 ≤* < 22.5     | 16.00000  | 1.18987       | 0.012               | 0.012             |         |
| -17             | 12.5 ≤* < 17.5     | 12.00000  | 1.13924       | 0.012               | 0.012             |         |
| -18             | 7.5 ≤* < 12.5      | 8.00000   | 1.08861       | 0.011               | 0.011             |         |
| -19             | 2.5 ≤* < 7.5       | 4.00000   | 1.03797       | 0.011               | 0.011             |         |
| -20             | 0.0 ≤* < 2.5       | 1.00000   | 1.00000       | 0.010               | 0.010             |         |
|                 |                    | 平均値       |               |                     |                   |         |
|                 |                    | 80.00000  | 2.00000       |                     |                   |         |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                     | 千葉県        |             |         |                      | 共済事業               |  | 園芸施設共済  |  |
|-----------------|---------------------|------------|-------------|---------|----------------------|--------------------|--|---------|--|
| 組合等名            |                     | 千葉県農業共済組合  |             |         |                      |                    |  |         |  |
| 料率地域区分          |                     | 000        |             | 地域名     |                      | 00000              |  | 都道府県の区域 |  |
| 施設区分            |                     |            | 共済掛金区分      |         |                      | 共済掛金標準率            |  |         |  |
| 10 ガラス室 I 類(木造) |                     |            | ガラス I 内作一般F |         |                      | 0.847              |  |         |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲 (%) |            | 危険指数        |         | 危険段階別基準<br>共済掛金率 (%) | 危険段階別共済<br>掛金率 (%) |  |         |  |
|                 |                     |            | 圧縮前         | 圧縮後     |                      |                    |  |         |  |
| 20              | 197.5               | ≦* <       | 160.00000   | 3.01266 | 1.276                | 1.276              |  |         |  |
| 19              | 192.5               | ≦* < 197.5 | 156.00000   | 2.96203 | 1.254                | 1.254              |  |         |  |
| 18              | 187.5               | ≦* < 192.5 | 152.00000   | 2.91139 | 1.233                | 1.233              |  |         |  |
| 17              | 182.5               | ≦* < 187.5 | 148.00000   | 2.86076 | 1.212                | 1.212              |  |         |  |
| 16              | 177.5               | ≦* < 182.5 | 144.00000   | 2.81013 | 1.190                | 1.190              |  |         |  |
| 15              | 172.5               | ≦* < 177.5 | 140.00000   | 2.75950 | 1.169                | 1.169              |  |         |  |
| 14              | 167.5               | ≦* < 172.5 | 136.00000   | 2.70886 | 1.147                | 1.147              |  |         |  |
| 13              | 162.5               | ≦* < 167.5 | 132.00000   | 2.65823 | 1.126                | 1.126              |  |         |  |
| 12              | 157.5               | ≦* < 162.5 | 128.00000   | 2.60760 | 1.104                | 1.104              |  |         |  |
| 11              | 152.5               | ≦* < 157.5 | 124.00000   | 2.55696 | 1.083                | 1.083              |  |         |  |
| 10              | 147.5               | ≦* < 152.5 | 120.00000   | 2.50633 | 1.061                | 1.061              |  |         |  |
| 09              | 142.5               | ≦* < 147.5 | 116.00000   | 2.45570 | 1.040                | 1.040              |  |         |  |
| 08              | 137.5               | ≦* < 142.5 | 112.00000   | 2.40506 | 1.019                | 1.019              |  |         |  |
| 07              | 132.5               | ≦* < 137.5 | 108.00000   | 2.35443 | 0.997                | 0.997              |  |         |  |
| 06              | 127.5               | ≦* < 132.5 | 104.00000   | 2.30380 | 0.976                | 0.976              |  |         |  |
| 05              | 122.5               | ≦* < 127.5 | 100.00000   | 2.25317 | 0.954                | 0.954              |  |         |  |
| 04              | 117.5               | ≦* < 122.5 | 96.00000    | 2.20253 | 0.933                | 0.933              |  |         |  |
| 03              | 112.5               | ≦* < 117.5 | 92.00000    | 2.15190 | 0.911                | 0.911              |  |         |  |
| 02              | 107.5               | ≦* < 112.5 | 88.00000    | 2.10127 | 0.890                | 0.890              |  |         |  |
| 01              | 102.5               | ≦* < 107.5 | 84.00000    | 2.05063 | 0.868                | 0.868              |  |         |  |
| 00              | 97.5                | ≦* < 102.5 | 80.00000    | 2.00000 | 0.847                | 0.847              |  |         |  |
| -01             | 92.5                | ≦* < 97.5  | 76.00000    | 1.94937 | 0.826                | 0.826              |  |         |  |
| -02             | 87.5                | ≦* < 92.5  | 72.00000    | 1.89873 | 0.804                | 0.804              |  |         |  |
| -03             | 82.5                | ≦* < 87.5  | 68.00000    | 1.84810 | 0.783                | 0.783              |  |         |  |
| -04             | 77.5                | ≦* < 82.5  | 64.00000    | 1.79747 | 0.761                | 0.761              |  |         |  |
| -05             | 72.5                | ≦* < 77.5  | 60.00000    | 1.74684 | 0.740                | 0.740              |  |         |  |
| -06             | 67.5                | ≦* < 72.5  | 56.00000    | 1.69620 | 0.718                | 0.718              |  |         |  |
| -07             | 62.5                | ≦* < 67.5  | 52.00000    | 1.64557 | 0.697                | 0.697              |  |         |  |
| -08             | 57.5                | ≦* < 62.5  | 48.00000    | 1.59494 | 0.675                | 0.675              |  |         |  |
| -09             | 52.5                | ≦* < 57.5  | 44.00000    | 1.54430 | 0.654                | 0.654              |  |         |  |
| -10             | 47.5                | ≦* < 52.5  | 40.00000    | 1.49367 | 0.633                | 0.633              |  |         |  |
| -11             | 42.5                | ≦* < 47.5  | 36.00000    | 1.44304 | 0.611                | 0.611              |  |         |  |
| -12             | 37.5                | ≦* < 42.5  | 32.00000    | 1.39241 | 0.590                | 0.590              |  |         |  |
| -13             | 32.5                | ≦* < 37.5  | 28.00000    | 1.34177 | 0.568                | 0.568              |  |         |  |
| -14             | 27.5                | ≦* < 32.5  | 24.00000    | 1.29114 | 0.547                | 0.547              |  |         |  |
| -15             | 22.5                | ≦* < 27.5  | 20.00000    | 1.24051 | 0.525                | 0.525              |  |         |  |
| -16             | 17.5                | ≦* < 22.5  | 16.00000    | 1.18987 | 0.504                | 0.504              |  |         |  |
| -17             | 12.5                | ≦* < 17.5  | 12.00000    | 1.13924 | 0.482                | 0.482              |  |         |  |
| -18             | 7.5                 | ≦* < 12.5  | 8.00000     | 1.08861 | 0.461                | 0.461              |  |         |  |
| -19             | 2.5                 | ≦* < 7.5   | 4.00000     | 1.03797 | 0.440                | 0.440              |  |         |  |
| -20             | 0.0                 | ≦* < 2.5   | 1.00000     | 1.00000 | 0.423                | 0.423              |  |         |  |
|                 |                     |            | 平均値         |         |                      |                    |  |         |  |
|                 |                     |            | 80.00000    | 2.00000 |                      |                    |  |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |           | 共済事業    |                     | 園芸施設共済            |  |  |
|-----------------|--------------------|---------------|-----------|---------|---------------------|-------------------|--|--|
| 組合等名            |                    | 千葉県農業共済組合     |           |         |                     |                   |  |  |
| 料率地域区分          |                    | 000           |           | 地域名     |                     | 00000 都道府県の区域     |  |  |
| 施設区分            |                    | 共済掛金区分        |           | 共済掛金標準率 |                     |                   |  |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 内作一般F集団 |           |         |                     | 0.805             |  |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |               | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |  |
|                 |                    |               | 圧縮前       | 圧縮後     |                     |                   |  |  |
| 20              | 197.5              | ≦* <          | 160.00000 | 3.01266 | 1.213               | 1.213             |  |  |
| 19              | 192.5              | ≦* < 197.5    | 156.00000 | 2.96203 | 1.192               | 1.192             |  |  |
| 18              | 187.5              | ≦* < 192.5    | 152.00000 | 2.91139 | 1.172               | 1.172             |  |  |
| 17              | 182.5              | ≦* < 187.5    | 148.00000 | 2.86076 | 1.151               | 1.151             |  |  |
| 16              | 177.5              | ≦* < 182.5    | 144.00000 | 2.81013 | 1.131               | 1.131             |  |  |
| 15              | 172.5              | ≦* < 177.5    | 140.00000 | 2.75950 | 1.111               | 1.111             |  |  |
| 14              | 167.5              | ≦* < 172.5    | 136.00000 | 2.70886 | 1.090               | 1.090             |  |  |
| 13              | 162.5              | ≦* < 167.5    | 132.00000 | 2.65823 | 1.070               | 1.070             |  |  |
| 12              | 157.5              | ≦* < 162.5    | 128.00000 | 2.60760 | 1.050               | 1.050             |  |  |
| 11              | 152.5              | ≦* < 157.5    | 124.00000 | 2.55696 | 1.029               | 1.029             |  |  |
| 10              | 147.5              | ≦* < 152.5    | 120.00000 | 2.50633 | 1.009               | 1.009             |  |  |
| 09              | 142.5              | ≦* < 147.5    | 116.00000 | 2.45570 | 0.988               | 0.988             |  |  |
| 08              | 137.5              | ≦* < 142.5    | 112.00000 | 2.40506 | 0.968               | 0.968             |  |  |
| 07              | 132.5              | ≦* < 137.5    | 108.00000 | 2.35443 | 0.948               | 0.948             |  |  |
| 06              | 127.5              | ≦* < 132.5    | 104.00000 | 2.30380 | 0.927               | 0.927             |  |  |
| 05              | 122.5              | ≦* < 127.5    | 100.00000 | 2.25317 | 0.907               | 0.907             |  |  |
| 04              | 117.5              | ≦* < 122.5    | 96.00000  | 2.20253 | 0.887               | 0.887             |  |  |
| 03              | 112.5              | ≦* < 117.5    | 92.00000  | 2.15190 | 0.866               | 0.866             |  |  |
| 02              | 107.5              | ≦* < 112.5    | 88.00000  | 2.10127 | 0.846               | 0.846             |  |  |
| 01              | 102.5              | ≦* < 107.5    | 84.00000  | 2.05063 | 0.825               | 0.825             |  |  |
| 00              | 97.5               | ≦* < 102.5    | 80.00000  | 2.00000 | 0.805               | 0.805             |  |  |
| -01             | 92.5               | ≦* < 97.5     | 76.00000  | 1.94937 | 0.785               | 0.785             |  |  |
| -02             | 87.5               | ≦* < 92.5     | 72.00000  | 1.89873 | 0.764               | 0.764             |  |  |
| -03             | 82.5               | ≦* < 87.5     | 68.00000  | 1.84810 | 0.744               | 0.744             |  |  |
| -04             | 77.5               | ≦* < 82.5     | 64.00000  | 1.79747 | 0.723               | 0.723             |  |  |
| -05             | 72.5               | ≦* < 77.5     | 60.00000  | 1.74684 | 0.703               | 0.703             |  |  |
| -06             | 67.5               | ≦* < 72.5     | 56.00000  | 1.69620 | 0.683               | 0.683             |  |  |
| -07             | 62.5               | ≦* < 67.5     | 52.00000  | 1.64557 | 0.662               | 0.662             |  |  |
| -08             | 57.5               | ≦* < 62.5     | 48.00000  | 1.59494 | 0.642               | 0.642             |  |  |
| -09             | 52.5               | ≦* < 57.5     | 44.00000  | 1.54430 | 0.622               | 0.622             |  |  |
| -10             | 47.5               | ≦* < 52.5     | 40.00000  | 1.49367 | 0.601               | 0.601             |  |  |
| -11             | 42.5               | ≦* < 47.5     | 36.00000  | 1.44304 | 0.581               | 0.581             |  |  |
| -12             | 37.5               | ≦* < 42.5     | 32.00000  | 1.39241 | 0.560               | 0.560             |  |  |
| -13             | 32.5               | ≦* < 37.5     | 28.00000  | 1.34177 | 0.540               | 0.540             |  |  |
| -14             | 27.5               | ≦* < 32.5     | 24.00000  | 1.29114 | 0.520               | 0.520             |  |  |
| -15             | 22.5               | ≦* < 27.5     | 20.00000  | 1.24051 | 0.499               | 0.499             |  |  |
| -16             | 17.5               | ≦* < 22.5     | 16.00000  | 1.18987 | 0.479               | 0.479             |  |  |
| -17             | 12.5               | ≦* < 17.5     | 12.00000  | 1.13924 | 0.459               | 0.459             |  |  |
| -18             | 7.5                | ≦* < 12.5     | 8.00000   | 1.08861 | 0.438               | 0.438             |  |  |
| -19             | 2.5                | ≦* < 7.5      | 4.00000   | 1.03797 | 0.418               | 0.418             |  |  |
| -20             | 0.0                | ≦* < 2.5      | 1.00000   | 1.00000 | 0.402               | 0.402             |  |  |
|                 |                    |               | 平均値       |         |                     |                   |  |  |
|                 |                    |               | 80.00000  | 2.00000 |                     |                   |  |  |



(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県         |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|-------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合   |         |                     |                   |               |  |
| 料率地域区分          |                    | 000         |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分      |         | 共済掛金標準率             |                   |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 撤去被覆A |         |                     |                   | 0.289         |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前         | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000   | 3.01266 | 0.435               | 0.435             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000   | 2.96203 | 0.428               | 0.428             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000   | 2.91139 | 0.421               | 0.421             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000   | 2.86076 | 0.413               | 0.413             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000   | 2.81013 | 0.406               | 0.406             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000   | 2.75950 | 0.399               | 0.399             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000   | 2.70886 | 0.391               | 0.391             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000   | 2.65823 | 0.384               | 0.384             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000   | 2.60760 | 0.377               | 0.377             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000   | 2.55696 | 0.369               | 0.369             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000   | 2.50633 | 0.362               | 0.362             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000   | 2.45570 | 0.355               | 0.355             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000   | 2.40506 | 0.348               | 0.348             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000   | 2.35443 | 0.340               | 0.340             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000   | 2.30380 | 0.333               | 0.333             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000   | 2.25317 | 0.326               | 0.326             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000    | 2.20253 | 0.318               | 0.318             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000    | 2.15190 | 0.311               | 0.311             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000    | 2.10127 | 0.304               | 0.304             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000    | 2.05063 | 0.296               | 0.296             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000    | 2.00000 | 0.289               | 0.289             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000    | 1.94937 | 0.282               | 0.282             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000    | 1.89873 | 0.274               | 0.274             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000    | 1.84810 | 0.267               | 0.267             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000    | 1.79747 | 0.260               | 0.260             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000    | 1.74684 | 0.252               | 0.252             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000    | 1.69620 | 0.245               | 0.245             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000    | 1.64557 | 0.238               | 0.238             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000    | 1.59494 | 0.230               | 0.230             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000    | 1.54430 | 0.223               | 0.223             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000    | 1.49367 | 0.216               | 0.216             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000    | 1.44304 | 0.209               | 0.209             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000    | 1.39241 | 0.201               | 0.201             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000    | 1.34177 | 0.194               | 0.194             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000    | 1.29114 | 0.187               | 0.187             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000    | 1.24051 | 0.179               | 0.179             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000    | 1.18987 | 0.172               | 0.172             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000    | 1.13924 | 0.165               | 0.165             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000     | 1.08861 | 0.157               | 0.157             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000     | 1.03797 | 0.150               | 0.150             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000     | 1.00000 | 0.144               | 0.144             |               |  |
|                 |                    | 平均値         |         |                     |                   |               |  |
|                 |                    | 80.00000    | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           | 千葉県                |           |               |                     | 共済事業              | 園芸施設共済  |
|-----------------|--------------------|-----------|---------------|---------------------|-------------------|---------|
| 組合等名            | 千葉県農業共済組合          |           |               |                     |                   |         |
| 料率地域区分          | 000                |           | 地域名           | 00000 都道府県の区域       |                   |         |
| 施設区分            |                    |           | 共済掛金区分        |                     |                   | 共済掛金標準率 |
| 10 ガラス室 I 類(木造) |                    |           | ガラス I 撤去被覆A集団 |                     | 0.275             |         |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |
|                 |                    | 圧縮前       | 圧縮後           |                     |                   |         |
| 20              | 197.5 ≤* <         | 160.00000 | 3.01266       | 0.414               | 0.414             |         |
| 19              | 192.5 ≤* < 197.5   | 156.00000 | 2.96203       | 0.407               | 0.407             |         |
| 18              | 187.5 ≤* < 192.5   | 152.00000 | 2.91139       | 0.400               | 0.400             |         |
| 17              | 182.5 ≤* < 187.5   | 148.00000 | 2.86076       | 0.393               | 0.393             |         |
| 16              | 177.5 ≤* < 182.5   | 144.00000 | 2.81013       | 0.386               | 0.386             |         |
| 15              | 172.5 ≤* < 177.5   | 140.00000 | 2.75950       | 0.379               | 0.379             |         |
| 14              | 167.5 ≤* < 172.5   | 136.00000 | 2.70886       | 0.372               | 0.372             |         |
| 13              | 162.5 ≤* < 167.5   | 132.00000 | 2.65823       | 0.366               | 0.366             |         |
| 12              | 157.5 ≤* < 162.5   | 128.00000 | 2.60760       | 0.359               | 0.359             |         |
| 11              | 152.5 ≤* < 157.5   | 124.00000 | 2.55696       | 0.352               | 0.352             |         |
| 10              | 147.5 ≤* < 152.5   | 120.00000 | 2.50633       | 0.345               | 0.345             |         |
| 09              | 142.5 ≤* < 147.5   | 116.00000 | 2.45570       | 0.338               | 0.338             |         |
| 08              | 137.5 ≤* < 142.5   | 112.00000 | 2.40506       | 0.331               | 0.331             |         |
| 07              | 132.5 ≤* < 137.5   | 108.00000 | 2.35443       | 0.324               | 0.324             |         |
| 06              | 127.5 ≤* < 132.5   | 104.00000 | 2.30380       | 0.317               | 0.317             |         |
| 05              | 122.5 ≤* < 127.5   | 100.00000 | 2.25317       | 0.310               | 0.310             |         |
| 04              | 117.5 ≤* < 122.5   | 96.00000  | 2.20253       | 0.303               | 0.303             |         |
| 03              | 112.5 ≤* < 117.5   | 92.00000  | 2.15190       | 0.296               | 0.296             |         |
| 02              | 107.5 ≤* < 112.5   | 88.00000  | 2.10127       | 0.289               | 0.289             |         |
| 01              | 102.5 ≤* < 107.5   | 84.00000  | 2.05063       | 0.282               | 0.282             |         |
| 00              | 97.5 ≤* < 102.5    | 80.00000  | 2.00000       | 0.275               | 0.275             |         |
| -01             | 92.5 ≤* < 97.5     | 76.00000  | 1.94937       | 0.268               | 0.268             |         |
| -02             | 87.5 ≤* < 92.5     | 72.00000  | 1.89873       | 0.261               | 0.261             |         |
| -03             | 82.5 ≤* < 87.5     | 68.00000  | 1.84810       | 0.254               | 0.254             |         |
| -04             | 77.5 ≤* < 82.5     | 64.00000  | 1.79747       | 0.247               | 0.247             |         |
| -05             | 72.5 ≤* < 77.5     | 60.00000  | 1.74684       | 0.240               | 0.240             |         |
| -06             | 67.5 ≤* < 72.5     | 56.00000  | 1.69620       | 0.233               | 0.233             |         |
| -07             | 62.5 ≤* < 67.5     | 52.00000  | 1.64557       | 0.226               | 0.226             |         |
| -08             | 57.5 ≤* < 62.5     | 48.00000  | 1.59494       | 0.219               | 0.219             |         |
| -09             | 52.5 ≤* < 57.5     | 44.00000  | 1.54430       | 0.212               | 0.212             |         |
| -10             | 47.5 ≤* < 52.5     | 40.00000  | 1.49367       | 0.205               | 0.205             |         |
| -11             | 42.5 ≤* < 47.5     | 36.00000  | 1.44304       | 0.198               | 0.198             |         |
| -12             | 37.5 ≤* < 42.5     | 32.00000  | 1.39241       | 0.191               | 0.191             |         |
| -13             | 32.5 ≤* < 37.5     | 28.00000  | 1.34177       | 0.184               | 0.184             |         |
| -14             | 27.5 ≤* < 32.5     | 24.00000  | 1.29114       | 0.178               | 0.178             |         |
| -15             | 22.5 ≤* < 27.5     | 20.00000  | 1.24051       | 0.171               | 0.171             |         |
| -16             | 17.5 ≤* < 22.5     | 16.00000  | 1.18987       | 0.164               | 0.164             |         |
| -17             | 12.5 ≤* < 17.5     | 12.00000  | 1.13924       | 0.157               | 0.157             |         |
| -18             | 7.5 ≤* < 12.5      | 8.00000   | 1.08861       | 0.150               | 0.150             |         |
| -19             | 2.5 ≤* < 7.5       | 4.00000   | 1.03797       | 0.143               | 0.143             |         |
| -20             | 0.0 ≤* < 2.5       | 1.00000   | 1.00000       | 0.137               | 0.137             |         |
|                 |                    | 平均値       |               |                     |                   |         |
|                 |                    | 80.00000  | 2.00000       |                     |                   |         |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県         |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|-------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合   |         |                     |                   |               |  |
| 料率地域区分          |                    | 000         |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分      |         | 共済掛金標準率             |                   |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 撤去被覆B |         | 0.288               |                   |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前         | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000   | 3.01266 | 0.434               | 0.434             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000   | 2.96203 | 0.427               | 0.427             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000   | 2.91139 | 0.419               | 0.419             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000   | 2.86076 | 0.412               | 0.412             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000   | 2.81013 | 0.405               | 0.405             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000   | 2.75950 | 0.397               | 0.397             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000   | 2.70886 | 0.390               | 0.390             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000   | 2.65823 | 0.383               | 0.383             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000   | 2.60760 | 0.375               | 0.375             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000   | 2.55696 | 0.368               | 0.368             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000   | 2.50633 | 0.361               | 0.361             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000   | 2.45570 | 0.354               | 0.354             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000   | 2.40506 | 0.346               | 0.346             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000   | 2.35443 | 0.339               | 0.339             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000   | 2.30380 | 0.332               | 0.332             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000   | 2.25317 | 0.324               | 0.324             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000    | 2.20253 | 0.317               | 0.317             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000    | 2.15190 | 0.310               | 0.310             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000    | 2.10127 | 0.303               | 0.303             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000    | 2.05063 | 0.295               | 0.295             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000    | 2.00000 | 0.288               | 0.288             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000    | 1.94937 | 0.281               | 0.281             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000    | 1.89873 | 0.273               | 0.273             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000    | 1.84810 | 0.266               | 0.266             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000    | 1.79747 | 0.259               | 0.259             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000    | 1.74684 | 0.252               | 0.252             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000    | 1.69620 | 0.244               | 0.244             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000    | 1.64557 | 0.237               | 0.237             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000    | 1.59494 | 0.230               | 0.230             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000    | 1.54430 | 0.222               | 0.222             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000    | 1.49367 | 0.215               | 0.215             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000    | 1.44304 | 0.208               | 0.208             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000    | 1.39241 | 0.201               | 0.201             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000    | 1.34177 | 0.193               | 0.193             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000    | 1.29114 | 0.186               | 0.186             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000    | 1.24051 | 0.179               | 0.179             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000    | 1.18987 | 0.171               | 0.171             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000    | 1.13924 | 0.164               | 0.164             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000     | 1.08861 | 0.157               | 0.157             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000     | 1.03797 | 0.149               | 0.149             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000     | 1.00000 | 0.144               | 0.144             |               |  |
|                 |                    | 平均値         |         |                     |                   |               |  |
|                 |                    | 80.00000    | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|---------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合     |         |                     |                   |               |  |
| 料率地域区分          |                    | 000           |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分        |         | 共済掛金標準率             |                   |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 撤去被覆B集団 |         | 0.274               |                   |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前           | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000     | 3.01266 | 0.413               | 0.413             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000     | 2.96203 | 0.406               | 0.406             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000     | 2.91139 | 0.399               | 0.399             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000     | 2.86076 | 0.392               | 0.392             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000     | 2.81013 | 0.385               | 0.385             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000     | 2.75950 | 0.378               | 0.378             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000     | 2.70886 | 0.371               | 0.371             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000     | 2.65823 | 0.364               | 0.364             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000     | 2.60760 | 0.357               | 0.357             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000     | 2.55696 | 0.350               | 0.350             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000     | 2.50633 | 0.343               | 0.343             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000     | 2.45570 | 0.336               | 0.336             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000     | 2.40506 | 0.329               | 0.329             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000     | 2.35443 | 0.323               | 0.323             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000     | 2.30380 | 0.316               | 0.316             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000     | 2.25317 | 0.309               | 0.309             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000      | 2.20253 | 0.302               | 0.302             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000      | 2.15190 | 0.295               | 0.295             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000      | 2.10127 | 0.288               | 0.288             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000      | 2.05063 | 0.281               | 0.281             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000      | 2.00000 | 0.274               | 0.274             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000      | 1.94937 | 0.267               | 0.267             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000      | 1.89873 | 0.260               | 0.260             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000      | 1.84810 | 0.253               | 0.253             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000      | 1.79747 | 0.246               | 0.246             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000      | 1.74684 | 0.239               | 0.239             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000      | 1.69620 | 0.232               | 0.232             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000      | 1.64557 | 0.225               | 0.225             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000      | 1.59494 | 0.219               | 0.219             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000      | 1.54430 | 0.212               | 0.212             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000      | 1.49367 | 0.205               | 0.205             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000      | 1.44304 | 0.198               | 0.198             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000      | 1.39241 | 0.191               | 0.191             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000      | 1.34177 | 0.184               | 0.184             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000      | 1.29114 | 0.177               | 0.177             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000      | 1.24051 | 0.170               | 0.170             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000      | 1.18987 | 0.163               | 0.163             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000      | 1.13924 | 0.156               | 0.156             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000       | 1.08861 | 0.149               | 0.149             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000       | 1.03797 | 0.142               | 0.142             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000       | 1.00000 | 0.137               | 0.137             |               |  |
|                 |                    | 平均値           |         |                     |                   |               |  |
|                 |                    | 80.00000      | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           | 千葉県                 |           | 共済事業        |                      | 園芸施設共済             |         |
|-----------------|---------------------|-----------|-------------|----------------------|--------------------|---------|
| 組合等名            | 千葉県農業共済組合           |           |             |                      |                    |         |
| 料率地域区分          | 000                 |           | 地域名         | 00000 都道府県の区域        |                    |         |
| 施設区分            |                     |           | 共済掛金区分      |                      |                    | 共済掛金標準率 |
| 10 ガラス室 I 類(木造) |                     |           | ガラス I 撤去被覆C |                      | 0.276              |         |
| 危険段階区分          | 平均損害率(*)<br>の範囲 (%) | 危険指数      |             | 危険段階別基準<br>共済掛金率 (%) | 危険段階別共済<br>掛金率 (%) |         |
|                 |                     | 圧縮前       | 圧縮後         |                      |                    |         |
| 20              | 197.5 ≤* <          | 160.00000 | 3.01266     | 0.416                | 0.416              |         |
| 19              | 192.5 ≤* < 197.5    | 156.00000 | 2.96203     | 0.409                | 0.409              |         |
| 18              | 187.5 ≤* < 192.5    | 152.00000 | 2.91139     | 0.402                | 0.402              |         |
| 17              | 182.5 ≤* < 187.5    | 148.00000 | 2.86076     | 0.395                | 0.395              |         |
| 16              | 177.5 ≤* < 182.5    | 144.00000 | 2.81013     | 0.388                | 0.388              |         |
| 15              | 172.5 ≤* < 177.5    | 140.00000 | 2.75950     | 0.381                | 0.381              |         |
| 14              | 167.5 ≤* < 172.5    | 136.00000 | 2.70886     | 0.374                | 0.374              |         |
| 13              | 162.5 ≤* < 167.5    | 132.00000 | 2.65823     | 0.367                | 0.367              |         |
| 12              | 157.5 ≤* < 162.5    | 128.00000 | 2.60760     | 0.360                | 0.360              |         |
| 11              | 152.5 ≤* < 157.5    | 124.00000 | 2.55696     | 0.353                | 0.353              |         |
| 10              | 147.5 ≤* < 152.5    | 120.00000 | 2.50633     | 0.346                | 0.346              |         |
| 09              | 142.5 ≤* < 147.5    | 116.00000 | 2.45570     | 0.339                | 0.339              |         |
| 08              | 137.5 ≤* < 142.5    | 112.00000 | 2.40506     | 0.332                | 0.332              |         |
| 07              | 132.5 ≤* < 137.5    | 108.00000 | 2.35443     | 0.325                | 0.325              |         |
| 06              | 127.5 ≤* < 132.5    | 104.00000 | 2.30380     | 0.318                | 0.318              |         |
| 05              | 122.5 ≤* < 127.5    | 100.00000 | 2.25317     | 0.311                | 0.311              |         |
| 04              | 117.5 ≤* < 122.5    | 96.00000  | 2.20253     | 0.304                | 0.304              |         |
| 03              | 112.5 ≤* < 117.5    | 92.00000  | 2.15190     | 0.297                | 0.297              |         |
| 02              | 107.5 ≤* < 112.5    | 88.00000  | 2.10127     | 0.290                | 0.290              |         |
| 01              | 102.5 ≤* < 107.5    | 84.00000  | 2.05063     | 0.283                | 0.283              |         |
| 00              | 97.5 ≤* < 102.5     | 80.00000  | 2.00000     | 0.276                | 0.276              |         |
| -01             | 92.5 ≤* < 97.5      | 76.00000  | 1.94937     | 0.269                | 0.269              |         |
| -02             | 87.5 ≤* < 92.5      | 72.00000  | 1.89873     | 0.262                | 0.262              |         |
| -03             | 82.5 ≤* < 87.5      | 68.00000  | 1.84810     | 0.255                | 0.255              |         |
| -04             | 77.5 ≤* < 82.5      | 64.00000  | 1.79747     | 0.248                | 0.248              |         |
| -05             | 72.5 ≤* < 77.5      | 60.00000  | 1.74684     | 0.241                | 0.241              |         |
| -06             | 67.5 ≤* < 72.5      | 56.00000  | 1.69620     | 0.234                | 0.234              |         |
| -07             | 62.5 ≤* < 67.5      | 52.00000  | 1.64557     | 0.227                | 0.227              |         |
| -08             | 57.5 ≤* < 62.5      | 48.00000  | 1.59494     | 0.220                | 0.220              |         |
| -09             | 52.5 ≤* < 57.5      | 44.00000  | 1.54430     | 0.213                | 0.213              |         |
| -10             | 47.5 ≤* < 52.5      | 40.00000  | 1.49367     | 0.206                | 0.206              |         |
| -11             | 42.5 ≤* < 47.5      | 36.00000  | 1.44304     | 0.199                | 0.199              |         |
| -12             | 37.5 ≤* < 42.5      | 32.00000  | 1.39241     | 0.192                | 0.192              |         |
| -13             | 32.5 ≤* < 37.5      | 28.00000  | 1.34177     | 0.185                | 0.185              |         |
| -14             | 27.5 ≤* < 32.5      | 24.00000  | 1.29114     | 0.178                | 0.178              |         |
| -15             | 22.5 ≤* < 27.5      | 20.00000  | 1.24051     | 0.171                | 0.171              |         |
| -16             | 17.5 ≤* < 22.5      | 16.00000  | 1.18987     | 0.164                | 0.164              |         |
| -17             | 12.5 ≤* < 17.5      | 12.00000  | 1.13924     | 0.157                | 0.157              |         |
| -18             | 7.5 ≤* < 12.5       | 8.00000   | 1.08861     | 0.150                | 0.150              |         |
| -19             | 2.5 ≤* < 7.5        | 4.00000   | 1.03797     | 0.143                | 0.143              |         |
| -20             | 0.0 ≤* < 2.5        | 1.00000   | 1.00000     | 0.138                | 0.138              |         |
|                 |                     | 平均値       |             |                      |                    |         |
|                 |                     | 80.00000  | 2.00000     |                      |                    |         |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|---------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合     |         |                     |                   |               |  |
| 料率地域区分          |                    | 000           |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分        |         |                     | 共済掛金標準率           |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 撤去被覆C集団 |         |                     | 0.262             |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前           | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000     | 3.01266 | 0.395               | 0.395             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000     | 2.96203 | 0.388               | 0.388             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000     | 2.91139 | 0.381               | 0.381             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000     | 2.86076 | 0.375               | 0.375             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000     | 2.81013 | 0.368               | 0.368             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000     | 2.75950 | 0.361               | 0.361             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000     | 2.70886 | 0.355               | 0.355             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000     | 2.65823 | 0.348               | 0.348             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000     | 2.60760 | 0.342               | 0.342             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000     | 2.55696 | 0.335               | 0.335             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000     | 2.50633 | 0.328               | 0.328             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000     | 2.45570 | 0.322               | 0.322             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000     | 2.40506 | 0.315               | 0.315             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000     | 2.35443 | 0.308               | 0.308             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000     | 2.30380 | 0.302               | 0.302             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000     | 2.25317 | 0.295               | 0.295             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000      | 2.20253 | 0.289               | 0.289             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000      | 2.15190 | 0.282               | 0.282             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000      | 2.10127 | 0.275               | 0.275             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000      | 2.05063 | 0.269               | 0.269             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000      | 2.00000 | 0.262               | 0.262             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000      | 1.94937 | 0.255               | 0.255             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000      | 1.89873 | 0.249               | 0.249             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000      | 1.84810 | 0.242               | 0.242             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000      | 1.79747 | 0.235               | 0.235             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000      | 1.74684 | 0.229               | 0.229             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000      | 1.69620 | 0.222               | 0.222             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000      | 1.64557 | 0.216               | 0.216             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000      | 1.59494 | 0.209               | 0.209             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000      | 1.54430 | 0.202               | 0.202             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000      | 1.49367 | 0.196               | 0.196             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000      | 1.44304 | 0.189               | 0.189             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000      | 1.39241 | 0.182               | 0.182             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000      | 1.34177 | 0.176               | 0.176             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000      | 1.29114 | 0.169               | 0.169             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000      | 1.24051 | 0.163               | 0.163             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000      | 1.18987 | 0.156               | 0.156             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000      | 1.13924 | 0.149               | 0.149             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000       | 1.08861 | 0.143               | 0.143             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000       | 1.03797 | 0.136               | 0.136             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000       | 1.00000 | 0.131               | 0.131             |               |  |
|                 |                    | 平均値           |         |                     |                   |               |  |
|                 |                    | 80.00000      | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県         |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|-------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合   |         |                     |                   |               |  |
| 料率地域区分          |                    | 000         |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分      |         | 共済掛金標準率             |                   |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 撤去被覆D |         | 0.239               |                   |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前         | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000   | 3.01266 | 0.360               | 0.360             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000   | 2.96203 | 0.354               | 0.354             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000   | 2.91139 | 0.348               | 0.348             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000   | 2.86076 | 0.342               | 0.342             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000   | 2.81013 | 0.336               | 0.336             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000   | 2.75950 | 0.330               | 0.330             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000   | 2.70886 | 0.324               | 0.324             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000   | 2.65823 | 0.318               | 0.318             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000   | 2.60760 | 0.312               | 0.312             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000   | 2.55696 | 0.306               | 0.306             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000   | 2.50633 | 0.300               | 0.300             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000   | 2.45570 | 0.293               | 0.293             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000   | 2.40506 | 0.287               | 0.287             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000   | 2.35443 | 0.281               | 0.281             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000   | 2.30380 | 0.275               | 0.275             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000   | 2.25317 | 0.269               | 0.269             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000    | 2.20253 | 0.263               | 0.263             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000    | 2.15190 | 0.257               | 0.257             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000    | 2.10127 | 0.251               | 0.251             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000    | 2.05063 | 0.245               | 0.245             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000    | 2.00000 | 0.239               | 0.239             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000    | 1.94937 | 0.233               | 0.233             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000    | 1.89873 | 0.227               | 0.227             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000    | 1.84810 | 0.221               | 0.221             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000    | 1.79747 | 0.215               | 0.215             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000    | 1.74684 | 0.209               | 0.209             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000    | 1.69620 | 0.203               | 0.203             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000    | 1.64557 | 0.197               | 0.197             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000    | 1.59494 | 0.191               | 0.191             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000    | 1.54430 | 0.185               | 0.185             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000    | 1.49367 | 0.178               | 0.178             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000    | 1.44304 | 0.172               | 0.172             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000    | 1.39241 | 0.166               | 0.166             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000    | 1.34177 | 0.160               | 0.160             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000    | 1.29114 | 0.154               | 0.154             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000    | 1.24051 | 0.148               | 0.148             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000    | 1.18987 | 0.142               | 0.142             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000    | 1.13924 | 0.136               | 0.136             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000     | 1.08861 | 0.130               | 0.130             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000     | 1.03797 | 0.124               | 0.124             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000     | 1.00000 | 0.119               | 0.119             |               |  |
|                 |                    | 平均値         |         |                     |                   |               |  |
|                 |                    | 80.00000    | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|---------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合     |         |                     |                   |               |  |
| 料率地域区分          |                    | 000           |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分        |         | 共済掛金標準率             |                   |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 撤去被覆D集団 |         | 0.227               |                   |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前           | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000     | 3.01266 | 0.342               | 0.342             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000     | 2.96203 | 0.336               | 0.336             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000     | 2.91139 | 0.330               | 0.330             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000     | 2.86076 | 0.325               | 0.325             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000     | 2.81013 | 0.319               | 0.319             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000     | 2.75950 | 0.313               | 0.313             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000     | 2.70886 | 0.307               | 0.307             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000     | 2.65823 | 0.302               | 0.302             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000     | 2.60760 | 0.296               | 0.296             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000     | 2.55696 | 0.290               | 0.290             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000     | 2.50633 | 0.284               | 0.284             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000     | 2.45570 | 0.279               | 0.279             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000     | 2.40506 | 0.273               | 0.273             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000     | 2.35443 | 0.267               | 0.267             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000     | 2.30380 | 0.261               | 0.261             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000     | 2.25317 | 0.256               | 0.256             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000      | 2.20253 | 0.250               | 0.250             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000      | 2.15190 | 0.244               | 0.244             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000      | 2.10127 | 0.238               | 0.238             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000      | 2.05063 | 0.233               | 0.233             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000      | 2.00000 | 0.227               | 0.227             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000      | 1.94937 | 0.221               | 0.221             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000      | 1.89873 | 0.216               | 0.216             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000      | 1.84810 | 0.210               | 0.210             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000      | 1.79747 | 0.204               | 0.204             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000      | 1.74684 | 0.198               | 0.198             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000      | 1.69620 | 0.193               | 0.193             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000      | 1.64557 | 0.187               | 0.187             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000      | 1.59494 | 0.181               | 0.181             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000      | 1.54430 | 0.175               | 0.175             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000      | 1.49367 | 0.170               | 0.170             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000      | 1.44304 | 0.164               | 0.164             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000      | 1.39241 | 0.158               | 0.158             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000      | 1.34177 | 0.152               | 0.152             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000      | 1.29114 | 0.147               | 0.147             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000      | 1.24051 | 0.141               | 0.141             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000      | 1.18987 | 0.135               | 0.135             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000      | 1.13924 | 0.129               | 0.129             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000       | 1.08861 | 0.124               | 0.124             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000       | 1.03797 | 0.118               | 0.118             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000       | 1.00000 | 0.113               | 0.113             |               |  |
|                 |                    | 平均値           |         |                     |                   |               |  |
|                 |                    | 80.00000      | 2.00000 |                     |                   |               |  |



(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           | 千葉県                |           | 共済事業        |                     | 園芸施設共済            |         |
|-----------------|--------------------|-----------|-------------|---------------------|-------------------|---------|
| 組合等名            | 千葉県農業共済組合          |           |             |                     |                   |         |
| 料率地域区分          | 000                |           | 地域名         | 00000 都道府県の区域       |                   |         |
| 施設区分            |                    |           | 共済掛金区分      |                     |                   | 共済掛金標準率 |
| 10 ガラス室 I 類(木造) |                    |           | ガラス I 撤去被覆E |                     | 0.054             |         |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数      |             | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |
|                 |                    | 圧縮前       | 圧縮後         |                     |                   |         |
| 20              | 197.5 ≤* <         | 160.00000 | 3.01266     | 0.081               | 0.081             |         |
| 19              | 192.5 ≤* < 197.5   | 156.00000 | 2.96203     | 0.080               | 0.080             |         |
| 18              | 187.5 ≤* < 192.5   | 152.00000 | 2.91139     | 0.079               | 0.079             |         |
| 17              | 182.5 ≤* < 187.5   | 148.00000 | 2.86076     | 0.077               | 0.077             |         |
| 16              | 177.5 ≤* < 182.5   | 144.00000 | 2.81013     | 0.076               | 0.076             |         |
| 15              | 172.5 ≤* < 177.5   | 140.00000 | 2.75950     | 0.075               | 0.075             |         |
| 14              | 167.5 ≤* < 172.5   | 136.00000 | 2.70886     | 0.073               | 0.073             |         |
| 13              | 162.5 ≤* < 167.5   | 132.00000 | 2.65823     | 0.072               | 0.072             |         |
| 12              | 157.5 ≤* < 162.5   | 128.00000 | 2.60760     | 0.070               | 0.070             |         |
| 11              | 152.5 ≤* < 157.5   | 124.00000 | 2.55696     | 0.069               | 0.069             |         |
| 10              | 147.5 ≤* < 152.5   | 120.00000 | 2.50633     | 0.068               | 0.068             |         |
| 09              | 142.5 ≤* < 147.5   | 116.00000 | 2.45570     | 0.066               | 0.066             |         |
| 08              | 137.5 ≤* < 142.5   | 112.00000 | 2.40506     | 0.065               | 0.065             |         |
| 07              | 132.5 ≤* < 137.5   | 108.00000 | 2.35443     | 0.064               | 0.064             |         |
| 06              | 127.5 ≤* < 132.5   | 104.00000 | 2.30380     | 0.062               | 0.062             |         |
| 05              | 122.5 ≤* < 127.5   | 100.00000 | 2.25317     | 0.061               | 0.061             |         |
| 04              | 117.5 ≤* < 122.5   | 96.00000  | 2.20253     | 0.059               | 0.059             |         |
| 03              | 112.5 ≤* < 117.5   | 92.00000  | 2.15190     | 0.058               | 0.058             |         |
| 02              | 107.5 ≤* < 112.5   | 88.00000  | 2.10127     | 0.057               | 0.057             |         |
| 01              | 102.5 ≤* < 107.5   | 84.00000  | 2.05063     | 0.055               | 0.055             |         |
| 00              | 97.5 ≤* < 102.5    | 80.00000  | 2.00000     | 0.054               | 0.054             |         |
| -01             | 92.5 ≤* < 97.5     | 76.00000  | 1.94937     | 0.053               | 0.053             |         |
| -02             | 87.5 ≤* < 92.5     | 72.00000  | 1.89873     | 0.051               | 0.051             |         |
| -03             | 82.5 ≤* < 87.5     | 68.00000  | 1.84810     | 0.050               | 0.050             |         |
| -04             | 77.5 ≤* < 82.5     | 64.00000  | 1.79747     | 0.049               | 0.049             |         |
| -05             | 72.5 ≤* < 77.5     | 60.00000  | 1.74684     | 0.047               | 0.047             |         |
| -06             | 67.5 ≤* < 72.5     | 56.00000  | 1.69620     | 0.046               | 0.046             |         |
| -07             | 62.5 ≤* < 67.5     | 52.00000  | 1.64557     | 0.044               | 0.044             |         |
| -08             | 57.5 ≤* < 62.5     | 48.00000  | 1.59494     | 0.043               | 0.043             |         |
| -09             | 52.5 ≤* < 57.5     | 44.00000  | 1.54430     | 0.042               | 0.042             |         |
| -10             | 47.5 ≤* < 52.5     | 40.00000  | 1.49367     | 0.040               | 0.040             |         |
| -11             | 42.5 ≤* < 47.5     | 36.00000  | 1.44304     | 0.039               | 0.039             |         |
| -12             | 37.5 ≤* < 42.5     | 32.00000  | 1.39241     | 0.038               | 0.038             |         |
| -13             | 32.5 ≤* < 37.5     | 28.00000  | 1.34177     | 0.036               | 0.036             |         |
| -14             | 27.5 ≤* < 32.5     | 24.00000  | 1.29114     | 0.035               | 0.035             |         |
| -15             | 22.5 ≤* < 27.5     | 20.00000  | 1.24051     | 0.033               | 0.033             |         |
| -16             | 17.5 ≤* < 22.5     | 16.00000  | 1.18987     | 0.032               | 0.032             |         |
| -17             | 12.5 ≤* < 17.5     | 12.00000  | 1.13924     | 0.031               | 0.031             |         |
| -18             | 7.5 ≤* < 12.5      | 8.00000   | 1.08861     | 0.029               | 0.029             |         |
| -19             | 2.5 ≤* < 7.5       | 4.00000   | 1.03797     | 0.028               | 0.028             |         |
| -20             | 0.0 ≤* < 2.5       | 1.00000   | 1.00000     | 0.027               | 0.027             |         |
|                 |                    | 平均値       |             |                     |                   |         |
|                 |                    | 80.00000  | 2.00000     |                     |                   |         |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|---------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合     |         |                     |                   |               |  |
| 料率地域区分          |                    | 000           |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分        |         |                     | 共済掛金標準率           |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 撤去被覆E集団 |         |                     | 0.051             |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前           | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000     | 3.01266 | 0.077               | 0.077             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000     | 2.96203 | 0.076               | 0.076             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000     | 2.91139 | 0.074               | 0.074             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000     | 2.86076 | 0.073               | 0.073             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000     | 2.81013 | 0.072               | 0.072             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000     | 2.75950 | 0.070               | 0.070             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000     | 2.70886 | 0.069               | 0.069             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000     | 2.65823 | 0.068               | 0.068             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000     | 2.60760 | 0.066               | 0.066             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000     | 2.55696 | 0.065               | 0.065             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000     | 2.50633 | 0.064               | 0.064             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000     | 2.45570 | 0.063               | 0.063             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000     | 2.40506 | 0.061               | 0.061             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000     | 2.35443 | 0.060               | 0.060             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000     | 2.30380 | 0.059               | 0.059             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000     | 2.25317 | 0.057               | 0.057             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000      | 2.20253 | 0.056               | 0.056             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000      | 2.15190 | 0.055               | 0.055             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000      | 2.10127 | 0.054               | 0.054             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000      | 2.05063 | 0.052               | 0.052             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000      | 2.00000 | 0.051               | 0.051             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000      | 1.94937 | 0.050               | 0.050             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000      | 1.89873 | 0.048               | 0.048             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000      | 1.84810 | 0.047               | 0.047             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000      | 1.79747 | 0.046               | 0.046             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000      | 1.74684 | 0.045               | 0.045             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000      | 1.69620 | 0.043               | 0.043             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000      | 1.64557 | 0.042               | 0.042             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000      | 1.59494 | 0.041               | 0.041             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000      | 1.54430 | 0.039               | 0.039             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000      | 1.49367 | 0.038               | 0.038             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000      | 1.44304 | 0.037               | 0.037             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000      | 1.39241 | 0.036               | 0.036             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000      | 1.34177 | 0.034               | 0.034             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000      | 1.29114 | 0.033               | 0.033             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000      | 1.24051 | 0.032               | 0.032             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000      | 1.18987 | 0.030               | 0.030             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000      | 1.13924 | 0.029               | 0.029             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000       | 1.08861 | 0.028               | 0.028             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000       | 1.03797 | 0.026               | 0.026             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000       | 1.00000 | 0.025               | 0.025             |               |  |
|                 |                    | 平均値           |         |                     |                   |               |  |
|                 |                    | 80.00000      | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県        |             |         |                     | 共済事業              |  | 園芸施設共済  |  |
|-----------------|--------------------|------------|-------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名            |                    | 千葉県農業共済組合  |             |         |                     |                   |  |         |  |
| 料率地域区分          |                    | 000        |             | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分            |                    |            | 共済掛金区分      |         |                     | 共済掛金標準率           |  |         |  |
| 10 ガラス室 I 類(木造) |                    |            | ガラス I 撤去被覆F |         |                     | 0.290             |  |         |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |            | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|                 |                    |            | 圧縮前         | 圧縮後     |                     |                   |  |         |  |
| 20              | 197.5              | ≦* <       | 160.00000   | 3.01266 | 0.437               | 0.437             |  |         |  |
| 19              | 192.5              | ≦* < 197.5 | 156.00000   | 2.96203 | 0.429               | 0.429             |  |         |  |
| 18              | 187.5              | ≦* < 192.5 | 152.00000   | 2.91139 | 0.422               | 0.422             |  |         |  |
| 17              | 182.5              | ≦* < 187.5 | 148.00000   | 2.86076 | 0.415               | 0.415             |  |         |  |
| 16              | 177.5              | ≦* < 182.5 | 144.00000   | 2.81013 | 0.407               | 0.407             |  |         |  |
| 15              | 172.5              | ≦* < 177.5 | 140.00000   | 2.75950 | 0.400               | 0.400             |  |         |  |
| 14              | 167.5              | ≦* < 172.5 | 136.00000   | 2.70886 | 0.393               | 0.393             |  |         |  |
| 13              | 162.5              | ≦* < 167.5 | 132.00000   | 2.65823 | 0.385               | 0.385             |  |         |  |
| 12              | 157.5              | ≦* < 162.5 | 128.00000   | 2.60760 | 0.378               | 0.378             |  |         |  |
| 11              | 152.5              | ≦* < 157.5 | 124.00000   | 2.55696 | 0.371               | 0.371             |  |         |  |
| 10              | 147.5              | ≦* < 152.5 | 120.00000   | 2.50633 | 0.363               | 0.363             |  |         |  |
| 09              | 142.5              | ≦* < 147.5 | 116.00000   | 2.45570 | 0.356               | 0.356             |  |         |  |
| 08              | 137.5              | ≦* < 142.5 | 112.00000   | 2.40506 | 0.349               | 0.349             |  |         |  |
| 07              | 132.5              | ≦* < 137.5 | 108.00000   | 2.35443 | 0.341               | 0.341             |  |         |  |
| 06              | 127.5              | ≦* < 132.5 | 104.00000   | 2.30380 | 0.334               | 0.334             |  |         |  |
| 05              | 122.5              | ≦* < 127.5 | 100.00000   | 2.25317 | 0.327               | 0.327             |  |         |  |
| 04              | 117.5              | ≦* < 122.5 | 96.00000    | 2.20253 | 0.319               | 0.319             |  |         |  |
| 03              | 112.5              | ≦* < 117.5 | 92.00000    | 2.15190 | 0.312               | 0.312             |  |         |  |
| 02              | 107.5              | ≦* < 112.5 | 88.00000    | 2.10127 | 0.305               | 0.305             |  |         |  |
| 01              | 102.5              | ≦* < 107.5 | 84.00000    | 2.05063 | 0.297               | 0.297             |  |         |  |
| 00              | 97.5               | ≦* < 102.5 | 80.00000    | 2.00000 | 0.290               | 0.290             |  |         |  |
| -01             | 92.5               | ≦* < 97.5  | 76.00000    | 1.94937 | 0.283               | 0.283             |  |         |  |
| -02             | 87.5               | ≦* < 92.5  | 72.00000    | 1.89873 | 0.275               | 0.275             |  |         |  |
| -03             | 82.5               | ≦* < 87.5  | 68.00000    | 1.84810 | 0.268               | 0.268             |  |         |  |
| -04             | 77.5               | ≦* < 82.5  | 64.00000    | 1.79747 | 0.261               | 0.261             |  |         |  |
| -05             | 72.5               | ≦* < 77.5  | 60.00000    | 1.74684 | 0.253               | 0.253             |  |         |  |
| -06             | 67.5               | ≦* < 72.5  | 56.00000    | 1.69620 | 0.246               | 0.246             |  |         |  |
| -07             | 62.5               | ≦* < 67.5  | 52.00000    | 1.64557 | 0.239               | 0.239             |  |         |  |
| -08             | 57.5               | ≦* < 62.5  | 48.00000    | 1.59494 | 0.231               | 0.231             |  |         |  |
| -09             | 52.5               | ≦* < 57.5  | 44.00000    | 1.54430 | 0.224               | 0.224             |  |         |  |
| -10             | 47.5               | ≦* < 52.5  | 40.00000    | 1.49367 | 0.217               | 0.217             |  |         |  |
| -11             | 42.5               | ≦* < 47.5  | 36.00000    | 1.44304 | 0.209               | 0.209             |  |         |  |
| -12             | 37.5               | ≦* < 42.5  | 32.00000    | 1.39241 | 0.202               | 0.202             |  |         |  |
| -13             | 32.5               | ≦* < 37.5  | 28.00000    | 1.34177 | 0.195               | 0.195             |  |         |  |
| -14             | 27.5               | ≦* < 32.5  | 24.00000    | 1.29114 | 0.187               | 0.187             |  |         |  |
| -15             | 22.5               | ≦* < 27.5  | 20.00000    | 1.24051 | 0.180               | 0.180             |  |         |  |
| -16             | 17.5               | ≦* < 22.5  | 16.00000    | 1.18987 | 0.173               | 0.173             |  |         |  |
| -17             | 12.5               | ≦* < 17.5  | 12.00000    | 1.13924 | 0.165               | 0.165             |  |         |  |
| -18             | 7.5                | ≦* < 12.5  | 8.00000     | 1.08861 | 0.158               | 0.158             |  |         |  |
| -19             | 2.5                | ≦* < 7.5   | 4.00000     | 1.03797 | 0.151               | 0.151             |  |         |  |
| -20             | 0.0                | ≦* < 2.5   | 1.00000     | 1.00000 | 0.145               | 0.145             |  |         |  |
|                 |                    |            | 平均値         |         |                     |                   |  |         |  |
|                 |                    |            | 80.00000    | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           | 千葉県                |           | 共済事業          |                     | 園芸施設共済            |         |
|-----------------|--------------------|-----------|---------------|---------------------|-------------------|---------|
| 組合等名            | 千葉県農業共済組合          |           |               |                     |                   |         |
| 料率地域区分          | 000                |           | 地域名           | 00000 都道府県の区域       |                   |         |
| 施設区分            |                    |           | 共済掛金区分        |                     |                   | 共済掛金標準率 |
| 10 ガラス室 I 類(木造) |                    |           | ガラス I 撤去被覆F集団 |                     | 0.276             |         |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |
|                 |                    | 圧縮前       | 圧縮後           |                     |                   |         |
| 20              | 197.5 ≤* <         | 160.00000 | 3.01266       | 0.416               | 0.416             |         |
| 19              | 192.5 ≤* < 197.5   | 156.00000 | 2.96203       | 0.409               | 0.409             |         |
| 18              | 187.5 ≤* < 192.5   | 152.00000 | 2.91139       | 0.402               | 0.402             |         |
| 17              | 182.5 ≤* < 187.5   | 148.00000 | 2.86076       | 0.395               | 0.395             |         |
| 16              | 177.5 ≤* < 182.5   | 144.00000 | 2.81013       | 0.388               | 0.388             |         |
| 15              | 172.5 ≤* < 177.5   | 140.00000 | 2.75950       | 0.381               | 0.381             |         |
| 14              | 167.5 ≤* < 172.5   | 136.00000 | 2.70886       | 0.374               | 0.374             |         |
| 13              | 162.5 ≤* < 167.5   | 132.00000 | 2.65823       | 0.367               | 0.367             |         |
| 12              | 157.5 ≤* < 162.5   | 128.00000 | 2.60760       | 0.360               | 0.360             |         |
| 11              | 152.5 ≤* < 157.5   | 124.00000 | 2.55696       | 0.353               | 0.353             |         |
| 10              | 147.5 ≤* < 152.5   | 120.00000 | 2.50633       | 0.346               | 0.346             |         |
| 09              | 142.5 ≤* < 147.5   | 116.00000 | 2.45570       | 0.339               | 0.339             |         |
| 08              | 137.5 ≤* < 142.5   | 112.00000 | 2.40506       | 0.332               | 0.332             |         |
| 07              | 132.5 ≤* < 137.5   | 108.00000 | 2.35443       | 0.325               | 0.325             |         |
| 06              | 127.5 ≤* < 132.5   | 104.00000 | 2.30380       | 0.318               | 0.318             |         |
| 05              | 122.5 ≤* < 127.5   | 100.00000 | 2.25317       | 0.311               | 0.311             |         |
| 04              | 117.5 ≤* < 122.5   | 96.00000  | 2.20253       | 0.304               | 0.304             |         |
| 03              | 112.5 ≤* < 117.5   | 92.00000  | 2.15190       | 0.297               | 0.297             |         |
| 02              | 107.5 ≤* < 112.5   | 88.00000  | 2.10127       | 0.290               | 0.290             |         |
| 01              | 102.5 ≤* < 107.5   | 84.00000  | 2.05063       | 0.283               | 0.283             |         |
| 00              | 97.5 ≤* < 102.5    | 80.00000  | 2.00000       | 0.276               | 0.276             |         |
| -01             | 92.5 ≤* < 97.5     | 76.00000  | 1.94937       | 0.269               | 0.269             |         |
| -02             | 87.5 ≤* < 92.5     | 72.00000  | 1.89873       | 0.262               | 0.262             |         |
| -03             | 82.5 ≤* < 87.5     | 68.00000  | 1.84810       | 0.255               | 0.255             |         |
| -04             | 77.5 ≤* < 82.5     | 64.00000  | 1.79747       | 0.248               | 0.248             |         |
| -05             | 72.5 ≤* < 77.5     | 60.00000  | 1.74684       | 0.241               | 0.241             |         |
| -06             | 67.5 ≤* < 72.5     | 56.00000  | 1.69620       | 0.234               | 0.234             |         |
| -07             | 62.5 ≤* < 67.5     | 52.00000  | 1.64557       | 0.227               | 0.227             |         |
| -08             | 57.5 ≤* < 62.5     | 48.00000  | 1.59494       | 0.220               | 0.220             |         |
| -09             | 52.5 ≤* < 57.5     | 44.00000  | 1.54430       | 0.213               | 0.213             |         |
| -10             | 47.5 ≤* < 52.5     | 40.00000  | 1.49367       | 0.206               | 0.206             |         |
| -11             | 42.5 ≤* < 47.5     | 36.00000  | 1.44304       | 0.199               | 0.199             |         |
| -12             | 37.5 ≤* < 42.5     | 32.00000  | 1.39241       | 0.192               | 0.192             |         |
| -13             | 32.5 ≤* < 37.5     | 28.00000  | 1.34177       | 0.185               | 0.185             |         |
| -14             | 27.5 ≤* < 32.5     | 24.00000  | 1.29114       | 0.178               | 0.178             |         |
| -15             | 22.5 ≤* < 27.5     | 20.00000  | 1.24051       | 0.171               | 0.171             |         |
| -16             | 17.5 ≤* < 22.5     | 16.00000  | 1.18987       | 0.164               | 0.164             |         |
| -17             | 12.5 ≤* < 17.5     | 12.00000  | 1.13924       | 0.157               | 0.157             |         |
| -18             | 7.5 ≤* < 12.5      | 8.00000   | 1.08861       | 0.150               | 0.150             |         |
| -19             | 2.5 ≤* < 7.5       | 4.00000   | 1.03797       | 0.143               | 0.143             |         |
| -20             | 0.0 ≤* < 2.5       | 1.00000   | 1.00000       | 0.138               | 0.138             |         |
|                 |                    | 平均値       |               |                     |                   |         |
|                 |                    | 80.00000  | 2.00000       |                     |                   |         |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           | 千葉県                |            |             |               | 共済事業                | 園芸施設共済            |
|-----------------|--------------------|------------|-------------|---------------|---------------------|-------------------|
| 組合等名            | 千葉県農業共済組合          |            |             |               |                     |                   |
| 料率地域区分          | 000                |            | 地域名         | 00000 都道府県の区域 |                     |                   |
| 施設区分            |                    |            | 共済掛金区分      |               |                     | 共済掛金標準率           |
| 10 ガラス室 I 類(木造) |                    |            | ガラス I 復旧被覆A |               | 0.200               |                   |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |            | 危険指数        |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |
|                 |                    |            | 圧縮前         | 圧縮後           |                     |                   |
| 20              | 197.5              | ≦* <       | 160.00000   | 3.01266       | 0.301               | 0.301             |
| 19              | 192.5              | ≦* < 197.5 | 156.00000   | 2.96203       | 0.296               | 0.296             |
| 18              | 187.5              | ≦* < 192.5 | 152.00000   | 2.91139       | 0.291               | 0.291             |
| 17              | 182.5              | ≦* < 187.5 | 148.00000   | 2.86076       | 0.286               | 0.286             |
| 16              | 177.5              | ≦* < 182.5 | 144.00000   | 2.81013       | 0.281               | 0.281             |
| 15              | 172.5              | ≦* < 177.5 | 140.00000   | 2.75950       | 0.276               | 0.276             |
| 14              | 167.5              | ≦* < 172.5 | 136.00000   | 2.70886       | 0.271               | 0.271             |
| 13              | 162.5              | ≦* < 167.5 | 132.00000   | 2.65823       | 0.266               | 0.266             |
| 12              | 157.5              | ≦* < 162.5 | 128.00000   | 2.60760       | 0.261               | 0.261             |
| 11              | 152.5              | ≦* < 157.5 | 124.00000   | 2.55696       | 0.256               | 0.256             |
| 10              | 147.5              | ≦* < 152.5 | 120.00000   | 2.50633       | 0.251               | 0.251             |
| 09              | 142.5              | ≦* < 147.5 | 116.00000   | 2.45570       | 0.246               | 0.246             |
| 08              | 137.5              | ≦* < 142.5 | 112.00000   | 2.40506       | 0.241               | 0.241             |
| 07              | 132.5              | ≦* < 137.5 | 108.00000   | 2.35443       | 0.235               | 0.235             |
| 06              | 127.5              | ≦* < 132.5 | 104.00000   | 2.30380       | 0.230               | 0.230             |
| 05              | 122.5              | ≦* < 127.5 | 100.00000   | 2.25317       | 0.225               | 0.225             |
| 04              | 117.5              | ≦* < 122.5 | 96.00000    | 2.20253       | 0.220               | 0.220             |
| 03              | 112.5              | ≦* < 117.5 | 92.00000    | 2.15190       | 0.215               | 0.215             |
| 02              | 107.5              | ≦* < 112.5 | 88.00000    | 2.10127       | 0.210               | 0.210             |
| 01              | 102.5              | ≦* < 107.5 | 84.00000    | 2.05063       | 0.205               | 0.205             |
| 00              | 97.5               | ≦* < 102.5 | 80.00000    | 2.00000       | 0.200               | 0.200             |
| -01             | 92.5               | ≦* < 97.5  | 76.00000    | 1.94937       | 0.195               | 0.195             |
| -02             | 87.5               | ≦* < 92.5  | 72.00000    | 1.89873       | 0.190               | 0.190             |
| -03             | 82.5               | ≦* < 87.5  | 68.00000    | 1.84810       | 0.185               | 0.185             |
| -04             | 77.5               | ≦* < 82.5  | 64.00000    | 1.79747       | 0.180               | 0.180             |
| -05             | 72.5               | ≦* < 77.5  | 60.00000    | 1.74684       | 0.175               | 0.175             |
| -06             | 67.5               | ≦* < 72.5  | 56.00000    | 1.69620       | 0.170               | 0.170             |
| -07             | 62.5               | ≦* < 67.5  | 52.00000    | 1.64557       | 0.165               | 0.165             |
| -08             | 57.5               | ≦* < 62.5  | 48.00000    | 1.59494       | 0.159               | 0.159             |
| -09             | 52.5               | ≦* < 57.5  | 44.00000    | 1.54430       | 0.154               | 0.154             |
| -10             | 47.5               | ≦* < 52.5  | 40.00000    | 1.49367       | 0.149               | 0.149             |
| -11             | 42.5               | ≦* < 47.5  | 36.00000    | 1.44304       | 0.144               | 0.144             |
| -12             | 37.5               | ≦* < 42.5  | 32.00000    | 1.39241       | 0.139               | 0.139             |
| -13             | 32.5               | ≦* < 37.5  | 28.00000    | 1.34177       | 0.134               | 0.134             |
| -14             | 27.5               | ≦* < 32.5  | 24.00000    | 1.29114       | 0.129               | 0.129             |
| -15             | 22.5               | ≦* < 27.5  | 20.00000    | 1.24051       | 0.124               | 0.124             |
| -16             | 17.5               | ≦* < 22.5  | 16.00000    | 1.18987       | 0.119               | 0.119             |
| -17             | 12.5               | ≦* < 17.5  | 12.00000    | 1.13924       | 0.114               | 0.114             |
| -18             | 7.5                | ≦* < 12.5  | 8.00000     | 1.08861       | 0.109               | 0.109             |
| -19             | 2.5                | ≦* < 7.5   | 4.00000     | 1.03797       | 0.104               | 0.104             |
| -20             | 0.0                | ≦* < 2.5   | 1.00000     | 1.00000       | 0.100               | 0.100             |
|                 |                    |            | 平均値         |               |                     |                   |
|                 |                    |            | 80.00000    | 2.00000       |                     |                   |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           | 千葉県                |           | 共済事業          |                     | 園芸施設共済            |         |
|-----------------|--------------------|-----------|---------------|---------------------|-------------------|---------|
| 組合等名            | 千葉県農業共済組合          |           |               |                     |                   |         |
| 料率地域区分          | 000                |           | 地域名           | 00000 都道府県の区域       |                   |         |
| 施設区分            |                    |           | 共済掛金区分        |                     |                   | 共済掛金標準率 |
| 10 ガラス室 I 類(木造) |                    |           | ガラス I 復旧被覆A集団 |                     | 0.190             |         |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |
|                 |                    | 圧縮前       | 圧縮後           |                     |                   |         |
| 20              | 197.5 ≤* <         | 160.00000 | 3.01266       | 0.286               | 0.286             |         |
| 19              | 192.5 ≤* < 197.5   | 156.00000 | 2.96203       | 0.281               | 0.281             |         |
| 18              | 187.5 ≤* < 192.5   | 152.00000 | 2.91139       | 0.277               | 0.277             |         |
| 17              | 182.5 ≤* < 187.5   | 148.00000 | 2.86076       | 0.272               | 0.272             |         |
| 16              | 177.5 ≤* < 182.5   | 144.00000 | 2.81013       | 0.267               | 0.267             |         |
| 15              | 172.5 ≤* < 177.5   | 140.00000 | 2.75950       | 0.262               | 0.262             |         |
| 14              | 167.5 ≤* < 172.5   | 136.00000 | 2.70886       | 0.257               | 0.257             |         |
| 13              | 162.5 ≤* < 167.5   | 132.00000 | 2.65823       | 0.253               | 0.253             |         |
| 12              | 157.5 ≤* < 162.5   | 128.00000 | 2.60760       | 0.248               | 0.248             |         |
| 11              | 152.5 ≤* < 157.5   | 124.00000 | 2.55696       | 0.243               | 0.243             |         |
| 10              | 147.5 ≤* < 152.5   | 120.00000 | 2.50633       | 0.238               | 0.238             |         |
| 09              | 142.5 ≤* < 147.5   | 116.00000 | 2.45570       | 0.233               | 0.233             |         |
| 08              | 137.5 ≤* < 142.5   | 112.00000 | 2.40506       | 0.228               | 0.228             |         |
| 07              | 132.5 ≤* < 137.5   | 108.00000 | 2.35443       | 0.224               | 0.224             |         |
| 06              | 127.5 ≤* < 132.5   | 104.00000 | 2.30380       | 0.219               | 0.219             |         |
| 05              | 122.5 ≤* < 127.5   | 100.00000 | 2.25317       | 0.214               | 0.214             |         |
| 04              | 117.5 ≤* < 122.5   | 96.00000  | 2.20253       | 0.209               | 0.209             |         |
| 03              | 112.5 ≤* < 117.5   | 92.00000  | 2.15190       | 0.204               | 0.204             |         |
| 02              | 107.5 ≤* < 112.5   | 88.00000  | 2.10127       | 0.200               | 0.200             |         |
| 01              | 102.5 ≤* < 107.5   | 84.00000  | 2.05063       | 0.195               | 0.195             |         |
| 00              | 97.5 ≤* < 102.5    | 80.00000  | 2.00000       | 0.190               | 0.190             |         |
| -01             | 92.5 ≤* < 97.5     | 76.00000  | 1.94937       | 0.185               | 0.185             |         |
| -02             | 87.5 ≤* < 92.5     | 72.00000  | 1.89873       | 0.180               | 0.180             |         |
| -03             | 82.5 ≤* < 87.5     | 68.00000  | 1.84810       | 0.176               | 0.176             |         |
| -04             | 77.5 ≤* < 82.5     | 64.00000  | 1.79747       | 0.171               | 0.171             |         |
| -05             | 72.5 ≤* < 77.5     | 60.00000  | 1.74684       | 0.166               | 0.166             |         |
| -06             | 67.5 ≤* < 72.5     | 56.00000  | 1.69620       | 0.161               | 0.161             |         |
| -07             | 62.5 ≤* < 67.5     | 52.00000  | 1.64557       | 0.156               | 0.156             |         |
| -08             | 57.5 ≤* < 62.5     | 48.00000  | 1.59494       | 0.152               | 0.152             |         |
| -09             | 52.5 ≤* < 57.5     | 44.00000  | 1.54430       | 0.147               | 0.147             |         |
| -10             | 47.5 ≤* < 52.5     | 40.00000  | 1.49367       | 0.142               | 0.142             |         |
| -11             | 42.5 ≤* < 47.5     | 36.00000  | 1.44304       | 0.137               | 0.137             |         |
| -12             | 37.5 ≤* < 42.5     | 32.00000  | 1.39241       | 0.132               | 0.132             |         |
| -13             | 32.5 ≤* < 37.5     | 28.00000  | 1.34177       | 0.127               | 0.127             |         |
| -14             | 27.5 ≤* < 32.5     | 24.00000  | 1.29114       | 0.123               | 0.123             |         |
| -15             | 22.5 ≤* < 27.5     | 20.00000  | 1.24051       | 0.118               | 0.118             |         |
| -16             | 17.5 ≤* < 22.5     | 16.00000  | 1.18987       | 0.113               | 0.113             |         |
| -17             | 12.5 ≤* < 17.5     | 12.00000  | 1.13924       | 0.108               | 0.108             |         |
| -18             | 7.5 ≤* < 12.5      | 8.00000   | 1.08861       | 0.103               | 0.103             |         |
| -19             | 2.5 ≤* < 7.5       | 4.00000   | 1.03797       | 0.099               | 0.099             |         |
| -20             | 0.0 ≤* < 2.5       | 1.00000   | 1.00000       | 0.095               | 0.095             |         |
|                 |                    | 平均値       |               |                     |                   |         |
|                 |                    | 80.00000  | 2.00000       |                     |                   |         |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県         |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|-------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合   |         |                     |                   |               |  |
| 料率地域区分          |                    | 000         |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分      |         | 共済掛金標準率             |                   |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 復旧被覆B |         |                     |                   | 0.131         |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前         | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000   | 3.01266 | 0.197               | 0.197             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000   | 2.96203 | 0.194               | 0.194             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000   | 2.91139 | 0.191               | 0.191             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000   | 2.86076 | 0.187               | 0.187             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000   | 2.81013 | 0.184               | 0.184             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000   | 2.75950 | 0.181               | 0.181             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000   | 2.70886 | 0.177               | 0.177             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000   | 2.65823 | 0.174               | 0.174             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000   | 2.60760 | 0.171               | 0.171             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000   | 2.55696 | 0.167               | 0.167             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000   | 2.50633 | 0.164               | 0.164             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000   | 2.45570 | 0.161               | 0.161             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000   | 2.40506 | 0.158               | 0.158             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000   | 2.35443 | 0.154               | 0.154             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000   | 2.30380 | 0.151               | 0.151             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000   | 2.25317 | 0.148               | 0.148             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000    | 2.20253 | 0.144               | 0.144             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000    | 2.15190 | 0.141               | 0.141             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000    | 2.10127 | 0.138               | 0.138             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000    | 2.05063 | 0.134               | 0.134             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000    | 2.00000 | 0.131               | 0.131             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000    | 1.94937 | 0.128               | 0.128             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000    | 1.89873 | 0.124               | 0.124             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000    | 1.84810 | 0.121               | 0.121             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000    | 1.79747 | 0.118               | 0.118             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000    | 1.74684 | 0.114               | 0.114             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000    | 1.69620 | 0.111               | 0.111             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000    | 1.64557 | 0.108               | 0.108             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000    | 1.59494 | 0.104               | 0.104             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000    | 1.54430 | 0.101               | 0.101             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000    | 1.49367 | 0.098               | 0.098             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000    | 1.44304 | 0.095               | 0.095             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000    | 1.39241 | 0.091               | 0.091             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000    | 1.34177 | 0.088               | 0.088             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000    | 1.29114 | 0.085               | 0.085             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000    | 1.24051 | 0.081               | 0.081             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000    | 1.18987 | 0.078               | 0.078             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000    | 1.13924 | 0.075               | 0.075             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000     | 1.08861 | 0.071               | 0.071             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000     | 1.03797 | 0.068               | 0.068             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000     | 1.00000 | 0.065               | 0.065             |               |  |
|                 |                    | 平均値         |         |                     |                   |               |  |
|                 |                    | 80.00000    | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |           | 共済事業    |                     | 園芸施設共済            |  |
|-----------------|--------------------|---------------|-----------|---------|---------------------|-------------------|--|
| 組合等名            |                    | 千葉県農業共済組合     |           |         |                     |                   |  |
| 料率地域区分          |                    | 000           |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分            |                    | 共済掛金区分        |           | 共済掛金標準率 |                     |                   |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 復旧被覆B集団 |           | 0.124   |                     |                   |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |               | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|                 |                    |               | 圧縮前       | 圧縮後     |                     |                   |  |
| 20              | 197.5              | ≦* <          | 160.00000 | 3.01266 | 0.187               | 0.187             |  |
| 19              | 192.5              | ≦* < 197.5    | 156.00000 | 2.96203 | 0.184               | 0.184             |  |
| 18              | 187.5              | ≦* < 192.5    | 152.00000 | 2.91139 | 0.181               | 0.181             |  |
| 17              | 182.5              | ≦* < 187.5    | 148.00000 | 2.86076 | 0.177               | 0.177             |  |
| 16              | 177.5              | ≦* < 182.5    | 144.00000 | 2.81013 | 0.174               | 0.174             |  |
| 15              | 172.5              | ≦* < 177.5    | 140.00000 | 2.75950 | 0.171               | 0.171             |  |
| 14              | 167.5              | ≦* < 172.5    | 136.00000 | 2.70886 | 0.168               | 0.168             |  |
| 13              | 162.5              | ≦* < 167.5    | 132.00000 | 2.65823 | 0.165               | 0.165             |  |
| 12              | 157.5              | ≦* < 162.5    | 128.00000 | 2.60760 | 0.162               | 0.162             |  |
| 11              | 152.5              | ≦* < 157.5    | 124.00000 | 2.55696 | 0.159               | 0.159             |  |
| 10              | 147.5              | ≦* < 152.5    | 120.00000 | 2.50633 | 0.155               | 0.155             |  |
| 09              | 142.5              | ≦* < 147.5    | 116.00000 | 2.45570 | 0.152               | 0.152             |  |
| 08              | 137.5              | ≦* < 142.5    | 112.00000 | 2.40506 | 0.149               | 0.149             |  |
| 07              | 132.5              | ≦* < 137.5    | 108.00000 | 2.35443 | 0.146               | 0.146             |  |
| 06              | 127.5              | ≦* < 132.5    | 104.00000 | 2.30380 | 0.143               | 0.143             |  |
| 05              | 122.5              | ≦* < 127.5    | 100.00000 | 2.25317 | 0.140               | 0.140             |  |
| 04              | 117.5              | ≦* < 122.5    | 96.00000  | 2.20253 | 0.137               | 0.137             |  |
| 03              | 112.5              | ≦* < 117.5    | 92.00000  | 2.15190 | 0.133               | 0.133             |  |
| 02              | 107.5              | ≦* < 112.5    | 88.00000  | 2.10127 | 0.130               | 0.130             |  |
| 01              | 102.5              | ≦* < 107.5    | 84.00000  | 2.05063 | 0.127               | 0.127             |  |
| 00              | 97.5               | ≦* < 102.5    | 80.00000  | 2.00000 | 0.124               | 0.124             |  |
| -01             | 92.5               | ≦* < 97.5     | 76.00000  | 1.94937 | 0.121               | 0.121             |  |
| -02             | 87.5               | ≦* < 92.5     | 72.00000  | 1.89873 | 0.118               | 0.118             |  |
| -03             | 82.5               | ≦* < 87.5     | 68.00000  | 1.84810 | 0.115               | 0.115             |  |
| -04             | 77.5               | ≦* < 82.5     | 64.00000  | 1.79747 | 0.111               | 0.111             |  |
| -05             | 72.5               | ≦* < 77.5     | 60.00000  | 1.74684 | 0.108               | 0.108             |  |
| -06             | 67.5               | ≦* < 72.5     | 56.00000  | 1.69620 | 0.105               | 0.105             |  |
| -07             | 62.5               | ≦* < 67.5     | 52.00000  | 1.64557 | 0.102               | 0.102             |  |
| -08             | 57.5               | ≦* < 62.5     | 48.00000  | 1.59494 | 0.099               | 0.099             |  |
| -09             | 52.5               | ≦* < 57.5     | 44.00000  | 1.54430 | 0.096               | 0.096             |  |
| -10             | 47.5               | ≦* < 52.5     | 40.00000  | 1.49367 | 0.093               | 0.093             |  |
| -11             | 42.5               | ≦* < 47.5     | 36.00000  | 1.44304 | 0.089               | 0.089             |  |
| -12             | 37.5               | ≦* < 42.5     | 32.00000  | 1.39241 | 0.086               | 0.086             |  |
| -13             | 32.5               | ≦* < 37.5     | 28.00000  | 1.34177 | 0.083               | 0.083             |  |
| -14             | 27.5               | ≦* < 32.5     | 24.00000  | 1.29114 | 0.080               | 0.080             |  |
| -15             | 22.5               | ≦* < 27.5     | 20.00000  | 1.24051 | 0.077               | 0.077             |  |
| -16             | 17.5               | ≦* < 22.5     | 16.00000  | 1.18987 | 0.074               | 0.074             |  |
| -17             | 12.5               | ≦* < 17.5     | 12.00000  | 1.13924 | 0.071               | 0.071             |  |
| -18             | 7.5                | ≦* < 12.5     | 8.00000   | 1.08861 | 0.067               | 0.067             |  |
| -19             | 2.5                | ≦* < 7.5      | 4.00000   | 1.03797 | 0.064               | 0.064             |  |
| -20             | 0.0                | ≦* < 2.5      | 1.00000   | 1.00000 | 0.062               | 0.062             |  |
|                 |                    |               | 平均値       |         |                     |                   |  |
|                 |                    |               | 80.00000  | 2.00000 |                     |                   |  |



(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                     | 千葉県        |             |         |                      | 共済事業               |  | 園芸施設共済  |  |
|-----------------|---------------------|------------|-------------|---------|----------------------|--------------------|--|---------|--|
| 組合等名            |                     | 千葉県農業共済組合  |             |         |                      |                    |  |         |  |
| 料率地域区分          |                     | 000        |             | 地域名     |                      | 00000              |  | 都道府県の区域 |  |
| 施設区分            |                     |            | 共済掛金区分      |         |                      | 共済掛金標準率            |  |         |  |
| 10 ガラス室 I 類(木造) |                     |            | ガラス I 復旧被覆C |         |                      | 0.100              |  |         |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲 (%) |            | 危険指数        |         | 危険段階別基準<br>共済掛金率 (%) | 危険段階別共済<br>掛金率 (%) |  |         |  |
|                 |                     |            | 圧縮前         | 圧縮後     |                      |                    |  |         |  |
| 20              | 197.5               | ≦* <       | 160.00000   | 3.01266 | 0.151                | 0.151              |  |         |  |
| 19              | 192.5               | ≦* < 197.5 | 156.00000   | 2.96203 | 0.148                | 0.148              |  |         |  |
| 18              | 187.5               | ≦* < 192.5 | 152.00000   | 2.91139 | 0.146                | 0.146              |  |         |  |
| 17              | 182.5               | ≦* < 187.5 | 148.00000   | 2.86076 | 0.143                | 0.143              |  |         |  |
| 16              | 177.5               | ≦* < 182.5 | 144.00000   | 2.81013 | 0.141                | 0.141              |  |         |  |
| 15              | 172.5               | ≦* < 177.5 | 140.00000   | 2.75950 | 0.138                | 0.138              |  |         |  |
| 14              | 167.5               | ≦* < 172.5 | 136.00000   | 2.70886 | 0.135                | 0.135              |  |         |  |
| 13              | 162.5               | ≦* < 167.5 | 132.00000   | 2.65823 | 0.133                | 0.133              |  |         |  |
| 12              | 157.5               | ≦* < 162.5 | 128.00000   | 2.60760 | 0.130                | 0.130              |  |         |  |
| 11              | 152.5               | ≦* < 157.5 | 124.00000   | 2.55696 | 0.128                | 0.128              |  |         |  |
| 10              | 147.5               | ≦* < 152.5 | 120.00000   | 2.50633 | 0.125                | 0.125              |  |         |  |
| 09              | 142.5               | ≦* < 147.5 | 116.00000   | 2.45570 | 0.123                | 0.123              |  |         |  |
| 08              | 137.5               | ≦* < 142.5 | 112.00000   | 2.40506 | 0.120                | 0.120              |  |         |  |
| 07              | 132.5               | ≦* < 137.5 | 108.00000   | 2.35443 | 0.118                | 0.118              |  |         |  |
| 06              | 127.5               | ≦* < 132.5 | 104.00000   | 2.30380 | 0.115                | 0.115              |  |         |  |
| 05              | 122.5               | ≦* < 127.5 | 100.00000   | 2.25317 | 0.113                | 0.113              |  |         |  |
| 04              | 117.5               | ≦* < 122.5 | 96.00000    | 2.20253 | 0.110                | 0.110              |  |         |  |
| 03              | 112.5               | ≦* < 117.5 | 92.00000    | 2.15190 | 0.108                | 0.108              |  |         |  |
| 02              | 107.5               | ≦* < 112.5 | 88.00000    | 2.10127 | 0.105                | 0.105              |  |         |  |
| 01              | 102.5               | ≦* < 107.5 | 84.00000    | 2.05063 | 0.103                | 0.103              |  |         |  |
| 00              | 97.5                | ≦* < 102.5 | 80.00000    | 2.00000 | 0.100                | 0.100              |  |         |  |
| -01             | 92.5                | ≦* < 97.5  | 76.00000    | 1.94937 | 0.097                | 0.097              |  |         |  |
| -02             | 87.5                | ≦* < 92.5  | 72.00000    | 1.89873 | 0.095                | 0.095              |  |         |  |
| -03             | 82.5                | ≦* < 87.5  | 68.00000    | 1.84810 | 0.092                | 0.092              |  |         |  |
| -04             | 77.5                | ≦* < 82.5  | 64.00000    | 1.79747 | 0.090                | 0.090              |  |         |  |
| -05             | 72.5                | ≦* < 77.5  | 60.00000    | 1.74684 | 0.087                | 0.087              |  |         |  |
| -06             | 67.5                | ≦* < 72.5  | 56.00000    | 1.69620 | 0.085                | 0.085              |  |         |  |
| -07             | 62.5                | ≦* < 67.5  | 52.00000    | 1.64557 | 0.082                | 0.082              |  |         |  |
| -08             | 57.5                | ≦* < 62.5  | 48.00000    | 1.59494 | 0.080                | 0.080              |  |         |  |
| -09             | 52.5                | ≦* < 57.5  | 44.00000    | 1.54430 | 0.077                | 0.077              |  |         |  |
| -10             | 47.5                | ≦* < 52.5  | 40.00000    | 1.49367 | 0.075                | 0.075              |  |         |  |
| -11             | 42.5                | ≦* < 47.5  | 36.00000    | 1.44304 | 0.072                | 0.072              |  |         |  |
| -12             | 37.5                | ≦* < 42.5  | 32.00000    | 1.39241 | 0.070                | 0.070              |  |         |  |
| -13             | 32.5                | ≦* < 37.5  | 28.00000    | 1.34177 | 0.067                | 0.067              |  |         |  |
| -14             | 27.5                | ≦* < 32.5  | 24.00000    | 1.29114 | 0.065                | 0.065              |  |         |  |
| -15             | 22.5                | ≦* < 27.5  | 20.00000    | 1.24051 | 0.062                | 0.062              |  |         |  |
| -16             | 17.5                | ≦* < 22.5  | 16.00000    | 1.18987 | 0.059                | 0.059              |  |         |  |
| -17             | 12.5                | ≦* < 17.5  | 12.00000    | 1.13924 | 0.057                | 0.057              |  |         |  |
| -18             | 7.5                 | ≦* < 12.5  | 8.00000     | 1.08861 | 0.054                | 0.054              |  |         |  |
| -19             | 2.5                 | ≦* < 7.5   | 4.00000     | 1.03797 | 0.052                | 0.052              |  |         |  |
| -20             | 0.0                 | ≦* < 2.5   | 1.00000     | 1.00000 | 0.050                | 0.050              |  |         |  |
|                 |                     |            | 平均値         |         |                      |                    |  |         |  |
|                 |                     |            | 80.00000    | 2.00000 |                      |                    |  |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県        |               |         |                     | 共済事業              |  | 園芸施設共済  |  |
|-----------------|--------------------|------------|---------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名            |                    | 千葉県農業共済組合  |               |         |                     |                   |  |         |  |
| 料率地域区分          |                    | 000        |               | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分            |                    |            | 共済掛金区分        |         |                     | 共済掛金標準率           |  |         |  |
| 10 ガラス室 I 類(木造) |                    |            | ガラス I 復旧被覆C集団 |         |                     | 0.095             |  |         |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |            | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|                 |                    |            | 圧縮前           | 圧縮後     |                     |                   |  |         |  |
| 20              | 197.5              | ≦* <       | 160.00000     | 3.01266 | 0.143               | 0.143             |  |         |  |
| 19              | 192.5              | ≦* < 197.5 | 156.00000     | 2.96203 | 0.141               | 0.141             |  |         |  |
| 18              | 187.5              | ≦* < 192.5 | 152.00000     | 2.91139 | 0.138               | 0.138             |  |         |  |
| 17              | 182.5              | ≦* < 187.5 | 148.00000     | 2.86076 | 0.136               | 0.136             |  |         |  |
| 16              | 177.5              | ≦* < 182.5 | 144.00000     | 2.81013 | 0.133               | 0.133             |  |         |  |
| 15              | 172.5              | ≦* < 177.5 | 140.00000     | 2.75950 | 0.131               | 0.131             |  |         |  |
| 14              | 167.5              | ≦* < 172.5 | 136.00000     | 2.70886 | 0.129               | 0.129             |  |         |  |
| 13              | 162.5              | ≦* < 167.5 | 132.00000     | 2.65823 | 0.126               | 0.126             |  |         |  |
| 12              | 157.5              | ≦* < 162.5 | 128.00000     | 2.60760 | 0.124               | 0.124             |  |         |  |
| 11              | 152.5              | ≦* < 157.5 | 124.00000     | 2.55696 | 0.121               | 0.121             |  |         |  |
| 10              | 147.5              | ≦* < 152.5 | 120.00000     | 2.50633 | 0.119               | 0.119             |  |         |  |
| 09              | 142.5              | ≦* < 147.5 | 116.00000     | 2.45570 | 0.117               | 0.117             |  |         |  |
| 08              | 137.5              | ≦* < 142.5 | 112.00000     | 2.40506 | 0.114               | 0.114             |  |         |  |
| 07              | 132.5              | ≦* < 137.5 | 108.00000     | 2.35443 | 0.112               | 0.112             |  |         |  |
| 06              | 127.5              | ≦* < 132.5 | 104.00000     | 2.30380 | 0.109               | 0.109             |  |         |  |
| 05              | 122.5              | ≦* < 127.5 | 100.00000     | 2.25317 | 0.107               | 0.107             |  |         |  |
| 04              | 117.5              | ≦* < 122.5 | 96.00000      | 2.20253 | 0.105               | 0.105             |  |         |  |
| 03              | 112.5              | ≦* < 117.5 | 92.00000      | 2.15190 | 0.102               | 0.102             |  |         |  |
| 02              | 107.5              | ≦* < 112.5 | 88.00000      | 2.10127 | 0.100               | 0.100             |  |         |  |
| 01              | 102.5              | ≦* < 107.5 | 84.00000      | 2.05063 | 0.097               | 0.097             |  |         |  |
| 00              | 97.5               | ≦* < 102.5 | 80.00000      | 2.00000 | 0.095               | 0.095             |  |         |  |
| -01             | 92.5               | ≦* < 97.5  | 76.00000      | 1.94937 | 0.093               | 0.093             |  |         |  |
| -02             | 87.5               | ≦* < 92.5  | 72.00000      | 1.89873 | 0.090               | 0.090             |  |         |  |
| -03             | 82.5               | ≦* < 87.5  | 68.00000      | 1.84810 | 0.088               | 0.088             |  |         |  |
| -04             | 77.5               | ≦* < 82.5  | 64.00000      | 1.79747 | 0.085               | 0.085             |  |         |  |
| -05             | 72.5               | ≦* < 77.5  | 60.00000      | 1.74684 | 0.083               | 0.083             |  |         |  |
| -06             | 67.5               | ≦* < 72.5  | 56.00000      | 1.69620 | 0.081               | 0.081             |  |         |  |
| -07             | 62.5               | ≦* < 67.5  | 52.00000      | 1.64557 | 0.078               | 0.078             |  |         |  |
| -08             | 57.5               | ≦* < 62.5  | 48.00000      | 1.59494 | 0.076               | 0.076             |  |         |  |
| -09             | 52.5               | ≦* < 57.5  | 44.00000      | 1.54430 | 0.073               | 0.073             |  |         |  |
| -10             | 47.5               | ≦* < 52.5  | 40.00000      | 1.49367 | 0.071               | 0.071             |  |         |  |
| -11             | 42.5               | ≦* < 47.5  | 36.00000      | 1.44304 | 0.069               | 0.069             |  |         |  |
| -12             | 37.5               | ≦* < 42.5  | 32.00000      | 1.39241 | 0.066               | 0.066             |  |         |  |
| -13             | 32.5               | ≦* < 37.5  | 28.00000      | 1.34177 | 0.064               | 0.064             |  |         |  |
| -14             | 27.5               | ≦* < 32.5  | 24.00000      | 1.29114 | 0.061               | 0.061             |  |         |  |
| -15             | 22.5               | ≦* < 27.5  | 20.00000      | 1.24051 | 0.059               | 0.059             |  |         |  |
| -16             | 17.5               | ≦* < 22.5  | 16.00000      | 1.18987 | 0.057               | 0.057             |  |         |  |
| -17             | 12.5               | ≦* < 17.5  | 12.00000      | 1.13924 | 0.054               | 0.054             |  |         |  |
| -18             | 7.5                | ≦* < 12.5  | 8.00000       | 1.08861 | 0.052               | 0.052             |  |         |  |
| -19             | 2.5                | ≦* < 7.5   | 4.00000       | 1.03797 | 0.049               | 0.049             |  |         |  |
| -20             | 0.0                | ≦* < 2.5   | 1.00000       | 1.00000 | 0.047               | 0.047             |  |         |  |
|                 |                    |            | 平均値           |         |                     |                   |  |         |  |
|                 |                    |            | 80.00000      | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県        |             |         |                     | 共済事業              |  | 園芸施設共済  |  |
|-----------------|--------------------|------------|-------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名            |                    | 千葉県農業共済組合  |             |         |                     |                   |  |         |  |
| 料率地域区分          |                    | 000        |             | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分            |                    |            | 共済掛金区分      |         |                     | 共済掛金標準率           |  |         |  |
| 10 ガラス室 I 類(木造) |                    |            | ガラス I 復旧被覆D |         |                     | 0.053             |  |         |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |            | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|                 |                    |            | 圧縮前         | 圧縮後     |                     |                   |  |         |  |
| 20              | 197.5              | ≦* <       | 160.00000   | 3.01266 | 0.080               | 0.080             |  |         |  |
| 19              | 192.5              | ≦* < 197.5 | 156.00000   | 2.96203 | 0.078               | 0.078             |  |         |  |
| 18              | 187.5              | ≦* < 192.5 | 152.00000   | 2.91139 | 0.077               | 0.077             |  |         |  |
| 17              | 182.5              | ≦* < 187.5 | 148.00000   | 2.86076 | 0.076               | 0.076             |  |         |  |
| 16              | 177.5              | ≦* < 182.5 | 144.00000   | 2.81013 | 0.074               | 0.074             |  |         |  |
| 15              | 172.5              | ≦* < 177.5 | 140.00000   | 2.75950 | 0.073               | 0.073             |  |         |  |
| 14              | 167.5              | ≦* < 172.5 | 136.00000   | 2.70886 | 0.072               | 0.072             |  |         |  |
| 13              | 162.5              | ≦* < 167.5 | 132.00000   | 2.65823 | 0.070               | 0.070             |  |         |  |
| 12              | 157.5              | ≦* < 162.5 | 128.00000   | 2.60760 | 0.069               | 0.069             |  |         |  |
| 11              | 152.5              | ≦* < 157.5 | 124.00000   | 2.55696 | 0.068               | 0.068             |  |         |  |
| 10              | 147.5              | ≦* < 152.5 | 120.00000   | 2.50633 | 0.066               | 0.066             |  |         |  |
| 09              | 142.5              | ≦* < 147.5 | 116.00000   | 2.45570 | 0.065               | 0.065             |  |         |  |
| 08              | 137.5              | ≦* < 142.5 | 112.00000   | 2.40506 | 0.064               | 0.064             |  |         |  |
| 07              | 132.5              | ≦* < 137.5 | 108.00000   | 2.35443 | 0.062               | 0.062             |  |         |  |
| 06              | 127.5              | ≦* < 132.5 | 104.00000   | 2.30380 | 0.061               | 0.061             |  |         |  |
| 05              | 122.5              | ≦* < 127.5 | 100.00000   | 2.25317 | 0.060               | 0.060             |  |         |  |
| 04              | 117.5              | ≦* < 122.5 | 96.00000    | 2.20253 | 0.058               | 0.058             |  |         |  |
| 03              | 112.5              | ≦* < 117.5 | 92.00000    | 2.15190 | 0.057               | 0.057             |  |         |  |
| 02              | 107.5              | ≦* < 112.5 | 88.00000    | 2.10127 | 0.056               | 0.056             |  |         |  |
| 01              | 102.5              | ≦* < 107.5 | 84.00000    | 2.05063 | 0.054               | 0.054             |  |         |  |
| 00              | 97.5               | ≦* < 102.5 | 80.00000    | 2.00000 | 0.053               | 0.053             |  |         |  |
| -01             | 92.5               | ≦* < 97.5  | 76.00000    | 1.94937 | 0.052               | 0.052             |  |         |  |
| -02             | 87.5               | ≦* < 92.5  | 72.00000    | 1.89873 | 0.050               | 0.050             |  |         |  |
| -03             | 82.5               | ≦* < 87.5  | 68.00000    | 1.84810 | 0.049               | 0.049             |  |         |  |
| -04             | 77.5               | ≦* < 82.5  | 64.00000    | 1.79747 | 0.048               | 0.048             |  |         |  |
| -05             | 72.5               | ≦* < 77.5  | 60.00000    | 1.74684 | 0.046               | 0.046             |  |         |  |
| -06             | 67.5               | ≦* < 72.5  | 56.00000    | 1.69620 | 0.045               | 0.045             |  |         |  |
| -07             | 62.5               | ≦* < 67.5  | 52.00000    | 1.64557 | 0.044               | 0.044             |  |         |  |
| -08             | 57.5               | ≦* < 62.5  | 48.00000    | 1.59494 | 0.042               | 0.042             |  |         |  |
| -09             | 52.5               | ≦* < 57.5  | 44.00000    | 1.54430 | 0.041               | 0.041             |  |         |  |
| -10             | 47.5               | ≦* < 52.5  | 40.00000    | 1.49367 | 0.040               | 0.040             |  |         |  |
| -11             | 42.5               | ≦* < 47.5  | 36.00000    | 1.44304 | 0.038               | 0.038             |  |         |  |
| -12             | 37.5               | ≦* < 42.5  | 32.00000    | 1.39241 | 0.037               | 0.037             |  |         |  |
| -13             | 32.5               | ≦* < 37.5  | 28.00000    | 1.34177 | 0.036               | 0.036             |  |         |  |
| -14             | 27.5               | ≦* < 32.5  | 24.00000    | 1.29114 | 0.034               | 0.034             |  |         |  |
| -15             | 22.5               | ≦* < 27.5  | 20.00000    | 1.24051 | 0.033               | 0.033             |  |         |  |
| -16             | 17.5               | ≦* < 22.5  | 16.00000    | 1.18987 | 0.032               | 0.032             |  |         |  |
| -17             | 12.5               | ≦* < 17.5  | 12.00000    | 1.13924 | 0.030               | 0.030             |  |         |  |
| -18             | 7.5                | ≦* < 12.5  | 8.00000     | 1.08861 | 0.029               | 0.029             |  |         |  |
| -19             | 2.5                | ≦* < 7.5   | 4.00000     | 1.03797 | 0.028               | 0.028             |  |         |  |
| -20             | 0.0                | ≦* < 2.5   | 1.00000     | 1.00000 | 0.026               | 0.026             |  |         |  |
|                 |                    |            | 平均値         |         |                     |                   |  |         |  |
|                 |                    |            | 80.00000    | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|---------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合     |         |                     |                   |               |  |
| 料率地域区分          |                    | 000           |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分        |         | 共済掛金標準率             |                   |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 復旧被覆D集団 |         |                     |                   | 0.050         |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前           | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000     | 3.01266 | 0.075               | 0.075             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000     | 2.96203 | 0.074               | 0.074             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000     | 2.91139 | 0.073               | 0.073             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000     | 2.86076 | 0.072               | 0.072             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000     | 2.81013 | 0.070               | 0.070             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000     | 2.75950 | 0.069               | 0.069             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000     | 2.70886 | 0.068               | 0.068             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000     | 2.65823 | 0.066               | 0.066             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000     | 2.60760 | 0.065               | 0.065             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000     | 2.55696 | 0.064               | 0.064             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000     | 2.50633 | 0.063               | 0.063             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000     | 2.45570 | 0.061               | 0.061             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000     | 2.40506 | 0.060               | 0.060             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000     | 2.35443 | 0.059               | 0.059             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000     | 2.30380 | 0.058               | 0.058             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000     | 2.25317 | 0.056               | 0.056             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000      | 2.20253 | 0.055               | 0.055             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000      | 2.15190 | 0.054               | 0.054             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000      | 2.10127 | 0.053               | 0.053             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000      | 2.05063 | 0.051               | 0.051             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000      | 2.00000 | 0.050               | 0.050             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000      | 1.94937 | 0.049               | 0.049             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000      | 1.89873 | 0.047               | 0.047             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000      | 1.84810 | 0.046               | 0.046             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000      | 1.79747 | 0.045               | 0.045             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000      | 1.74684 | 0.044               | 0.044             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000      | 1.69620 | 0.042               | 0.042             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000      | 1.64557 | 0.041               | 0.041             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000      | 1.59494 | 0.040               | 0.040             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000      | 1.54430 | 0.039               | 0.039             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000      | 1.49367 | 0.037               | 0.037             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000      | 1.44304 | 0.036               | 0.036             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000      | 1.39241 | 0.035               | 0.035             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000      | 1.34177 | 0.034               | 0.034             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000      | 1.29114 | 0.032               | 0.032             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000      | 1.24051 | 0.031               | 0.031             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000      | 1.18987 | 0.030               | 0.030             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000      | 1.13924 | 0.028               | 0.028             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000       | 1.08861 | 0.027               | 0.027             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000       | 1.03797 | 0.026               | 0.026             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000       | 1.00000 | 0.025               | 0.025             |               |  |
|                 |                    | 平均値           |         |                     |                   |               |  |
|                 |                    | 80.00000      | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県         |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|-------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合   |         |                     |                   |               |  |
| 料率地域区分          |                    | 000         |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分      |         | 共済掛金標準率             |                   |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 復旧被覆E |         | 0.010               |                   |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前         | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000   | 3.01266 | 0.015               | 0.015             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000   | 2.96203 | 0.015               | 0.015             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000   | 2.91139 | 0.015               | 0.015             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000   | 2.86076 | 0.014               | 0.014             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000   | 2.81013 | 0.014               | 0.014             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000   | 2.75950 | 0.014               | 0.014             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000   | 2.70886 | 0.014               | 0.014             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000   | 2.65823 | 0.013               | 0.013             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000   | 2.60760 | 0.013               | 0.013             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000   | 2.55696 | 0.013               | 0.013             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000   | 2.50633 | 0.013               | 0.013             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000   | 2.45570 | 0.012               | 0.012             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000   | 2.40506 | 0.012               | 0.012             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000   | 2.35443 | 0.012               | 0.012             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000   | 2.30380 | 0.012               | 0.012             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000   | 2.25317 | 0.011               | 0.011             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000    | 2.20253 | 0.011               | 0.011             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000    | 2.15190 | 0.011               | 0.011             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000    | 2.10127 | 0.011               | 0.011             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000    | 2.05063 | 0.010               | 0.010             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000    | 2.00000 | 0.010               | 0.010             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000    | 1.94937 | 0.010               | 0.010             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000    | 1.89873 | 0.009               | 0.009             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000    | 1.84810 | 0.009               | 0.009             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000    | 1.79747 | 0.009               | 0.009             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000    | 1.74684 | 0.009               | 0.009             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000    | 1.69620 | 0.008               | 0.008             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000    | 1.64557 | 0.008               | 0.008             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000    | 1.59494 | 0.008               | 0.008             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000    | 1.54430 | 0.008               | 0.008             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000    | 1.49367 | 0.007               | 0.007             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000    | 1.44304 | 0.007               | 0.007             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000    | 1.39241 | 0.007               | 0.007             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000    | 1.34177 | 0.007               | 0.007             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000    | 1.29114 | 0.006               | 0.006             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000    | 1.24051 | 0.006               | 0.006             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000    | 1.18987 | 0.006               | 0.006             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000    | 1.13924 | 0.006               | 0.006             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000     | 1.08861 | 0.005               | 0.005             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000     | 1.03797 | 0.005               | 0.005             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000     | 1.00000 | 0.005               | 0.005             |               |  |
|                 |                    | 平均値         |         |                     |                   |               |  |
|                 |                    | 80.00000    | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県        |               |         |                     | 共済事業              |  | 園芸施設共済  |  |
|-----------------|--------------------|------------|---------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名            |                    | 千葉県農業共済組合  |               |         |                     |                   |  |         |  |
| 料率地域区分          |                    | 000        |               | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分            |                    |            | 共済掛金区分        |         |                     | 共済掛金標準率           |  |         |  |
| 10 ガラス室 I 類(木造) |                    |            | ガラス I 復旧被覆E集団 |         |                     | 0.010             |  |         |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |            | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|                 |                    |            | 圧縮前           | 圧縮後     |                     |                   |  |         |  |
| 20              | 197.5              | ≦* <       | 160.00000     | 3.01266 | 0.015               | 0.015             |  |         |  |
| 19              | 192.5              | ≦* < 197.5 | 156.00000     | 2.96203 | 0.015               | 0.015             |  |         |  |
| 18              | 187.5              | ≦* < 192.5 | 152.00000     | 2.91139 | 0.015               | 0.015             |  |         |  |
| 17              | 182.5              | ≦* < 187.5 | 148.00000     | 2.86076 | 0.014               | 0.014             |  |         |  |
| 16              | 177.5              | ≦* < 182.5 | 144.00000     | 2.81013 | 0.014               | 0.014             |  |         |  |
| 15              | 172.5              | ≦* < 177.5 | 140.00000     | 2.75950 | 0.014               | 0.014             |  |         |  |
| 14              | 167.5              | ≦* < 172.5 | 136.00000     | 2.70886 | 0.014               | 0.014             |  |         |  |
| 13              | 162.5              | ≦* < 167.5 | 132.00000     | 2.65823 | 0.013               | 0.013             |  |         |  |
| 12              | 157.5              | ≦* < 162.5 | 128.00000     | 2.60760 | 0.013               | 0.013             |  |         |  |
| 11              | 152.5              | ≦* < 157.5 | 124.00000     | 2.55696 | 0.013               | 0.013             |  |         |  |
| 10              | 147.5              | ≦* < 152.5 | 120.00000     | 2.50633 | 0.013               | 0.013             |  |         |  |
| 09              | 142.5              | ≦* < 147.5 | 116.00000     | 2.45570 | 0.012               | 0.012             |  |         |  |
| 08              | 137.5              | ≦* < 142.5 | 112.00000     | 2.40506 | 0.012               | 0.012             |  |         |  |
| 07              | 132.5              | ≦* < 137.5 | 108.00000     | 2.35443 | 0.012               | 0.012             |  |         |  |
| 06              | 127.5              | ≦* < 132.5 | 104.00000     | 2.30380 | 0.012               | 0.012             |  |         |  |
| 05              | 122.5              | ≦* < 127.5 | 100.00000     | 2.25317 | 0.011               | 0.011             |  |         |  |
| 04              | 117.5              | ≦* < 122.5 | 96.00000      | 2.20253 | 0.011               | 0.011             |  |         |  |
| 03              | 112.5              | ≦* < 117.5 | 92.00000      | 2.15190 | 0.011               | 0.011             |  |         |  |
| 02              | 107.5              | ≦* < 112.5 | 88.00000      | 2.10127 | 0.011               | 0.011             |  |         |  |
| 01              | 102.5              | ≦* < 107.5 | 84.00000      | 2.05063 | 0.010               | 0.010             |  |         |  |
| 00              | 97.5               | ≦* < 102.5 | 80.00000      | 2.00000 | 0.010               | 0.010             |  |         |  |
| -01             | 92.5               | ≦* < 97.5  | 76.00000      | 1.94937 | 0.010               | 0.010             |  |         |  |
| -02             | 87.5               | ≦* < 92.5  | 72.00000      | 1.89873 | 0.009               | 0.009             |  |         |  |
| -03             | 82.5               | ≦* < 87.5  | 68.00000      | 1.84810 | 0.009               | 0.009             |  |         |  |
| -04             | 77.5               | ≦* < 82.5  | 64.00000      | 1.79747 | 0.009               | 0.009             |  |         |  |
| -05             | 72.5               | ≦* < 77.5  | 60.00000      | 1.74684 | 0.009               | 0.009             |  |         |  |
| -06             | 67.5               | ≦* < 72.5  | 56.00000      | 1.69620 | 0.008               | 0.008             |  |         |  |
| -07             | 62.5               | ≦* < 67.5  | 52.00000      | 1.64557 | 0.008               | 0.008             |  |         |  |
| -08             | 57.5               | ≦* < 62.5  | 48.00000      | 1.59494 | 0.008               | 0.008             |  |         |  |
| -09             | 52.5               | ≦* < 57.5  | 44.00000      | 1.54430 | 0.008               | 0.008             |  |         |  |
| -10             | 47.5               | ≦* < 52.5  | 40.00000      | 1.49367 | 0.007               | 0.007             |  |         |  |
| -11             | 42.5               | ≦* < 47.5  | 36.00000      | 1.44304 | 0.007               | 0.007             |  |         |  |
| -12             | 37.5               | ≦* < 42.5  | 32.00000      | 1.39241 | 0.007               | 0.007             |  |         |  |
| -13             | 32.5               | ≦* < 37.5  | 28.00000      | 1.34177 | 0.007               | 0.007             |  |         |  |
| -14             | 27.5               | ≦* < 32.5  | 24.00000      | 1.29114 | 0.006               | 0.006             |  |         |  |
| -15             | 22.5               | ≦* < 27.5  | 20.00000      | 1.24051 | 0.006               | 0.006             |  |         |  |
| -16             | 17.5               | ≦* < 22.5  | 16.00000      | 1.18987 | 0.006               | 0.006             |  |         |  |
| -17             | 12.5               | ≦* < 17.5  | 12.00000      | 1.13924 | 0.006               | 0.006             |  |         |  |
| -18             | 7.5                | ≦* < 12.5  | 8.00000       | 1.08861 | 0.005               | 0.005             |  |         |  |
| -19             | 2.5                | ≦* < 7.5   | 4.00000       | 1.03797 | 0.005               | 0.005             |  |         |  |
| -20             | 0.0                | ≦* < 2.5   | 1.00000       | 1.00000 | 0.005               | 0.005             |  |         |  |
|                 |                    |            | 平均値           |         |                     |                   |  |         |  |
|                 |                    |            | 80.00000      | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県        |             |         |                     | 共済事業              |  | 園芸施設共済  |  |
|-----------------|--------------------|------------|-------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名            |                    | 千葉県農業共済組合  |             |         |                     |                   |  |         |  |
| 料率地域区分          |                    | 000        |             | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分            |                    |            | 共済掛金区分      |         |                     | 共済掛金標準率           |  |         |  |
| 10 ガラス室 I 類(木造) |                    |            | ガラス I 復旧被覆F |         |                     | 0.208             |  |         |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |            | 危険指数        |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|                 |                    |            | 圧縮前         | 圧縮後     |                     |                   |  |         |  |
| 20              | 197.5              | ≦* <       | 160.00000   | 3.01266 | 0.313               | 0.313             |  |         |  |
| 19              | 192.5              | ≦* < 197.5 | 156.00000   | 2.96203 | 0.308               | 0.308             |  |         |  |
| 18              | 187.5              | ≦* < 192.5 | 152.00000   | 2.91139 | 0.303               | 0.303             |  |         |  |
| 17              | 182.5              | ≦* < 187.5 | 148.00000   | 2.86076 | 0.298               | 0.298             |  |         |  |
| 16              | 177.5              | ≦* < 182.5 | 144.00000   | 2.81013 | 0.292               | 0.292             |  |         |  |
| 15              | 172.5              | ≦* < 177.5 | 140.00000   | 2.75950 | 0.287               | 0.287             |  |         |  |
| 14              | 167.5              | ≦* < 172.5 | 136.00000   | 2.70886 | 0.282               | 0.282             |  |         |  |
| 13              | 162.5              | ≦* < 167.5 | 132.00000   | 2.65823 | 0.276               | 0.276             |  |         |  |
| 12              | 157.5              | ≦* < 162.5 | 128.00000   | 2.60760 | 0.271               | 0.271             |  |         |  |
| 11              | 152.5              | ≦* < 157.5 | 124.00000   | 2.55696 | 0.266               | 0.266             |  |         |  |
| 10              | 147.5              | ≦* < 152.5 | 120.00000   | 2.50633 | 0.261               | 0.261             |  |         |  |
| 09              | 142.5              | ≦* < 147.5 | 116.00000   | 2.45570 | 0.255               | 0.255             |  |         |  |
| 08              | 137.5              | ≦* < 142.5 | 112.00000   | 2.40506 | 0.250               | 0.250             |  |         |  |
| 07              | 132.5              | ≦* < 137.5 | 108.00000   | 2.35443 | 0.245               | 0.245             |  |         |  |
| 06              | 127.5              | ≦* < 132.5 | 104.00000   | 2.30380 | 0.240               | 0.240             |  |         |  |
| 05              | 122.5              | ≦* < 127.5 | 100.00000   | 2.25317 | 0.234               | 0.234             |  |         |  |
| 04              | 117.5              | ≦* < 122.5 | 96.00000    | 2.20253 | 0.229               | 0.229             |  |         |  |
| 03              | 112.5              | ≦* < 117.5 | 92.00000    | 2.15190 | 0.224               | 0.224             |  |         |  |
| 02              | 107.5              | ≦* < 112.5 | 88.00000    | 2.10127 | 0.219               | 0.219             |  |         |  |
| 01              | 102.5              | ≦* < 107.5 | 84.00000    | 2.05063 | 0.213               | 0.213             |  |         |  |
| 00              | 97.5               | ≦* < 102.5 | 80.00000    | 2.00000 | 0.208               | 0.208             |  |         |  |
| -01             | 92.5               | ≦* < 97.5  | 76.00000    | 1.94937 | 0.203               | 0.203             |  |         |  |
| -02             | 87.5               | ≦* < 92.5  | 72.00000    | 1.89873 | 0.197               | 0.197             |  |         |  |
| -03             | 82.5               | ≦* < 87.5  | 68.00000    | 1.84810 | 0.192               | 0.192             |  |         |  |
| -04             | 77.5               | ≦* < 82.5  | 64.00000    | 1.79747 | 0.187               | 0.187             |  |         |  |
| -05             | 72.5               | ≦* < 77.5  | 60.00000    | 1.74684 | 0.182               | 0.182             |  |         |  |
| -06             | 67.5               | ≦* < 72.5  | 56.00000    | 1.69620 | 0.176               | 0.176             |  |         |  |
| -07             | 62.5               | ≦* < 67.5  | 52.00000    | 1.64557 | 0.171               | 0.171             |  |         |  |
| -08             | 57.5               | ≦* < 62.5  | 48.00000    | 1.59494 | 0.166               | 0.166             |  |         |  |
| -09             | 52.5               | ≦* < 57.5  | 44.00000    | 1.54430 | 0.161               | 0.161             |  |         |  |
| -10             | 47.5               | ≦* < 52.5  | 40.00000    | 1.49367 | 0.155               | 0.155             |  |         |  |
| -11             | 42.5               | ≦* < 47.5  | 36.00000    | 1.44304 | 0.150               | 0.150             |  |         |  |
| -12             | 37.5               | ≦* < 42.5  | 32.00000    | 1.39241 | 0.145               | 0.145             |  |         |  |
| -13             | 32.5               | ≦* < 37.5  | 28.00000    | 1.34177 | 0.140               | 0.140             |  |         |  |
| -14             | 27.5               | ≦* < 32.5  | 24.00000    | 1.29114 | 0.134               | 0.134             |  |         |  |
| -15             | 22.5               | ≦* < 27.5  | 20.00000    | 1.24051 | 0.129               | 0.129             |  |         |  |
| -16             | 17.5               | ≦* < 22.5  | 16.00000    | 1.18987 | 0.124               | 0.124             |  |         |  |
| -17             | 12.5               | ≦* < 17.5  | 12.00000    | 1.13924 | 0.118               | 0.118             |  |         |  |
| -18             | 7.5                | ≦* < 12.5  | 8.00000     | 1.08861 | 0.113               | 0.113             |  |         |  |
| -19             | 2.5                | ≦* < 7.5   | 4.00000     | 1.03797 | 0.108               | 0.108             |  |         |  |
| -20             | 0.0                | ≦* < 2.5   | 1.00000     | 1.00000 | 0.104               | 0.104             |  |         |  |
|                 |                    |            | 平均値         |         |                     |                   |  |         |  |
|                 |                    |            | 80.00000    | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|---------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合     |         |                     |                   |               |  |
| 料率地域区分          |                    | 000           |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分        |         | 共済掛金標準率             |                   |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 復旧被覆F集団 |         | 0.198               |                   |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前           | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000     | 3.01266 | 0.298               | 0.298             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000     | 2.96203 | 0.293               | 0.293             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000     | 2.91139 | 0.288               | 0.288             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000     | 2.86076 | 0.283               | 0.283             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000     | 2.81013 | 0.278               | 0.278             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000     | 2.75950 | 0.273               | 0.273             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000     | 2.70886 | 0.268               | 0.268             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000     | 2.65823 | 0.263               | 0.263             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000     | 2.60760 | 0.258               | 0.258             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000     | 2.55696 | 0.253               | 0.253             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000     | 2.50633 | 0.248               | 0.248             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000     | 2.45570 | 0.243               | 0.243             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000     | 2.40506 | 0.238               | 0.238             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000     | 2.35443 | 0.233               | 0.233             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000     | 2.30380 | 0.228               | 0.228             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000     | 2.25317 | 0.223               | 0.223             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000      | 2.20253 | 0.218               | 0.218             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000      | 2.15190 | 0.213               | 0.213             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000      | 2.10127 | 0.208               | 0.208             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000      | 2.05063 | 0.203               | 0.203             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000      | 2.00000 | 0.198               | 0.198             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000      | 1.94937 | 0.193               | 0.193             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000      | 1.89873 | 0.188               | 0.188             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000      | 1.84810 | 0.183               | 0.183             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000      | 1.79747 | 0.178               | 0.178             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000      | 1.74684 | 0.173               | 0.173             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000      | 1.69620 | 0.168               | 0.168             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000      | 1.64557 | 0.163               | 0.163             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000      | 1.59494 | 0.158               | 0.158             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000      | 1.54430 | 0.153               | 0.153             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000      | 1.49367 | 0.148               | 0.148             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000      | 1.44304 | 0.143               | 0.143             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000      | 1.39241 | 0.138               | 0.138             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000      | 1.34177 | 0.133               | 0.133             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000      | 1.29114 | 0.128               | 0.128             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000      | 1.24051 | 0.123               | 0.123             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000      | 1.18987 | 0.118               | 0.118             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000      | 1.13924 | 0.113               | 0.113             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000       | 1.08861 | 0.108               | 0.108             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000       | 1.03797 | 0.103               | 0.103             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000       | 1.00000 | 0.099               | 0.099             |               |  |
|                 |                    | 平均値           |         |                     |                   |               |  |
|                 |                    | 80.00000      | 2.00000 |                     |                   |               |  |



(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |           | 共済事業    |                     | 園芸施設共済            |  |
|-----------------|--------------------|---------------|-----------|---------|---------------------|-------------------|--|
| 組合等名            |                    | 千葉県農業共済組合     |           |         |                     |                   |  |
| 料率地域区分          |                    | 000           |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分            |                    | 共済掛金区分        |           |         | 共済掛金標準率             |                   |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 内作事故除外A |           |         | 0.312               |                   |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |               | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|                 |                    |               | 圧縮前       | 圧縮後     |                     |                   |  |
| 20              | 197.5              | ≦* <          | 160.00000 | 3.01266 | 0.470               | 0.470             |  |
| 19              | 192.5              | ≦* < 197.5    | 156.00000 | 2.96203 | 0.462               | 0.462             |  |
| 18              | 187.5              | ≦* < 192.5    | 152.00000 | 2.91139 | 0.454               | 0.454             |  |
| 17              | 182.5              | ≦* < 187.5    | 148.00000 | 2.86076 | 0.446               | 0.446             |  |
| 16              | 177.5              | ≦* < 182.5    | 144.00000 | 2.81013 | 0.438               | 0.438             |  |
| 15              | 172.5              | ≦* < 177.5    | 140.00000 | 2.75950 | 0.430               | 0.430             |  |
| 14              | 167.5              | ≦* < 172.5    | 136.00000 | 2.70886 | 0.423               | 0.423             |  |
| 13              | 162.5              | ≦* < 167.5    | 132.00000 | 2.65823 | 0.415               | 0.415             |  |
| 12              | 157.5              | ≦* < 162.5    | 128.00000 | 2.60760 | 0.407               | 0.407             |  |
| 11              | 152.5              | ≦* < 157.5    | 124.00000 | 2.55696 | 0.399               | 0.399             |  |
| 10              | 147.5              | ≦* < 152.5    | 120.00000 | 2.50633 | 0.391               | 0.391             |  |
| 09              | 142.5              | ≦* < 147.5    | 116.00000 | 2.45570 | 0.383               | 0.383             |  |
| 08              | 137.5              | ≦* < 142.5    | 112.00000 | 2.40506 | 0.375               | 0.375             |  |
| 07              | 132.5              | ≦* < 137.5    | 108.00000 | 2.35443 | 0.367               | 0.367             |  |
| 06              | 127.5              | ≦* < 132.5    | 104.00000 | 2.30380 | 0.359               | 0.359             |  |
| 05              | 122.5              | ≦* < 127.5    | 100.00000 | 2.25317 | 0.351               | 0.351             |  |
| 04              | 117.5              | ≦* < 122.5    | 96.00000  | 2.20253 | 0.344               | 0.344             |  |
| 03              | 112.5              | ≦* < 117.5    | 92.00000  | 2.15190 | 0.336               | 0.336             |  |
| 02              | 107.5              | ≦* < 112.5    | 88.00000  | 2.10127 | 0.328               | 0.328             |  |
| 01              | 102.5              | ≦* < 107.5    | 84.00000  | 2.05063 | 0.320               | 0.320             |  |
| 00              | 97.5               | ≦* < 102.5    | 80.00000  | 2.00000 | 0.312               | 0.312             |  |
| -01             | 92.5               | ≦* < 97.5     | 76.00000  | 1.94937 | 0.304               | 0.304             |  |
| -02             | 87.5               | ≦* < 92.5     | 72.00000  | 1.89873 | 0.296               | 0.296             |  |
| -03             | 82.5               | ≦* < 87.5     | 68.00000  | 1.84810 | 0.288               | 0.288             |  |
| -04             | 77.5               | ≦* < 82.5     | 64.00000  | 1.79747 | 0.280               | 0.280             |  |
| -05             | 72.5               | ≦* < 77.5     | 60.00000  | 1.74684 | 0.273               | 0.273             |  |
| -06             | 67.5               | ≦* < 72.5     | 56.00000  | 1.69620 | 0.265               | 0.265             |  |
| -07             | 62.5               | ≦* < 67.5     | 52.00000  | 1.64557 | 0.257               | 0.257             |  |
| -08             | 57.5               | ≦* < 62.5     | 48.00000  | 1.59494 | 0.249               | 0.249             |  |
| -09             | 52.5               | ≦* < 57.5     | 44.00000  | 1.54430 | 0.241               | 0.241             |  |
| -10             | 47.5               | ≦* < 52.5     | 40.00000  | 1.49367 | 0.233               | 0.233             |  |
| -11             | 42.5               | ≦* < 47.5     | 36.00000  | 1.44304 | 0.225               | 0.225             |  |
| -12             | 37.5               | ≦* < 42.5     | 32.00000  | 1.39241 | 0.217               | 0.217             |  |
| -13             | 32.5               | ≦* < 37.5     | 28.00000  | 1.34177 | 0.209               | 0.209             |  |
| -14             | 27.5               | ≦* < 32.5     | 24.00000  | 1.29114 | 0.201               | 0.201             |  |
| -15             | 22.5               | ≦* < 27.5     | 20.00000  | 1.24051 | 0.194               | 0.194             |  |
| -16             | 17.5               | ≦* < 22.5     | 16.00000  | 1.18987 | 0.186               | 0.186             |  |
| -17             | 12.5               | ≦* < 17.5     | 12.00000  | 1.13924 | 0.178               | 0.178             |  |
| -18             | 7.5                | ≦* < 12.5     | 8.00000   | 1.08861 | 0.170               | 0.170             |  |
| -19             | 2.5                | ≦* < 7.5      | 4.00000   | 1.03797 | 0.162               | 0.162             |  |
| -20             | 0.0                | ≦* < 2.5      | 1.00000   | 1.00000 | 0.156               | 0.156             |  |
|                 |                    |               | 平均値       |         |                     |                   |  |
|                 |                    |               | 80.00000  | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           | 千葉県                |           | 共済事業            |                     | 園芸施設共済            |         |
|-----------------|--------------------|-----------|-----------------|---------------------|-------------------|---------|
| 組合等名            | 千葉県農業共済組合          |           |                 |                     |                   |         |
| 料率地域区分          | 000                |           | 地域名             | 00000 都道府県の区域       |                   |         |
| 施設区分            |                    |           | 共済掛金区分          |                     |                   | 共済掛金標準率 |
| 10 ガラス室 I 類(木造) |                    |           | ガラス I 内作事故除外A集団 |                     | 0.296             |         |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数      |                 | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |
|                 |                    | 圧縮前       | 圧縮後             |                     |                   |         |
| 20              | 197.5 ≤* <         | 160.00000 | 3.01266         | 0.446               | 0.446             |         |
| 19              | 192.5 ≤* < 197.5   | 156.00000 | 2.96203         | 0.438               | 0.438             |         |
| 18              | 187.5 ≤* < 192.5   | 152.00000 | 2.91139         | 0.431               | 0.431             |         |
| 17              | 182.5 ≤* < 187.5   | 148.00000 | 2.86076         | 0.423               | 0.423             |         |
| 16              | 177.5 ≤* < 182.5   | 144.00000 | 2.81013         | 0.416               | 0.416             |         |
| 15              | 172.5 ≤* < 177.5   | 140.00000 | 2.75950         | 0.408               | 0.408             |         |
| 14              | 167.5 ≤* < 172.5   | 136.00000 | 2.70886         | 0.401               | 0.401             |         |
| 13              | 162.5 ≤* < 167.5   | 132.00000 | 2.65823         | 0.393               | 0.393             |         |
| 12              | 157.5 ≤* < 162.5   | 128.00000 | 2.60760         | 0.386               | 0.386             |         |
| 11              | 152.5 ≤* < 157.5   | 124.00000 | 2.55696         | 0.378               | 0.378             |         |
| 10              | 147.5 ≤* < 152.5   | 120.00000 | 2.50633         | 0.371               | 0.371             |         |
| 09              | 142.5 ≤* < 147.5   | 116.00000 | 2.45570         | 0.363               | 0.363             |         |
| 08              | 137.5 ≤* < 142.5   | 112.00000 | 2.40506         | 0.356               | 0.356             |         |
| 07              | 132.5 ≤* < 137.5   | 108.00000 | 2.35443         | 0.348               | 0.348             |         |
| 06              | 127.5 ≤* < 132.5   | 104.00000 | 2.30380         | 0.341               | 0.341             |         |
| 05              | 122.5 ≤* < 127.5   | 100.00000 | 2.25317         | 0.333               | 0.333             |         |
| 04              | 117.5 ≤* < 122.5   | 96.00000  | 2.20253         | 0.326               | 0.326             |         |
| 03              | 112.5 ≤* < 117.5   | 92.00000  | 2.15190         | 0.318               | 0.318             |         |
| 02              | 107.5 ≤* < 112.5   | 88.00000  | 2.10127         | 0.311               | 0.311             |         |
| 01              | 102.5 ≤* < 107.5   | 84.00000  | 2.05063         | 0.303               | 0.303             |         |
| 00              | 97.5 ≤* < 102.5    | 80.00000  | 2.00000         | 0.296               | 0.296             |         |
| -01             | 92.5 ≤* < 97.5     | 76.00000  | 1.94937         | 0.289               | 0.289             |         |
| -02             | 87.5 ≤* < 92.5     | 72.00000  | 1.89873         | 0.281               | 0.281             |         |
| -03             | 82.5 ≤* < 87.5     | 68.00000  | 1.84810         | 0.274               | 0.274             |         |
| -04             | 77.5 ≤* < 82.5     | 64.00000  | 1.79747         | 0.266               | 0.266             |         |
| -05             | 72.5 ≤* < 77.5     | 60.00000  | 1.74684         | 0.259               | 0.259             |         |
| -06             | 67.5 ≤* < 72.5     | 56.00000  | 1.69620         | 0.251               | 0.251             |         |
| -07             | 62.5 ≤* < 67.5     | 52.00000  | 1.64557         | 0.244               | 0.244             |         |
| -08             | 57.5 ≤* < 62.5     | 48.00000  | 1.59494         | 0.236               | 0.236             |         |
| -09             | 52.5 ≤* < 57.5     | 44.00000  | 1.54430         | 0.229               | 0.229             |         |
| -10             | 47.5 ≤* < 52.5     | 40.00000  | 1.49367         | 0.221               | 0.221             |         |
| -11             | 42.5 ≤* < 47.5     | 36.00000  | 1.44304         | 0.214               | 0.214             |         |
| -12             | 37.5 ≤* < 42.5     | 32.00000  | 1.39241         | 0.206               | 0.206             |         |
| -13             | 32.5 ≤* < 37.5     | 28.00000  | 1.34177         | 0.199               | 0.199             |         |
| -14             | 27.5 ≤* < 32.5     | 24.00000  | 1.29114         | 0.191               | 0.191             |         |
| -15             | 22.5 ≤* < 27.5     | 20.00000  | 1.24051         | 0.184               | 0.184             |         |
| -16             | 17.5 ≤* < 22.5     | 16.00000  | 1.18987         | 0.176               | 0.176             |         |
| -17             | 12.5 ≤* < 17.5     | 12.00000  | 1.13924         | 0.169               | 0.169             |         |
| -18             | 7.5 ≤* < 12.5      | 8.00000   | 1.08861         | 0.161               | 0.161             |         |
| -19             | 2.5 ≤* < 7.5       | 4.00000   | 1.03797         | 0.154               | 0.154             |         |
| -20             | 0.0 ≤* < 2.5       | 1.00000   | 1.00000         | 0.148               | 0.148             |         |
|                 |                    | 平均値       |                 |                     |                   |         |
|                 |                    | 80.00000  | 2.00000         |                     |                   |         |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           | 千葉県                 |            |               |               | 共済事業                 | 園芸施設共済             |
|-----------------|---------------------|------------|---------------|---------------|----------------------|--------------------|
| 組合等名            | 千葉県農業共済組合           |            |               |               |                      |                    |
| 料率地域区分          | 000                 |            | 地域名           | 00000 都道府県の区域 |                      |                    |
| 施設区分            |                     |            | 共済掛金区分        |               |                      | 共済掛金標準率            |
| 10 ガラス室 I 類(木造) |                     |            | ガラス I 内作事故除外B |               | 0.231                |                    |
| 危険段階区分          | 平均損害率(*)<br>の範囲 (%) |            | 危険指数          |               | 危険段階別基準<br>共済掛金率 (%) | 危険段階別共済<br>掛金率 (%) |
|                 |                     |            | 圧縮前           | 圧縮後           |                      |                    |
| 20              | 197.5               | ≦* <       | 160.00000     | 3.01266       | 0.348                | 0.348              |
| 19              | 192.5               | ≦* < 197.5 | 156.00000     | 2.96203       | 0.342                | 0.342              |
| 18              | 187.5               | ≦* < 192.5 | 152.00000     | 2.91139       | 0.336                | 0.336              |
| 17              | 182.5               | ≦* < 187.5 | 148.00000     | 2.86076       | 0.330                | 0.330              |
| 16              | 177.5               | ≦* < 182.5 | 144.00000     | 2.81013       | 0.325                | 0.325              |
| 15              | 172.5               | ≦* < 177.5 | 140.00000     | 2.75950       | 0.319                | 0.319              |
| 14              | 167.5               | ≦* < 172.5 | 136.00000     | 2.70886       | 0.313                | 0.313              |
| 13              | 162.5               | ≦* < 167.5 | 132.00000     | 2.65823       | 0.307                | 0.307              |
| 12              | 157.5               | ≦* < 162.5 | 128.00000     | 2.60760       | 0.301                | 0.301              |
| 11              | 152.5               | ≦* < 157.5 | 124.00000     | 2.55696       | 0.295                | 0.295              |
| 10              | 147.5               | ≦* < 152.5 | 120.00000     | 2.50633       | 0.289                | 0.289              |
| 09              | 142.5               | ≦* < 147.5 | 116.00000     | 2.45570       | 0.284                | 0.284              |
| 08              | 137.5               | ≦* < 142.5 | 112.00000     | 2.40506       | 0.278                | 0.278              |
| 07              | 132.5               | ≦* < 137.5 | 108.00000     | 2.35443       | 0.272                | 0.272              |
| 06              | 127.5               | ≦* < 132.5 | 104.00000     | 2.30380       | 0.266                | 0.266              |
| 05              | 122.5               | ≦* < 127.5 | 100.00000     | 2.25317       | 0.260                | 0.260              |
| 04              | 117.5               | ≦* < 122.5 | 96.00000      | 2.20253       | 0.254                | 0.254              |
| 03              | 112.5               | ≦* < 117.5 | 92.00000      | 2.15190       | 0.249                | 0.249              |
| 02              | 107.5               | ≦* < 112.5 | 88.00000      | 2.10127       | 0.243                | 0.243              |
| 01              | 102.5               | ≦* < 107.5 | 84.00000      | 2.05063       | 0.237                | 0.237              |
| 00              | 97.5                | ≦* < 102.5 | 80.00000      | 2.00000       | 0.231                | 0.231              |
| -01             | 92.5                | ≦* < 97.5  | 76.00000      | 1.94937       | 0.225                | 0.225              |
| -02             | 87.5                | ≦* < 92.5  | 72.00000      | 1.89873       | 0.219                | 0.219              |
| -03             | 82.5                | ≦* < 87.5  | 68.00000      | 1.84810       | 0.213                | 0.213              |
| -04             | 77.5                | ≦* < 82.5  | 64.00000      | 1.79747       | 0.208                | 0.208              |
| -05             | 72.5                | ≦* < 77.5  | 60.00000      | 1.74684       | 0.202                | 0.202              |
| -06             | 67.5                | ≦* < 72.5  | 56.00000      | 1.69620       | 0.196                | 0.196              |
| -07             | 62.5                | ≦* < 67.5  | 52.00000      | 1.64557       | 0.190                | 0.190              |
| -08             | 57.5                | ≦* < 62.5  | 48.00000      | 1.59494       | 0.184                | 0.184              |
| -09             | 52.5                | ≦* < 57.5  | 44.00000      | 1.54430       | 0.178                | 0.178              |
| -10             | 47.5                | ≦* < 52.5  | 40.00000      | 1.49367       | 0.173                | 0.173              |
| -11             | 42.5                | ≦* < 47.5  | 36.00000      | 1.44304       | 0.167                | 0.167              |
| -12             | 37.5                | ≦* < 42.5  | 32.00000      | 1.39241       | 0.161                | 0.161              |
| -13             | 32.5                | ≦* < 37.5  | 28.00000      | 1.34177       | 0.155                | 0.155              |
| -14             | 27.5                | ≦* < 32.5  | 24.00000      | 1.29114       | 0.149                | 0.149              |
| -15             | 22.5                | ≦* < 27.5  | 20.00000      | 1.24051       | 0.143                | 0.143              |
| -16             | 17.5                | ≦* < 22.5  | 16.00000      | 1.18987       | 0.137                | 0.137              |
| -17             | 12.5                | ≦* < 17.5  | 12.00000      | 1.13924       | 0.132                | 0.132              |
| -18             | 7.5                 | ≦* < 12.5  | 8.00000       | 1.08861       | 0.126                | 0.126              |
| -19             | 2.5                 | ≦* < 7.5   | 4.00000       | 1.03797       | 0.120                | 0.120              |
| -20             | 0.0                 | ≦* < 2.5   | 1.00000       | 1.00000       | 0.115                | 0.115              |
|                 |                     |            | 平均値           |               |                      |                    |
|                 |                     |            | 80.00000      | 2.00000       |                      |                    |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県        |                 |         |                     | 共済事業              |  | 園芸施設共済  |  |
|-----------------|--------------------|------------|-----------------|---------|---------------------|-------------------|--|---------|--|
| 組合等名            |                    | 千葉県農業共済組合  |                 |         |                     |                   |  |         |  |
| 料率地域区分          |                    | 000        |                 | 地域名     |                     | 00000             |  | 都道府県の区域 |  |
| 施設区分            |                    |            | 共済掛金区分          |         |                     | 共済掛金標準率           |  |         |  |
| 10 ガラス室 I 類(木造) |                    |            | ガラス I 内作事故除外B集団 |         |                     | 0.219             |  |         |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |            | 危険指数            |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |         |  |
|                 |                    |            | 圧縮前             | 圧縮後     |                     |                   |  |         |  |
| 20              | 197.5              | ≦* <       | 160.00000       | 3.01266 | 0.330               | 0.330             |  |         |  |
| 19              | 192.5              | ≦* < 197.5 | 156.00000       | 2.96203 | 0.324               | 0.324             |  |         |  |
| 18              | 187.5              | ≦* < 192.5 | 152.00000       | 2.91139 | 0.319               | 0.319             |  |         |  |
| 17              | 182.5              | ≦* < 187.5 | 148.00000       | 2.86076 | 0.313               | 0.313             |  |         |  |
| 16              | 177.5              | ≦* < 182.5 | 144.00000       | 2.81013 | 0.308               | 0.308             |  |         |  |
| 15              | 172.5              | ≦* < 177.5 | 140.00000       | 2.75950 | 0.302               | 0.302             |  |         |  |
| 14              | 167.5              | ≦* < 172.5 | 136.00000       | 2.70886 | 0.297               | 0.297             |  |         |  |
| 13              | 162.5              | ≦* < 167.5 | 132.00000       | 2.65823 | 0.291               | 0.291             |  |         |  |
| 12              | 157.5              | ≦* < 162.5 | 128.00000       | 2.60760 | 0.286               | 0.286             |  |         |  |
| 11              | 152.5              | ≦* < 157.5 | 124.00000       | 2.55696 | 0.280               | 0.280             |  |         |  |
| 10              | 147.5              | ≦* < 152.5 | 120.00000       | 2.50633 | 0.274               | 0.274             |  |         |  |
| 09              | 142.5              | ≦* < 147.5 | 116.00000       | 2.45570 | 0.269               | 0.269             |  |         |  |
| 08              | 137.5              | ≦* < 142.5 | 112.00000       | 2.40506 | 0.263               | 0.263             |  |         |  |
| 07              | 132.5              | ≦* < 137.5 | 108.00000       | 2.35443 | 0.258               | 0.258             |  |         |  |
| 06              | 127.5              | ≦* < 132.5 | 104.00000       | 2.30380 | 0.252               | 0.252             |  |         |  |
| 05              | 122.5              | ≦* < 127.5 | 100.00000       | 2.25317 | 0.247               | 0.247             |  |         |  |
| 04              | 117.5              | ≦* < 122.5 | 96.00000        | 2.20253 | 0.241               | 0.241             |  |         |  |
| 03              | 112.5              | ≦* < 117.5 | 92.00000        | 2.15190 | 0.236               | 0.236             |  |         |  |
| 02              | 107.5              | ≦* < 112.5 | 88.00000        | 2.10127 | 0.230               | 0.230             |  |         |  |
| 01              | 102.5              | ≦* < 107.5 | 84.00000        | 2.05063 | 0.225               | 0.225             |  |         |  |
| 00              | 97.5               | ≦* < 102.5 | 80.00000        | 2.00000 | 0.219               | 0.219             |  |         |  |
| -01             | 92.5               | ≦* < 97.5  | 76.00000        | 1.94937 | 0.213               | 0.213             |  |         |  |
| -02             | 87.5               | ≦* < 92.5  | 72.00000        | 1.89873 | 0.208               | 0.208             |  |         |  |
| -03             | 82.5               | ≦* < 87.5  | 68.00000        | 1.84810 | 0.202               | 0.202             |  |         |  |
| -04             | 77.5               | ≦* < 82.5  | 64.00000        | 1.79747 | 0.197               | 0.197             |  |         |  |
| -05             | 72.5               | ≦* < 77.5  | 60.00000        | 1.74684 | 0.191               | 0.191             |  |         |  |
| -06             | 67.5               | ≦* < 72.5  | 56.00000        | 1.69620 | 0.186               | 0.186             |  |         |  |
| -07             | 62.5               | ≦* < 67.5  | 52.00000        | 1.64557 | 0.180               | 0.180             |  |         |  |
| -08             | 57.5               | ≦* < 62.5  | 48.00000        | 1.59494 | 0.175               | 0.175             |  |         |  |
| -09             | 52.5               | ≦* < 57.5  | 44.00000        | 1.54430 | 0.169               | 0.169             |  |         |  |
| -10             | 47.5               | ≦* < 52.5  | 40.00000        | 1.49367 | 0.164               | 0.164             |  |         |  |
| -11             | 42.5               | ≦* < 47.5  | 36.00000        | 1.44304 | 0.158               | 0.158             |  |         |  |
| -12             | 37.5               | ≦* < 42.5  | 32.00000        | 1.39241 | 0.152               | 0.152             |  |         |  |
| -13             | 32.5               | ≦* < 37.5  | 28.00000        | 1.34177 | 0.147               | 0.147             |  |         |  |
| -14             | 27.5               | ≦* < 32.5  | 24.00000        | 1.29114 | 0.141               | 0.141             |  |         |  |
| -15             | 22.5               | ≦* < 27.5  | 20.00000        | 1.24051 | 0.136               | 0.136             |  |         |  |
| -16             | 17.5               | ≦* < 22.5  | 16.00000        | 1.18987 | 0.130               | 0.130             |  |         |  |
| -17             | 12.5               | ≦* < 17.5  | 12.00000        | 1.13924 | 0.125               | 0.125             |  |         |  |
| -18             | 7.5                | ≦* < 12.5  | 8.00000         | 1.08861 | 0.119               | 0.119             |  |         |  |
| -19             | 2.5                | ≦* < 7.5   | 4.00000         | 1.03797 | 0.114               | 0.114             |  |         |  |
| -20             | 0.0                | ≦* < 2.5   | 1.00000         | 1.00000 | 0.109               | 0.109             |  |         |  |
|                 |                    |            | 平均値             |         |                     |                   |  |         |  |
|                 |                    |            | 80.00000        | 2.00000 |                     |                   |  |         |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           | 千葉県                |           | 共済事業          |                     | 園芸施設共済            |         |
|-----------------|--------------------|-----------|---------------|---------------------|-------------------|---------|
| 組合等名            | 千葉県農業共済組合          |           |               |                     |                   |         |
| 料率地域区分          | 000                |           | 地域名           | 00000 都道府県の区域       |                   |         |
| 施設区分            |                    |           | 共済掛金区分        |                     |                   | 共済掛金標準率 |
| 10 ガラス室 I 類(木造) |                    |           | ガラス I 内作事故除外C |                     | 0.157             |         |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |
|                 |                    | 圧縮前       | 圧縮後           |                     |                   |         |
| 20              | 197.5 ≤* <         | 160.00000 | 3.01266       | 0.236               | 0.236             |         |
| 19              | 192.5 ≤* < 197.5   | 156.00000 | 2.96203       | 0.233               | 0.233             |         |
| 18              | 187.5 ≤* < 192.5   | 152.00000 | 2.91139       | 0.229               | 0.229             |         |
| 17              | 182.5 ≤* < 187.5   | 148.00000 | 2.86076       | 0.225               | 0.225             |         |
| 16              | 177.5 ≤* < 182.5   | 144.00000 | 2.81013       | 0.221               | 0.221             |         |
| 15              | 172.5 ≤* < 177.5   | 140.00000 | 2.75950       | 0.217               | 0.217             |         |
| 14              | 167.5 ≤* < 172.5   | 136.00000 | 2.70886       | 0.213               | 0.213             |         |
| 13              | 162.5 ≤* < 167.5   | 132.00000 | 2.65823       | 0.209               | 0.209             |         |
| 12              | 157.5 ≤* < 162.5   | 128.00000 | 2.60760       | 0.205               | 0.205             |         |
| 11              | 152.5 ≤* < 157.5   | 124.00000 | 2.55696       | 0.201               | 0.201             |         |
| 10              | 147.5 ≤* < 152.5   | 120.00000 | 2.50633       | 0.197               | 0.197             |         |
| 09              | 142.5 ≤* < 147.5   | 116.00000 | 2.45570       | 0.193               | 0.193             |         |
| 08              | 137.5 ≤* < 142.5   | 112.00000 | 2.40506       | 0.189               | 0.189             |         |
| 07              | 132.5 ≤* < 137.5   | 108.00000 | 2.35443       | 0.185               | 0.185             |         |
| 06              | 127.5 ≤* < 132.5   | 104.00000 | 2.30380       | 0.181               | 0.181             |         |
| 05              | 122.5 ≤* < 127.5   | 100.00000 | 2.25317       | 0.177               | 0.177             |         |
| 04              | 117.5 ≤* < 122.5   | 96.00000  | 2.20253       | 0.173               | 0.173             |         |
| 03              | 112.5 ≤* < 117.5   | 92.00000  | 2.15190       | 0.169               | 0.169             |         |
| 02              | 107.5 ≤* < 112.5   | 88.00000  | 2.10127       | 0.165               | 0.165             |         |
| 01              | 102.5 ≤* < 107.5   | 84.00000  | 2.05063       | 0.161               | 0.161             |         |
| 00              | 97.5 ≤* < 102.5    | 80.00000  | 2.00000       | 0.157               | 0.157             |         |
| -01             | 92.5 ≤* < 97.5     | 76.00000  | 1.94937       | 0.153               | 0.153             |         |
| -02             | 87.5 ≤* < 92.5     | 72.00000  | 1.89873       | 0.149               | 0.149             |         |
| -03             | 82.5 ≤* < 87.5     | 68.00000  | 1.84810       | 0.145               | 0.145             |         |
| -04             | 77.5 ≤* < 82.5     | 64.00000  | 1.79747       | 0.141               | 0.141             |         |
| -05             | 72.5 ≤* < 77.5     | 60.00000  | 1.74684       | 0.137               | 0.137             |         |
| -06             | 67.5 ≤* < 72.5     | 56.00000  | 1.69620       | 0.133               | 0.133             |         |
| -07             | 62.5 ≤* < 67.5     | 52.00000  | 1.64557       | 0.129               | 0.129             |         |
| -08             | 57.5 ≤* < 62.5     | 48.00000  | 1.59494       | 0.125               | 0.125             |         |
| -09             | 52.5 ≤* < 57.5     | 44.00000  | 1.54430       | 0.121               | 0.121             |         |
| -10             | 47.5 ≤* < 52.5     | 40.00000  | 1.49367       | 0.117               | 0.117             |         |
| -11             | 42.5 ≤* < 47.5     | 36.00000  | 1.44304       | 0.113               | 0.113             |         |
| -12             | 37.5 ≤* < 42.5     | 32.00000  | 1.39241       | 0.109               | 0.109             |         |
| -13             | 32.5 ≤* < 37.5     | 28.00000  | 1.34177       | 0.105               | 0.105             |         |
| -14             | 27.5 ≤* < 32.5     | 24.00000  | 1.29114       | 0.101               | 0.101             |         |
| -15             | 22.5 ≤* < 27.5     | 20.00000  | 1.24051       | 0.097               | 0.097             |         |
| -16             | 17.5 ≤* < 22.5     | 16.00000  | 1.18987       | 0.093               | 0.093             |         |
| -17             | 12.5 ≤* < 17.5     | 12.00000  | 1.13924       | 0.089               | 0.089             |         |
| -18             | 7.5 ≤* < 12.5      | 8.00000   | 1.08861       | 0.085               | 0.085             |         |
| -19             | 2.5 ≤* < 7.5       | 4.00000   | 1.03797       | 0.081               | 0.081             |         |
| -20             | 0.0 ≤* < 2.5       | 1.00000   | 1.00000       | 0.078               | 0.078             |         |
|                 |                    | 平均値       |               |                     |                   |         |
|                 |                    | 80.00000  | 2.00000       |                     |                   |         |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県             |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|-----------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合       |         |                     |                   |               |  |
| 料率地域区分          |                    | 000             |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分          |         |                     | 共済掛金標準率           |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 内作事故除外C集団 |         |                     | 0.149             |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数            |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前             | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000       | 3.01266 | 0.224               | 0.224             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000       | 2.96203 | 0.221               | 0.221             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000       | 2.91139 | 0.217               | 0.217             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000       | 2.86076 | 0.213               | 0.213             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000       | 2.81013 | 0.209               | 0.209             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000       | 2.75950 | 0.206               | 0.206             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000       | 2.70886 | 0.202               | 0.202             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000       | 2.65823 | 0.198               | 0.198             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000       | 2.60760 | 0.194               | 0.194             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000       | 2.55696 | 0.190               | 0.190             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000       | 2.50633 | 0.187               | 0.187             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000       | 2.45570 | 0.183               | 0.183             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000       | 2.40506 | 0.179               | 0.179             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000       | 2.35443 | 0.175               | 0.175             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000       | 2.30380 | 0.172               | 0.172             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000       | 2.25317 | 0.168               | 0.168             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000        | 2.20253 | 0.164               | 0.164             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000        | 2.15190 | 0.160               | 0.160             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000        | 2.10127 | 0.157               | 0.157             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000        | 2.05063 | 0.153               | 0.153             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000        | 2.00000 | 0.149               | 0.149             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000        | 1.94937 | 0.145               | 0.145             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000        | 1.89873 | 0.141               | 0.141             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000        | 1.84810 | 0.138               | 0.138             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000        | 1.79747 | 0.134               | 0.134             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000        | 1.74684 | 0.130               | 0.130             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000        | 1.69620 | 0.126               | 0.126             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000        | 1.64557 | 0.123               | 0.123             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000        | 1.59494 | 0.119               | 0.119             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000        | 1.54430 | 0.115               | 0.115             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000        | 1.49367 | 0.111               | 0.111             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000        | 1.44304 | 0.108               | 0.108             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000        | 1.39241 | 0.104               | 0.104             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000        | 1.34177 | 0.100               | 0.100             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000        | 1.29114 | 0.096               | 0.096             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000        | 1.24051 | 0.092               | 0.092             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000        | 1.18987 | 0.089               | 0.089             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000        | 1.13924 | 0.085               | 0.085             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000         | 1.08861 | 0.081               | 0.081             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000         | 1.03797 | 0.077               | 0.077             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000         | 1.00000 | 0.074               | 0.074             |               |  |
|                 |                    | 平均値             |         |                     |                   |               |  |
|                 |                    | 80.00000        | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|---------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合     |         |                     |                   |               |  |
| 料率地域区分          |                    | 000           |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分        |         |                     | 共済掛金標準率           |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 内作事故除外D |         |                     | 0.022             |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前           | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000     | 3.01266 | 0.033               | 0.033             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000     | 2.96203 | 0.033               | 0.033             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000     | 2.91139 | 0.032               | 0.032             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000     | 2.86076 | 0.031               | 0.031             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000     | 2.81013 | 0.031               | 0.031             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000     | 2.75950 | 0.030               | 0.030             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000     | 2.70886 | 0.030               | 0.030             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000     | 2.65823 | 0.029               | 0.029             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000     | 2.60760 | 0.029               | 0.029             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000     | 2.55696 | 0.028               | 0.028             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000     | 2.50633 | 0.028               | 0.028             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000     | 2.45570 | 0.027               | 0.027             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000     | 2.40506 | 0.026               | 0.026             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000     | 2.35443 | 0.026               | 0.026             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000     | 2.30380 | 0.025               | 0.025             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000     | 2.25317 | 0.025               | 0.025             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000      | 2.20253 | 0.024               | 0.024             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000      | 2.15190 | 0.024               | 0.024             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000      | 2.10127 | 0.023               | 0.023             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000      | 2.05063 | 0.023               | 0.023             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000      | 2.00000 | 0.022               | 0.022             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000      | 1.94937 | 0.021               | 0.021             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000      | 1.89873 | 0.021               | 0.021             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000      | 1.84810 | 0.020               | 0.020             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000      | 1.79747 | 0.020               | 0.020             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000      | 1.74684 | 0.019               | 0.019             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000      | 1.69620 | 0.019               | 0.019             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000      | 1.64557 | 0.018               | 0.018             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000      | 1.59494 | 0.018               | 0.018             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000      | 1.54430 | 0.017               | 0.017             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000      | 1.49367 | 0.016               | 0.016             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000      | 1.44304 | 0.016               | 0.016             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000      | 1.39241 | 0.015               | 0.015             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000      | 1.34177 | 0.015               | 0.015             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000      | 1.29114 | 0.014               | 0.014             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000      | 1.24051 | 0.014               | 0.014             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000      | 1.18987 | 0.013               | 0.013             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000      | 1.13924 | 0.013               | 0.013             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000       | 1.08861 | 0.012               | 0.012             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000       | 1.03797 | 0.011               | 0.011             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000       | 1.00000 | 0.011               | 0.011             |               |  |
|                 |                    | 平均値           |         |                     |                   |               |  |
|                 |                    | 80.00000      | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県             |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|-----------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合       |         |                     |                   |               |  |
| 料率地域区分          |                    | 000             |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分          |         |                     | 共済掛金標準率           |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 内作事故除外D集団 |         |                     | 0.021             |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数            |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前             | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000       | 3.01266 | 0.032               | 0.032             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000       | 2.96203 | 0.031               | 0.031             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000       | 2.91139 | 0.031               | 0.031             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000       | 2.86076 | 0.030               | 0.030             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000       | 2.81013 | 0.030               | 0.030             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000       | 2.75950 | 0.029               | 0.029             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000       | 2.70886 | 0.028               | 0.028             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000       | 2.65823 | 0.028               | 0.028             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000       | 2.60760 | 0.027               | 0.027             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000       | 2.55696 | 0.027               | 0.027             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000       | 2.50633 | 0.026               | 0.026             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000       | 2.45570 | 0.026               | 0.026             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000       | 2.40506 | 0.025               | 0.025             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000       | 2.35443 | 0.025               | 0.025             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000       | 2.30380 | 0.024               | 0.024             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000       | 2.25317 | 0.024               | 0.024             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000        | 2.20253 | 0.023               | 0.023             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000        | 2.15190 | 0.023               | 0.023             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000        | 2.10127 | 0.022               | 0.022             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000        | 2.05063 | 0.022               | 0.022             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000        | 2.00000 | 0.021               | 0.021             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000        | 1.94937 | 0.020               | 0.020             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000        | 1.89873 | 0.020               | 0.020             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000        | 1.84810 | 0.019               | 0.019             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000        | 1.79747 | 0.019               | 0.019             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000        | 1.74684 | 0.018               | 0.018             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000        | 1.69620 | 0.018               | 0.018             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000        | 1.64557 | 0.017               | 0.017             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000        | 1.59494 | 0.017               | 0.017             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000        | 1.54430 | 0.016               | 0.016             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000        | 1.49367 | 0.016               | 0.016             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000        | 1.44304 | 0.015               | 0.015             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000        | 1.39241 | 0.015               | 0.015             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000        | 1.34177 | 0.014               | 0.014             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000        | 1.29114 | 0.014               | 0.014             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000        | 1.24051 | 0.013               | 0.013             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000        | 1.18987 | 0.012               | 0.012             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000        | 1.13924 | 0.012               | 0.012             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000         | 1.08861 | 0.011               | 0.011             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000         | 1.03797 | 0.011               | 0.011             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000         | 1.00000 | 0.010               | 0.010             |               |  |
|                 |                    | 平均値             |         |                     |                   |               |  |
|                 |                    | 80.00000        | 2.00000 |                     |                   |               |  |



(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県           |         | 共済事業                |                   | 園芸施設共済        |  |
|-----------------|--------------------|---------------|---------|---------------------|-------------------|---------------|--|
| 組合等名            |                    | 千葉県農業共済組合     |         |                     |                   |               |  |
| 料率地域区分          |                    | 000           |         | 地域名                 |                   | 00000 都道府県の区域 |  |
| 施設区分            |                    | 共済掛金区分        |         |                     | 共済掛金標準率           |               |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 内作事故除外E |         |                     | 0.021             |               |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数          |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |               |  |
|                 |                    | 圧縮前           | 圧縮後     |                     |                   |               |  |
| 20              | 197.5 ≤* <         | 160.00000     | 3.01266 | 0.032               | 0.032             |               |  |
| 19              | 192.5 ≤* < 197.5   | 156.00000     | 2.96203 | 0.031               | 0.031             |               |  |
| 18              | 187.5 ≤* < 192.5   | 152.00000     | 2.91139 | 0.031               | 0.031             |               |  |
| 17              | 182.5 ≤* < 187.5   | 148.00000     | 2.86076 | 0.030               | 0.030             |               |  |
| 16              | 177.5 ≤* < 182.5   | 144.00000     | 2.81013 | 0.030               | 0.030             |               |  |
| 15              | 172.5 ≤* < 177.5   | 140.00000     | 2.75950 | 0.029               | 0.029             |               |  |
| 14              | 167.5 ≤* < 172.5   | 136.00000     | 2.70886 | 0.028               | 0.028             |               |  |
| 13              | 162.5 ≤* < 167.5   | 132.00000     | 2.65823 | 0.028               | 0.028             |               |  |
| 12              | 157.5 ≤* < 162.5   | 128.00000     | 2.60760 | 0.027               | 0.027             |               |  |
| 11              | 152.5 ≤* < 157.5   | 124.00000     | 2.55696 | 0.027               | 0.027             |               |  |
| 10              | 147.5 ≤* < 152.5   | 120.00000     | 2.50633 | 0.026               | 0.026             |               |  |
| 09              | 142.5 ≤* < 147.5   | 116.00000     | 2.45570 | 0.026               | 0.026             |               |  |
| 08              | 137.5 ≤* < 142.5   | 112.00000     | 2.40506 | 0.025               | 0.025             |               |  |
| 07              | 132.5 ≤* < 137.5   | 108.00000     | 2.35443 | 0.025               | 0.025             |               |  |
| 06              | 127.5 ≤* < 132.5   | 104.00000     | 2.30380 | 0.024               | 0.024             |               |  |
| 05              | 122.5 ≤* < 127.5   | 100.00000     | 2.25317 | 0.024               | 0.024             |               |  |
| 04              | 117.5 ≤* < 122.5   | 96.00000      | 2.20253 | 0.023               | 0.023             |               |  |
| 03              | 112.5 ≤* < 117.5   | 92.00000      | 2.15190 | 0.023               | 0.023             |               |  |
| 02              | 107.5 ≤* < 112.5   | 88.00000      | 2.10127 | 0.022               | 0.022             |               |  |
| 01              | 102.5 ≤* < 107.5   | 84.00000      | 2.05063 | 0.022               | 0.022             |               |  |
| 00              | 97.5 ≤* < 102.5    | 80.00000      | 2.00000 | 0.021               | 0.021             |               |  |
| -01             | 92.5 ≤* < 97.5     | 76.00000      | 1.94937 | 0.020               | 0.020             |               |  |
| -02             | 87.5 ≤* < 92.5     | 72.00000      | 1.89873 | 0.020               | 0.020             |               |  |
| -03             | 82.5 ≤* < 87.5     | 68.00000      | 1.84810 | 0.019               | 0.019             |               |  |
| -04             | 77.5 ≤* < 82.5     | 64.00000      | 1.79747 | 0.019               | 0.019             |               |  |
| -05             | 72.5 ≤* < 77.5     | 60.00000      | 1.74684 | 0.018               | 0.018             |               |  |
| -06             | 67.5 ≤* < 72.5     | 56.00000      | 1.69620 | 0.018               | 0.018             |               |  |
| -07             | 62.5 ≤* < 67.5     | 52.00000      | 1.64557 | 0.017               | 0.017             |               |  |
| -08             | 57.5 ≤* < 62.5     | 48.00000      | 1.59494 | 0.017               | 0.017             |               |  |
| -09             | 52.5 ≤* < 57.5     | 44.00000      | 1.54430 | 0.016               | 0.016             |               |  |
| -10             | 47.5 ≤* < 52.5     | 40.00000      | 1.49367 | 0.016               | 0.016             |               |  |
| -11             | 42.5 ≤* < 47.5     | 36.00000      | 1.44304 | 0.015               | 0.015             |               |  |
| -12             | 37.5 ≤* < 42.5     | 32.00000      | 1.39241 | 0.015               | 0.015             |               |  |
| -13             | 32.5 ≤* < 37.5     | 28.00000      | 1.34177 | 0.014               | 0.014             |               |  |
| -14             | 27.5 ≤* < 32.5     | 24.00000      | 1.29114 | 0.014               | 0.014             |               |  |
| -15             | 22.5 ≤* < 27.5     | 20.00000      | 1.24051 | 0.013               | 0.013             |               |  |
| -16             | 17.5 ≤* < 22.5     | 16.00000      | 1.18987 | 0.012               | 0.012             |               |  |
| -17             | 12.5 ≤* < 17.5     | 12.00000      | 1.13924 | 0.012               | 0.012             |               |  |
| -18             | 7.5 ≤* < 12.5      | 8.00000       | 1.08861 | 0.011               | 0.011             |               |  |
| -19             | 2.5 ≤* < 7.5       | 4.00000       | 1.03797 | 0.011               | 0.011             |               |  |
| -20             | 0.0 ≤* < 2.5       | 1.00000       | 1.00000 | 0.010               | 0.010             |               |  |
|                 |                    | 平均値           |         |                     |                   |               |  |
|                 |                    | 80.00000      | 2.00000 |                     |                   |               |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           |                    | 千葉県             |           | 共済事業    |                     | 園芸施設共済            |  |
|-----------------|--------------------|-----------------|-----------|---------|---------------------|-------------------|--|
| 組合等名            |                    | 千葉県農業共済組合       |           |         |                     |                   |  |
| 料率地域区分          |                    | 000             |           | 地域名     |                     | 00000 都道府県の区域     |  |
| 施設区分            |                    | 共済掛金区分          |           |         | 共済掛金標準率             |                   |  |
| 10 ガラス室 I 類(木造) |                    | ガラス I 内作事故除外E集団 |           |         | 0.020               |                   |  |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) |                 | 危険指数      |         | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |  |
|                 |                    |                 | 圧縮前       | 圧縮後     |                     |                   |  |
| 20              | 197.5              | ≦* <            | 160.00000 | 3.01266 | 0.030               | 0.030             |  |
| 19              | 192.5              | ≦* < 197.5      | 156.00000 | 2.96203 | 0.030               | 0.030             |  |
| 18              | 187.5              | ≦* < 192.5      | 152.00000 | 2.91139 | 0.029               | 0.029             |  |
| 17              | 182.5              | ≦* < 187.5      | 148.00000 | 2.86076 | 0.029               | 0.029             |  |
| 16              | 177.5              | ≦* < 182.5      | 144.00000 | 2.81013 | 0.028               | 0.028             |  |
| 15              | 172.5              | ≦* < 177.5      | 140.00000 | 2.75950 | 0.028               | 0.028             |  |
| 14              | 167.5              | ≦* < 172.5      | 136.00000 | 2.70886 | 0.027               | 0.027             |  |
| 13              | 162.5              | ≦* < 167.5      | 132.00000 | 2.65823 | 0.027               | 0.027             |  |
| 12              | 157.5              | ≦* < 162.5      | 128.00000 | 2.60760 | 0.026               | 0.026             |  |
| 11              | 152.5              | ≦* < 157.5      | 124.00000 | 2.55696 | 0.026               | 0.026             |  |
| 10              | 147.5              | ≦* < 152.5      | 120.00000 | 2.50633 | 0.025               | 0.025             |  |
| 09              | 142.5              | ≦* < 147.5      | 116.00000 | 2.45570 | 0.025               | 0.025             |  |
| 08              | 137.5              | ≦* < 142.5      | 112.00000 | 2.40506 | 0.024               | 0.024             |  |
| 07              | 132.5              | ≦* < 137.5      | 108.00000 | 2.35443 | 0.024               | 0.024             |  |
| 06              | 127.5              | ≦* < 132.5      | 104.00000 | 2.30380 | 0.023               | 0.023             |  |
| 05              | 122.5              | ≦* < 127.5      | 100.00000 | 2.25317 | 0.023               | 0.023             |  |
| 04              | 117.5              | ≦* < 122.5      | 96.00000  | 2.20253 | 0.022               | 0.022             |  |
| 03              | 112.5              | ≦* < 117.5      | 92.00000  | 2.15190 | 0.022               | 0.022             |  |
| 02              | 107.5              | ≦* < 112.5      | 88.00000  | 2.10127 | 0.021               | 0.021             |  |
| 01              | 102.5              | ≦* < 107.5      | 84.00000  | 2.05063 | 0.021               | 0.021             |  |
| 00              | 97.5               | ≦* < 102.5      | 80.00000  | 2.00000 | 0.020               | 0.020             |  |
| -01             | 92.5               | ≦* < 97.5       | 76.00000  | 1.94937 | 0.019               | 0.019             |  |
| -02             | 87.5               | ≦* < 92.5       | 72.00000  | 1.89873 | 0.019               | 0.019             |  |
| -03             | 82.5               | ≦* < 87.5       | 68.00000  | 1.84810 | 0.018               | 0.018             |  |
| -04             | 77.5               | ≦* < 82.5       | 64.00000  | 1.79747 | 0.018               | 0.018             |  |
| -05             | 72.5               | ≦* < 77.5       | 60.00000  | 1.74684 | 0.017               | 0.017             |  |
| -06             | 67.5               | ≦* < 72.5       | 56.00000  | 1.69620 | 0.017               | 0.017             |  |
| -07             | 62.5               | ≦* < 67.5       | 52.00000  | 1.64557 | 0.016               | 0.016             |  |
| -08             | 57.5               | ≦* < 62.5       | 48.00000  | 1.59494 | 0.016               | 0.016             |  |
| -09             | 52.5               | ≦* < 57.5       | 44.00000  | 1.54430 | 0.015               | 0.015             |  |
| -10             | 47.5               | ≦* < 52.5       | 40.00000  | 1.49367 | 0.015               | 0.015             |  |
| -11             | 42.5               | ≦* < 47.5       | 36.00000  | 1.44304 | 0.014               | 0.014             |  |
| -12             | 37.5               | ≦* < 42.5       | 32.00000  | 1.39241 | 0.014               | 0.014             |  |
| -13             | 32.5               | ≦* < 37.5       | 28.00000  | 1.34177 | 0.013               | 0.013             |  |
| -14             | 27.5               | ≦* < 32.5       | 24.00000  | 1.29114 | 0.013               | 0.013             |  |
| -15             | 22.5               | ≦* < 27.5       | 20.00000  | 1.24051 | 0.012               | 0.012             |  |
| -16             | 17.5               | ≦* < 22.5       | 16.00000  | 1.18987 | 0.012               | 0.012             |  |
| -17             | 12.5               | ≦* < 17.5       | 12.00000  | 1.13924 | 0.011               | 0.011             |  |
| -18             | 7.5                | ≦* < 12.5       | 8.00000   | 1.08861 | 0.011               | 0.011             |  |
| -19             | 2.5                | ≦* < 7.5        | 4.00000   | 1.03797 | 0.010               | 0.010             |  |
| -20             | 0.0                | ≦* < 2.5        | 1.00000   | 1.00000 | 0.010               | 0.010             |  |
|                 |                    |                 | 平均値       |         |                     |                   |  |
|                 |                    |                 | 80.00000  | 2.00000 |                     |                   |  |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           | 千葉県                |           |               |                     | 共済事業              | 園芸施設共済  |
|-----------------|--------------------|-----------|---------------|---------------------|-------------------|---------|
| 組合等名            | 千葉県農業共済組合          |           |               |                     |                   |         |
| 料率地域区分          | 000                |           | 地域名           | 00000 都道府県の区域       |                   |         |
| 施設区分            |                    |           | 共済掛金区分        |                     |                   | 共済掛金標準率 |
| 10 ガラス室 I 類(木造) |                    |           | ガラス I 内作事故除外F |                     | 0.313             |         |
| 危険段階区分          | 平均損害率(*)<br>の範囲(%) | 危険指数      |               | 危険段階別基準<br>共済掛金率(%) | 危険段階別共済<br>掛金率(%) |         |
|                 |                    | 圧縮前       | 圧縮後           |                     |                   |         |
| 20              | 197.5 ≤* <         | 160.00000 | 3.01266       | 0.471               | 0.471             |         |
| 19              | 192.5 ≤* < 197.5   | 156.00000 | 2.96203       | 0.464               | 0.464             |         |
| 18              | 187.5 ≤* < 192.5   | 152.00000 | 2.91139       | 0.456               | 0.456             |         |
| 17              | 182.5 ≤* < 187.5   | 148.00000 | 2.86076       | 0.448               | 0.448             |         |
| 16              | 177.5 ≤* < 182.5   | 144.00000 | 2.81013       | 0.440               | 0.440             |         |
| 15              | 172.5 ≤* < 177.5   | 140.00000 | 2.75950       | 0.432               | 0.432             |         |
| 14              | 167.5 ≤* < 172.5   | 136.00000 | 2.70886       | 0.424               | 0.424             |         |
| 13              | 162.5 ≤* < 167.5   | 132.00000 | 2.65823       | 0.416               | 0.416             |         |
| 12              | 157.5 ≤* < 162.5   | 128.00000 | 2.60760       | 0.408               | 0.408             |         |
| 11              | 152.5 ≤* < 157.5   | 124.00000 | 2.55696       | 0.400               | 0.400             |         |
| 10              | 147.5 ≤* < 152.5   | 120.00000 | 2.50633       | 0.392               | 0.392             |         |
| 09              | 142.5 ≤* < 147.5   | 116.00000 | 2.45570       | 0.384               | 0.384             |         |
| 08              | 137.5 ≤* < 142.5   | 112.00000 | 2.40506       | 0.376               | 0.376             |         |
| 07              | 132.5 ≤* < 137.5   | 108.00000 | 2.35443       | 0.368               | 0.368             |         |
| 06              | 127.5 ≤* < 132.5   | 104.00000 | 2.30380       | 0.361               | 0.361             |         |
| 05              | 122.5 ≤* < 127.5   | 100.00000 | 2.25317       | 0.353               | 0.353             |         |
| 04              | 117.5 ≤* < 122.5   | 96.00000  | 2.20253       | 0.345               | 0.345             |         |
| 03              | 112.5 ≤* < 117.5   | 92.00000  | 2.15190       | 0.337               | 0.337             |         |
| 02              | 107.5 ≤* < 112.5   | 88.00000  | 2.10127       | 0.329               | 0.329             |         |
| 01              | 102.5 ≤* < 107.5   | 84.00000  | 2.05063       | 0.321               | 0.321             |         |
| 00              | 97.5 ≤* < 102.5    | 80.00000  | 2.00000       | 0.313               | 0.313             |         |
| -01             | 92.5 ≤* < 97.5     | 76.00000  | 1.94937       | 0.305               | 0.305             |         |
| -02             | 87.5 ≤* < 92.5     | 72.00000  | 1.89873       | 0.297               | 0.297             |         |
| -03             | 82.5 ≤* < 87.5     | 68.00000  | 1.84810       | 0.289               | 0.289             |         |
| -04             | 77.5 ≤* < 82.5     | 64.00000  | 1.79747       | 0.281               | 0.281             |         |
| -05             | 72.5 ≤* < 77.5     | 60.00000  | 1.74684       | 0.273               | 0.273             |         |
| -06             | 67.5 ≤* < 72.5     | 56.00000  | 1.69620       | 0.265               | 0.265             |         |
| -07             | 62.5 ≤* < 67.5     | 52.00000  | 1.64557       | 0.258               | 0.258             |         |
| -08             | 57.5 ≤* < 62.5     | 48.00000  | 1.59494       | 0.250               | 0.250             |         |
| -09             | 52.5 ≤* < 57.5     | 44.00000  | 1.54430       | 0.242               | 0.242             |         |
| -10             | 47.5 ≤* < 52.5     | 40.00000  | 1.49367       | 0.234               | 0.234             |         |
| -11             | 42.5 ≤* < 47.5     | 36.00000  | 1.44304       | 0.226               | 0.226             |         |
| -12             | 37.5 ≤* < 42.5     | 32.00000  | 1.39241       | 0.218               | 0.218             |         |
| -13             | 32.5 ≤* < 37.5     | 28.00000  | 1.34177       | 0.210               | 0.210             |         |
| -14             | 27.5 ≤* < 32.5     | 24.00000  | 1.29114       | 0.202               | 0.202             |         |
| -15             | 22.5 ≤* < 27.5     | 20.00000  | 1.24051       | 0.194               | 0.194             |         |
| -16             | 17.5 ≤* < 22.5     | 16.00000  | 1.18987       | 0.186               | 0.186             |         |
| -17             | 12.5 ≤* < 17.5     | 12.00000  | 1.13924       | 0.178               | 0.178             |         |
| -18             | 7.5 ≤* < 12.5      | 8.00000   | 1.08861       | 0.170               | 0.170             |         |
| -19             | 2.5 ≤* < 7.5       | 4.00000   | 1.03797       | 0.162               | 0.162             |         |
| -20             | 0.0 ≤* < 2.5       | 1.00000   | 1.00000       | 0.156               | 0.156             |         |
|                 |                    | 平均値       |               |                     |                   |         |
|                 |                    | 80.00000  | 2.00000       |                     |                   |         |

(表3)危険段階別共済掛金率の表

令和 3年 3月 4日

| 都道府県名           | 千葉県                 |            |                 |               | 共済事業                 | 園芸施設共済             |
|-----------------|---------------------|------------|-----------------|---------------|----------------------|--------------------|
| 組合等名            | 千葉県農業共済組合           |            |                 |               |                      |                    |
| 料率地域区分          | 000                 |            | 地域名             | 00000 都道府県の区域 |                      |                    |
| 施設区分            |                     |            | 共済掛金区分          |               |                      | 共済掛金標準率            |
| 10 ガラス室 I 類(木造) |                     |            | ガラス I 内作事故除外F集团 |               | 0.297                |                    |
| 危険段階区分          | 平均損害率(*)<br>の範囲 (%) |            | 危険指数            |               | 危険段階別基準<br>共済掛金率 (%) | 危険段階別共済<br>掛金率 (%) |
|                 |                     |            | 圧縮前             | 圧縮後           |                      |                    |
| 20              | 197.5               | ≦* <       | 160.00000       | 3.01266       | 0.447                | 0.447              |
| 19              | 192.5               | ≦* < 197.5 | 156.00000       | 2.96203       | 0.440                | 0.440              |
| 18              | 187.5               | ≦* < 192.5 | 152.00000       | 2.91139       | 0.432                | 0.432              |
| 17              | 182.5               | ≦* < 187.5 | 148.00000       | 2.86076       | 0.425                | 0.425              |
| 16              | 177.5               | ≦* < 182.5 | 144.00000       | 2.81013       | 0.417                | 0.417              |
| 15              | 172.5               | ≦* < 177.5 | 140.00000       | 2.75950       | 0.410                | 0.410              |
| 14              | 167.5               | ≦* < 172.5 | 136.00000       | 2.70886       | 0.402                | 0.402              |
| 13              | 162.5               | ≦* < 167.5 | 132.00000       | 2.65823       | 0.395                | 0.395              |
| 12              | 157.5               | ≦* < 162.5 | 128.00000       | 2.60760       | 0.387                | 0.387              |
| 11              | 152.5               | ≦* < 157.5 | 124.00000       | 2.55696       | 0.380                | 0.380              |
| 10              | 147.5               | ≦* < 152.5 | 120.00000       | 2.50633       | 0.372                | 0.372              |
| 09              | 142.5               | ≦* < 147.5 | 116.00000       | 2.45570       | 0.365                | 0.365              |
| 08              | 137.5               | ≦* < 142.5 | 112.00000       | 2.40506       | 0.357                | 0.357              |
| 07              | 132.5               | ≦* < 137.5 | 108.00000       | 2.35443       | 0.350                | 0.350              |
| 06              | 127.5               | ≦* < 132.5 | 104.00000       | 2.30380       | 0.342                | 0.342              |
| 05              | 122.5               | ≦* < 127.5 | 100.00000       | 2.25317       | 0.335                | 0.335              |
| 04              | 117.5               | ≦* < 122.5 | 96.00000        | 2.20253       | 0.327                | 0.327              |
| 03              | 112.5               | ≦* < 117.5 | 92.00000        | 2.15190       | 0.320                | 0.320              |
| 02              | 107.5               | ≦* < 112.5 | 88.00000        | 2.10127       | 0.312                | 0.312              |
| 01              | 102.5               | ≦* < 107.5 | 84.00000        | 2.05063       | 0.305                | 0.305              |
| 00              | 97.5                | ≦* < 102.5 | 80.00000        | 2.00000       | 0.297                | 0.297              |
| -01             | 92.5                | ≦* < 97.5  | 76.00000        | 1.94937       | 0.289                | 0.289              |
| -02             | 87.5                | ≦* < 92.5  | 72.00000        | 1.89873       | 0.282                | 0.282              |
| -03             | 82.5                | ≦* < 87.5  | 68.00000        | 1.84810       | 0.274                | 0.274              |
| -04             | 77.5                | ≦* < 82.5  | 64.00000        | 1.79747       | 0.267                | 0.267              |
| -05             | 72.5                | ≦* < 77.5  | 60.00000        | 1.74684       | 0.259                | 0.259              |
| -06             | 67.5                | ≦* < 72.5  | 56.00000        | 1.69620       | 0.252                | 0.252              |
| -07             | 62.5                | ≦* < 67.5  | 52.00000        | 1.64557       | 0.244                | 0.244              |
| -08             | 57.5                | ≦* < 62.5  | 48.00000        | 1.59494       | 0.237                | 0.237              |
| -09             | 52.5                | ≦* < 57.5  | 44.00000        | 1.54430       | 0.229                | 0.229              |
| -10             | 47.5                | ≦* < 52.5  | 40.00000        | 1.49367       | 0.222                | 0.222              |
| -11             | 42.5                | ≦* < 47.5  | 36.00000        | 1.44304       | 0.214                | 0.214              |
| -12             | 37.5                | ≦* < 42.5  | 32.00000        | 1.39241       | 0.207                | 0.207              |
| -13             | 32.5                | ≦* < 37.5  | 28.00000        | 1.34177       | 0.199                | 0.199              |
| -14             | 27.5                | ≦* < 32.5  | 24.00000        | 1.29114       | 0.192                | 0.192              |
| -15             | 22.5                | ≦* < 27.5  | 20.00000        | 1.24051       | 0.184                | 0.184              |
| -16             | 17.5                | ≦* < 22.5  | 16.00000        | 1.18987       | 0.177                | 0.177              |
| -17             | 12.5                | ≦* < 17.5  | 12.00000        | 1.13924       | 0.169                | 0.169              |
| -18             | 7.5                 | ≦* < 12.5  | 8.00000         | 1.08861       | 0.162                | 0.162              |
| -19             | 2.5                 | ≦* < 7.5   | 4.00000         | 1.03797       | 0.154                | 0.154              |
| -20             | 0.0                 | ≦* < 2.5   | 1.00000         | 1.00000       | 0.148                | 0.148              |
|                 |                     |            | 平均値             |               |                      |                    |
|                 |                     |            | 80.00000        | 2.00000       |                      |                    |